

ママエフコレクション目録

A List of the Mamaev's Collection

ユーラシア産双翅目，鞘翅目標本

Eurasian Diptera and Coleoptera

2000

兵庫県立 人と自然の博物館 系統分類研究部

Division of Phylogenetics, Museum of Nature and Human Activities, Hyogo

ママエフコレクション目録

A List of the Mamaev's Collection

ユーラシア産双翅目，鞘翅目標本

Eurasian Diptera and Coleoptera



Fig. 1 収納された永久プレパラート標本
Slides in preparation box




Fig. 2 永久プレパラート標本
Slides of Cecidomyiidae.
B1-250996, B1-250997: *Dicerura rossica*
(originally identified with *Ulmomyia rossica*)



Fig. 3 針刺し標本 (双翅目)
Pinned specimens of Diptera

ママエフコレクションの概要

ボリス・ママエフ博士は、半世紀にわたり双翅目タマバエ科をはじめとした森林性昆虫の分類学および生態学的研究に携わってこられ、現在も全ロシア森林教育研究所（All-Russian Institute of Continuous Education in Forestry）において、研究を続けられています。

ママエフ博士は、その過程において多数の新種を含む膨大なコレクションを形成されました。人と自然の博物館では、1993年、博士のご好意により、そのコレクションの一部を譲り受けることができました。

わが国の生物多様性の起源を解明するためには、日本列島の生物相を調査することと同時に、大陸のそれと比較することがきわめて重要です。本コレクションは、主として、東ヨーロッパから極東にわたる旧ソ連諸国を中心としたユーラシア大陸において採集された標本から構成され、ママエフ博士によって記載された種のタイプ標本を多数含んでいます。また、彼により記載されたその他のタイプ標本の多くはサンクトペテルブルグの動物研究所に収蔵されていますが、今回のコレクションにはそれらの種の副模式標本も多く含まれています。このようなことから、このたびの当館の収蔵標本は、重要な参照標本として、わが国での今後の研究に大いに活用していただけるものと思います。

当館に収蔵されたママエフコレクションは、次のような資料から構成されています。

A．タマバエ科を中心とした永久プレパラート標本 2,921点（ホロタイプ220点）

資料番号：B 1-250001～ B 1-254188（Figs .1 2）

B．タマバエ科を中心とした幼虫、成虫の液浸状態の標本 約2500点

C．双翅目および鞘翅目の針刺し乾燥標本 629点（ホロタイプ13点）

資料番号：B 1-255001～ B 1-255178， B 1-258001～ B 1-258451（Fig .3）

今回出版された資料目録では、これらのうちAとCについてのデータを収録しています。Bの中には今後研究が必要な未同定資料が多数含まれているほか、Aの標本と同時に採集されたデータを共有する幼虫、成虫の標本が含まれています。

なお、本コレクションを当博物館が収蔵するにあたっては九州大学農学部昆虫学研究室（1993年当時鹿児島大学農学部教授）の湯川淳一教授のご尽力に負うところが大きいです。ここに記して深謝します。

Outlines of the Collection and the List

Prof. Dr. Mamaev Boris Mikhailovich at All-Russian Institute of Continuous Education in Forestry has given a great contribution toward taxonomic and ecological studies of forest insects mainly in countries of the Eurasian Continent, from eastern Europe to Far East. Throughout his researches, he made a big collection and described many new species of gall midges (Cecidomyiidae) or other Diptera and Coleoptera. He continues systematic studies, describes new species and makes collection even today.

In 1993, the Museum of Nature and Human Activities, Hyogo got several parts of his collection including many holotypes and paratypes. In this collection we can see paratypes of a number of species that he described and sent the holotypes to Zoological Institute, Saint-Petersbourg, Russia.

The Mamaev collection in the Museum of Nature and Human Activities, Hyogo, is divided into three parts by its preparation;

[A] Cecidomyiidae and some relative Nematoceras on slides in Canadian balsam
2,921 (220 holotypes) Nos., B1-250001 to B1-254188. (Figs. 1, 2)

[B] Larvae and Imagos of Cecidomyiidae and other Nematoceras in alcohol about
2500 tubes.

[C] Pinned specimens of Diptera and Coleoptera 629 (13 holotypes) Nos., B1-255001
to B1-255178, B1-258001 to B1-258451. (Fig. 3)

In this catalog we deal with the list from [A] and [C]. Collection [B] contains the larvae and imagos of which data common with the specimens of part [A], and many unidentified specimens of gall midges collected by netting.

We will special thanks to Prof. Dr. Junichi Yukawa, Entomological Laboratory, Kyusyu University for his effort to mediate between Dr. Mamaev and us.

目次

Contents

DIPTERA 双翅目

CECIDOMYIIDAE タマバエ科.....	1
LESTREMIINAE.....	1
PORRICONDYLINAE.....	8
CECIDOMYIINAE.....	16
SCIARIDAE クロバネキノコバエ科.....	36
MYCETOBIIDAE.....	37
HYPEROSCELIDIDAE.....	38
HESPERINIDAE ヒゲナガケバエ科.....	38
PACHYNEURIDAE.....	39
CRAMPTONOMYIIDAE ハルカ科.....	39
AXYMYIIDAE クチキカ科.....	39
XYLOPHAGIDAE キアブ科.....	39
CLUSIIDAE クチキバエ科.....	40

COLEOPTERA 鞘翅目

EUCNEMIDAE コメツキダマシ科.....	43
CUCUJIDAE ヒラタムシ科.....	45
SILVANIDAE ホソヒラタムシ科.....	45
COLYDIIDAE ホソカタムシ科.....	45
PROSTOMIDAE デバヒラタムシ科.....	46
MELANDRYIDAE ナガクチキムシ科.....	46
CEPHALOIDAE クビナガムシ科.....	47
PYTHIDAE キカワムシ科.....	48
PYROCHROIDAE アカハネムシ科.....	48
SALPINGIDAE チビキカワムシ科.....	49

凡例

各標本のデータは、学名、人と自然の博物館における資料登録番号、採集地、採集年月日、採集者の順に表示してあります。

Notes

Data of each specimen is arranged in the following order: material number of the Museum, collecting locality, date as “ year. month. day ” , collector's name.

D I P T E R A

双 翅 目

双翅目のリストは、永久プレパラート標本と針刺し乾燥標本からなる。すべてのプレパラート標本にはママエフ博士による整理番号が付され、ほとんどすべてに採集データと種名の記述がなされている。針刺し乾燥標本も同様である。目録の作成にあたっては、標本に添付されたデータラベルをできるだけ忠実に転記することとしたが、地名の特定やロシア語の英文表記については、ママエフ博士の手によって1993年に作成された標本リストを参照した。種名は氏が作成したリストにしたがって配列し、標本に記載されている種名がリストのそれと異なる場合は、その旨も記述した。

プレパラート標本によっては、複数個体が同一のスライドグラスに封入されている場合がある。このような場合は、1枚のスライドグラスについて1つの資料番号を付した。

完模式標本はすべて標本にその旨の記載があるが、副模式標本については、氏のリストで指示があるものの、標本には記載がなされていない場合があった。そのような場合は目録中に*を付した(例: B1-250036)。また、交尾器その他を分離された個体が複数のスライドグラスに封入され、2枚または3枚の標本にまたがってタイプ指定がなされている場合がある(例: B1-250676, B1-250677)。

All slides and pinned specimens of Diptera were numbered, attached with collection data, species name and indication of holotype or paratype by Dr. Mamaev or other collectors. Original data on the attached label were transcribed as exact as possible. However English spelling of Russian names of nations or districts were referred to the list typed by himself. Arrangement of the data and species name also followed the list by himself. If specimen was re-identified with different genus or species by him, original information on the slide was added to the following list.

The material number is applied for a single slide or pin although frequently two or more individuals are mounted on it.

Holotype is signed on a slide or attached with type label. Some paratypes are not indicated on slides in spite of suggestion in his original list. In such a case asterisk (*) is added at the following list (ex. B1-250036). Male specimens of Cecidomyiidae are prepared on the slides usually separating their genitalia, heads or wings. Therefore two or three slides are sometimes specified as holotype"s" (ex. B1-250676, B1-250677; Fig. 2).

CECIDOMYIIDAE タマバエ科

LESTREMIINAE

- 1 *Catotricha marinae*
B1-250001 Holotype, Russia Tuva Ishtii-Khem, 1979.7.15, Mamaev
- 2 *Catotricha subterranea*
B1-250002 Holotype, Russia Far East Ussury reserve, 1968.10.2, Mamaev
- 3 *Catocha latipes*
B1-250003 Russia Far East Ussury reserve, 1967.5.19
B1-250004 Russia Far East Ussury reserve, 1967.5.19
B1-250005 Russia Far East Ussury reserve, 1967.5.19
B1-250006 Russia Far East Ussury reserve, 1967.5.19
B1-250007 Russia Far East Ussury reserve, 1969.6.13
B1-250008 Russia Far East Kedrovaja Pad reserve, 1964.9.19, Mamaev
B1-250009 Russia Far East Kedrovaja Pad reserve, 1964.9.19
B1-250010 Russia Tuva Ishtii-Khem, 1973.8.15
B1-250011 Russia Tuva Ishtii-Khem, 1974.6.11
B1-250012 Russia Tuva Ishtii-Khem
B1-250013 Russia Ural Yamal, 1981.7.21
B1-250014 Russia Ural Yamal, 1981.7.21
B1-250015 Russia Ural Yamal, 1981.7.28
B1-250016 Russia Ural Yamal, 1979.7.
- 4 *Neocatocha asiatica*
B1-250017 Holotype, Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
B1-250018 Paratype, Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
- 5 *Allarete nigra*
B1-250019 Holotype, Russia Kamtshatka, 1984.6.28, B.M.
B1-250020 Paratype, Russia Kamtshatka, 1984.6.20, B.M.
- 6 *Anarete medicaginis*
B1-250021 Uzbekistan Mubarek
B1-250022 Uzbekistan Mubarek
- 7 *Anarete flavitarsis*
B1-250023 Holotype and Paratype, Russia Daghestan Arani, 1955.5.20, Mamaev
- 8 *Anarete coronata*
B1-250024 Holotype, Russia Moscow region Bykovo
- 9 *Anarete jagdyevi*
B1-250025 Holotype, Turkmenistan Badkhyz reserve
- 10 *Anarete taimyrensis*
B1-250026 Holotype, Russia Taimyr
- 11 *Anarete lacteipennis*
B1-250027 Russia Moscow region Pavlovskaja Slovoda, 1960., Mamaev
- 12 *Anarete candidata*
B1-250028 Russia Moscow region Pavlovskaja Slovoda, , Mamaev
- 13 *Anarete corni*
B1-250029 Russia Moscow region Pavlovskaja Slovoda
B1-250030 Russia Moscow region Pavlovskaja Slovoda
- 14 *Anarete johnsoni*
B1-250031 Russia Moscow region Pavlovskaja Slovoda
- 15 *Anaretella borealis*
B1-250032 Holotype, Russia Ural Yamal, 1979.7.
B1-250033 Paratype, Russia Ural Yamal, 1979.7.
B1-250034 Paratype, Russia Ural Yamal, 1979.7.
- 16 *Anaretella corniculata*
B1-250035 Holotype, Russia Ural Yamal, 1979.7.
B1-250036 Paratype*, Russia Ural Yamal, 1981.7.26
- 17 *Anaretella spiraeina*
B1-250037 Russia Moscow region Pavlovskaja Slovoda, 1962.7.11
B1-250038 Russia Moscow region Pavlovskaja Slovoda, 1962.8.18, Mamaev
B1-250039 Russia Moscow region Pavlovskaja Slovoda, 1962.8.16, Mamaev
B1-250040 Russia Moscow region Pavlovskaja Slovoda, 1962.7.18, Mamaev
B1-250041 Russia Moscow region Pavlovskaja Slovoda, 1963.6.7, Mamaev
B1-250042 Russia Moscow region Pavlovskaja Slovoda, 1963.6.14, Mamaev
B1-250043 Russia Moscow region Udelnaja, 1961., Mamaev
B1-250044 Russia Tuva Ishtii-Khem, 1973.8.16, Mam
B1-250045 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250046 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250047 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250048 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250049 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250050 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250051 Russia Tuva Ishtii-Khem, 1974.7.8
B1-250052 Russia Tuva Ishtii-Khem, 1974.7.8
B1-250053 Russia Tuva Ishtii-Khem, 1974.7.8
B1-250054 Russia Tuva Ishtii-Khem, 1974.7.8
B1-250055 Russia Tuva Ishtii-Khem, 1974.6.28
B1-250056 Russia Tuva Ishtii-Khem, 1974.6.28
B1-250057 Russia Kursk region Kursk reserve, 1970.7.15, Mamaev
B1-250058 Russia Far East Ussury reserve, 1969.6.20
B1-250059 Russia Ural Yamal, 1981.8.7
B1-250060 Russia Ural Yamal, 1979.7.
B1-250061 Uzbekistan Samarkand, 1962.5.25, Mamaev

- B1-250062 Uzbekistan Samarkand, 1962.6.25, Mamaev
- 18 *Anaretella defecta***
 B1-250063 Russia Moscow region Pavlovskaja Slovoda, 1962.8.16, Mamaev
 B1-250064 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
- 19 *Anaretella magnicornis***
 B1-250065 Holotype, Russia Voronezh region Tellerman, 1960.9.18, Mamaev
- 20 *Anaretella cincta***
 B1-250066 Holotype, Russia Moscow region Udelnaja, 1961., Mamaev
 B1-250067 Russia Ural Yamal, 1981.6.27
- 21 *Anaretella elegantula***
 B1-250068 Holotype, Russia North Caucasus Novopokhladnoe, 1959.4.25, Mamaev
- Anaretella* spp. (females)**
 B1-250069 Russia Moscow region Pavlovskaja Slovoda, 1961., Mamaev
 B1-250070 Russia Moscow region Pavlovskaja Slovoda, 1961., Mamaev
 B1-250071 Russia Moscow region Pavlovskaja Slovoda, 1963.5.16, Mamaev
 B1-250072 Russia Moscow region Pavlovskaja Slovoda, 1963.6.14, Mamaev
 B1-250073 Russia Tuva Ishtii-Khem, 1973.8.13, Mamaev
 B1-250074 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250075 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250076 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250077 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250078 Russia Ural Yamal, 1979.7.
 B1-250079 Russia Ural Yamal, 1979.7.
 B1-250080 Russia Ural Yamal, 1979.7.
 B1-250081 Russia Ural Yamal, 1979.7.
 B1-250082 Russia Ural Yamal, 1979.7.
 B1-250083 Russia Ural Yamal, 1979.7.
 B1-250084 Russia Ural Yamal, 1979.7.
 B1-250085 Russia Ural Yamal, 1981.7.20
 B1-250086 Russia Ural Yamal, 1981.7.21
 B1-250088 Russia Far East Kedrovaja Pad reserve, 1964.10.3, Mamaev
- 22 *Gongromastix major***
 B1-250089 Holotype, Russia Tuva Ishtii-Khem, 1974.7.6, Mamaev
- 23 *Gongromastix minor***
 B1-250090 Holotype, Russia Tuva Ishtii-Khem, 1973.8.22
- 24 *Lestremia cinerea***
 B1-250091 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
- B1-250092 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11, Mamaev
 B1-250093 Russia Moscow region Pavlovskaja Slovoda, 1962.8.18, Mamaev
 B1-250094 Russia Moscow region Pavlovskaja Slovoda, 1963.7.28, Mamaev
 B1-250095 Russia Moscow region Pavlovskaja Slovoda, 1962.7.11, Mamaev
 B1-250096 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15, Mamaev
 B1-250097 Russia Moscow region Pavlovskaja Slovoda, 1961..
 B1-250098 Russia Moscow region Udelnaja, 1961., Mamaev
 B1-250099 Russia Moscow region Danki, 1962.5.21, Mamaev
 B1-250100 Russia Moscow region Glubokoe Ozero, 1960.7.27, Mamaev
 B1-250101 Russia Vologda region Kadnikovka, 1962., Mamaev
 B1-250102 Russia Vologda region Kadnikovka, 1962., Mamaev
 B1-250103 Russia Rostov region Leninskij leskhoz, 1953.5.17, Mamaev
 B1-250104 Russia Kursk region Kursk reserve, 1970.7.2
 B1-250105 Russia Voronezh region Tellerman, 1960.9.18
 B1-250106 Russia Voronezh region Tellerman, 1960.9.19
 B1-250107 Russia Ekaterinburg reg. Bojarsk
 B1-250108 Russia Daghestan Arani, 1955.5.20, Mamaev
 B1-250109 Ukraina Carpathians Kvasy, 1963.6.13, Mamaev
 B1-250110 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250111 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250112 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250113 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250114 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250115 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250116 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250117 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250118 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250119 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250120 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250121 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250122 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250123 Russia Tuva Ishtii-Khem, 1974.7.8
 B1-250124 Uzbekistan Samarkand, 1962.5.10-15, Mamaev
 B1-250125 Uzbekistan Samarkand, 1962.5.10-15, Mamaev
 B1-250126 Uzbekistan Samarkand, 1962.5.10-15
 B1-250127 Russia Far East Ussury reserve, 1969.6.18
 B1-250128 Russia Far East Zeja reserve, 1982.6.18
 B1-250129 Russia Kamtschatka, 1987.8.17, Mamaev
- 25 *Lestremia inexpectata***
 B1-250130 Holotype, Turkmenistan Kopetdag Ipaj-Kala, 1971.5.14, B. M.
- 26 *Lestremia leucophaea***
 B1-250131 Russia Moscow region Pavlovskaja Slovoda, , Mamaev
 B1-250132 Russia Moscow region Udelnaja, , Mamaev
 B1-250133 Russia Moscow region Danki, 1964.6.10, Mamaev

B1-250134 Russia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250135 Ukraina Carpathians Khust, 1963.6.22, Mamaev
 B1-250136 Ukraina Carpathians Khust, 1963.7.3, Mamaev
 B1-250137 Russia North Caucasus Krasnaja Poljina, 1967.6.24, B. M.
 B1-250138 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250139 Russia Far East Ussury reserve, 1964.9.13, Mamaev
 B1-250140 Russia Kamtshatka, 1984.6.20, B. M.

***Lestremia* spp. (females)**

B1-250141 Russia Moscow region Zavety Iljitcha, 1963.7.9, Mamaev
 B1-250142 Russia Moscow region Udelnaja
 B1-250143 Tarchovo, 1970.7.20-25
 B1-250144 Ukraina Carpathians Khust, 1963.7.17, Mamaev
 B1-250145 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250146 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250147 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250148 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250149 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250150 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250151 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250152 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250153 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250154 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-250155 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250156 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250157 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250158 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250159 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250160 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250161 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250162 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250163 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250164 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250165 Russia Tuva Ishtii-Khem, 1973.8.19
 B1-250166 Russia Tuva Ishtii-Khem, 1973.8.19
 B1-250167 Russia Tuva Ishtii-Khem, 1974.7.6
 B1-250168 Russia Tuva Ishtii-Khem, 1974.7.6
 B1-250169 Russia Tuva Ishtii-Khem, 1974.6.13
 B1-250170 Russia Tuva Ishtii-Khem, 1974.6.13
 B1-250171 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250172 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250173 Russia Tuva Ishtii-Khem, 1974.7.8
 B1-250174 Russia Tuva Ishtii-Khem, 1973.9.22
 B1-250175 Russia Tuva Ishtii-Khem, 1974.6.24
 B1-250176 Russia Tuva Ishtii-Khem, 1974.6.27

27 *Aprionus spiniger*

B1-250177 Russia Moscow region Pavlovskaja Slovoda, 1962.7.4, Mamaev
 B1-250178 Russia Moscow region Pavlovskaja Slovoda, 1962.7.16, Mamaev
 B1-250179 Russia Moscow region Pavlovskaja Slovoda, 1962.7.20, Mamaev

B1-250180 Russia Moscow region Pavlovskaja Slovoda, 1962.7.21, Mamaev
 B1-250181 Russia Moscow region Pavlovskaja Slovoda, 1963.7.29, Mamaev
 B1-250182 Russia Moscow region Danki, 1962.9.11
 B1-250183 Russia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250184 Russia Vologda region Kadnikovka, 1962.7., Mamaev
 B1-250185 Russia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250186 Russia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250187 Russia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250188 Russia Far East Zeja reserve, 1982.7.9
 B1-250189 Russia Far East Zeja reserve, 1982.7.9
 B1-250190 Russia Far East Zeja reserve, 1982.7.9
 B1-250191 Russia Far East Zeja reserve, 1982.7.22
 B1-250192 Russia Far East Zeja reserve, 1982.7.22
 B1-250193 Russia Far East Zeja reserve, 1982.7.17
 B1-250195 Russia Far East Kedrovaja Pad reserve, 1964.8.23, Mamaev
 B1-250196 Russia Far East Kedrovaja Pad reserve, 1964.8.27, Mamaev

28 *Aprionus similis*

B1-250197 Holotype, Russia Moscow region Levinskaja, 1958.8.23, Mamaev
 B1-250198 Allotype, Russia Moscow region Levinskaja, 1958.8.23, Mamaev
 B1-250199 Russia Moscow region Levinskaja
 B1-250200 Russia Arkhangelsk region, 1967.5.23
 B1-250201 Russia Arkhangelsk region Obozerskaja, 1959.6.10, Mamaev
 B1-250202 Ukraina Carpathians Kvasy, 1963.6.22
 B1-250203 Ukraina Carpathians Kvasy, 1963.6.22
 B1-250204 Ukraina Carpathians Kvasy, 1963.6.15, Mamaev
 B1-250205 Russia Far East Ussury reserve, 1964.9.13, Mamaev
 B1-250206 Russia Far East Ussury reserve, 1964.9.13, Mamaev
 B1-250207 Russia Far East Ussury reserve, 1967.5.8

29 *Aprionus aequatus*

B1-250208 Holotype, Uzbekistan Samarkand, 1962.5.15-18, Mamaev
 B1-250209 Paratype, Uzbekistan Samarkand, 1962.5.15-18
 B1-250210 Russia North Caucasus Krasnaja Poljina, 1967.6.13, B. M.
 B1-250211 Russia North Caucasus Krasnaja Poljina, 1967.6.19, B. M.
 B1-250212 Russia North Caucasus Krasnaja Poljina, 1967.8.6
 B1-250213 Russia Tuva Ishtii-Khem, 1973.8.13, Mamaev

30 *Aprionus insignnis*

B1-250214 Holotype and Allotype, Russia Voronezh region Tellerman, 1960.9.30, Mamaev
 B1-250215 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11, Mamaev
 B1-250216 Russia Moscow region Pavlovskaja Slovoda, 1963.5.16, Mamaev
 B1-250217 Russia Moscow region Pavlovskaja Slovoda, 1962.8.16, Mamaev

- B1-250218 Russia Tula region Krapivna, .5.9, Mamaev
 B1-250219 Russia Yaroslavl region Volkovo, 1961., Mamaev
 B1-250220 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-250221 Russia Yaroslavl region Volkovo, 1961.6., Mamaev
 B1-250222 Russia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250223 Ukraina Carpathians Rakhov, 1966.5.30
 B1-250224 Ukraina Carpathians Rakhov, 1966.5.30
- 31 *Aprionus flavidus***
 B1-250225 Ukraina Carpathians Kvasy, 1963.6.7, Mamaev
 B1-250226 Ukraina Carpathians Kvasy, 1963.6.17, Mamaev
 B1-250227 Ukraina Carpathians Kvasy, 1963.6.17, Mamaev
 B1-250228 Ukraina Carpathians Kvasy, 1963.6.27, Mamaev
 B1-250229 Ukraina Carpathians Kvasy, 1963.6.27, Mamaev
 B1-250230 Ukraina Carpathians Kvasy, 1963.6.30, Mamaev
- 32 *Aprionus terrestris***
 B1-250231 Holotype and Allotype, Russia Tula region Krapivna, 1958.6.27
 B1-250232 Russia Moscow region Pavlovskaja Slovoda, 1962.7.21, Mamaev
 B1-250233 Russia Vologda region Kadnikovka, 1962.6.7.
- 33 *Aprionus longicollis***
 B1-250234 Holotype, Russia Yaroslavl region Volkovo, 1961.6.13, Mamaev
 B1-250235 Russia Ural Yamal, 1981.8.1
 B1-250236 Russia Ural Yamal, 1981.7.26
- 34 *Aprionus inquisitor***
 B1-250237 Holotype, Russia Yaroslavl region Volkovo, 1961.6.18, Mamaev
- 35 *Aprionus dentifer***
 B1-250238 Holotype and Allotype*,
 Russia Moscow region Pavlovskaja Slovoda, 1963.5.21
 B1-250239 Russia Moscow region Danki, 1962.9.11
- 36 *Aprionus smirnovi***
 B1-250240 Paratypes*, Russia North Caucasus Novopokhladnoe
- 37 *Aprionus confusus***
 B1-250241 Holotype, Russia Yaroslavl region Volkovo, 1961.7.5-15
 B1-250242 Russia Vologda region Kadnikovka, 1962.7., Mamaev
- 38 *Aprionus dispar***
 B1-250243 Holotype and Paratype,
 Russia Voronezh region Tellerman, 1961.6.30
- 39 *Aprionus miki***
 B1-250244 Russia Moscow region Pavlovskaja Slovoda, 1953.5.14, Mamaev
 B1-250245 Ukraina Carpathians Kvasy, 1963.6.30
- B1-250246 Ukraina Carpathians Kvasy, 1963.6.27
- 40 *Aprionus bispinosus***
 B1-250247 Ukraina Carpathians Kvasy, 1963.6.28, Mamaev
 B1-250248 Ukraina Carpathians Rakhov, 1966.5.30
- 41 *Aprionus tiliamcorticis***
 B1-250249 Holotype, Russia Tula region Krapivna, 1958.5.14, Mamaev
 B1-250250 Paratype, Russia Tula region Krapivna, 1958.5.14, B. M.
 B1-250251 Russia Tula region Krapivna, 1958.5.14, B. M.
 B1-250252 Russia Tula region Krapivna, 1958.5.14, B. M.
 B1-250253 Russia Tula region Krapivna, 1958.5.14, B. M.
- 42 *Aprionus rostratus***
 B1-250254 Holotype, Ukraina Carpathians Rakhov, 1966.6.16, Mamaev
- 43 *Aprionus dissectus***
 B1-250255 Ukraina Carpathians Kvasy, 1963.6.22, Mamaev
 B1-250256 Ukraina Carpathians Rakhov, 1967.6.15
- 44 *Aprionus latens***
 B1-250257 Holotype, Ukraina Carpathians Kvasy, 1963.6.30, Mamaev
- 45 *Bryomyia bergrothi***
 B1-250258 Russia Moscow region Danki, 1962.5.30
 B1-250259 Russia Moscow region Danki, 1962.5.29
 B1-250260 Russia Yaroslavl region Volkovo, 1961.6.7.
 B1-250261 Ukraina Carpathians Kvasy, 1963.6.13
 B1-250262 Ukraina Carpathians Kvasy, 1963.6.17
 B1-250263 Ukraina Carpathians Rakhov, 1966.5.30
 B1-250264 Russia Far East Zeja reserve, 1982.6.22
 B1-250265 Russia Far East Zeja reserve, 1982.6.23
 B1-250266 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250267 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250268 Russia Tuva Ishtii-Khem, 1974.7.8
- 46 *Bryomyia producta***
 B1-250269 Russia Moscow region Pavlovskaja Slovoda, 1963.7.28
 B1-250270 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11
 B1-250271 Russia Moscow region Pavlovskaja Slovoda, 1962.8.17
 B1-250272 Russia Moscow region Danki, 1962.5.30
 B1-250273 Russia Moscow region Danki, 1962.5.30
 B1-250274 Russia Yaroslavl region Volkovo, 1961.6.
 B1-250275 Lituania Vevis, 1962.8.5
 B1-250276 Lituania Vevis, 1962.8.5
 B1-250277 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250278 Russia Kamtshatka, 1984.6.20, B. M.
 B1-250279 Russia Kamtshatka, 1984.6.20, B. M.
- 47 *Bryomyia apsectra***
 B1-250280 Ukraina Carpathians Kvasy, 1963.6.17

- B1-250281 Ukraina Carpathians Kvasy, 1963.6.28
 B1-250282 Rossia North Caucasus Novopokhladnoe, 1959.5.4
 B1-250283 Rossia North Caucasus Krasnaja Poljina, 1967.7.6, B. M.
 B1-250284 Rossia Tuva Ishtii-Khem, 1974.6.10
 B1-250285 Rossia Tuva Ishtii-Khem, 1974.7.2
 B1-250286 Rossia Moscow region Pavlovskaja Slovoda, 1962.7.15
 B1-250287 Rossia Moscow region Pavlovskaja Slovoda, 1962.8.17, Mamaev
 B1-250288 Rossia Moscow region Danki, 1962.5.29
 B1-250289 Rossia Moscow region Danki, 1962.5.24
 B1-250290 Rossia Moscow region Zavety Iljitcha, 1962.6.11
 B1-250291 Rossia Moscow region Zavety Iljitcha, 1962.6.11
 B1-250292 Rossia Moscow region Udelnaja, 1961.6?.
- 48 *Bryomyia gibbosa***
 B1-250293 Rossia Moscow region Udelnaja, 1961.7.
- 49 *Heterogenella hybrida***
 B1-250294 Holotype, Rossia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250295 Paratype, Rossia Vologda region Kadnikovka, 1962.7?., Mamaev
- 50 *Heterogenella carinata***
 B1-250296 Paratype, Ukraina Carpathians Kvasy, 1963.6.28, Mamaev
- 51 *Heterogenella bigibbata***
 B1-250297 Paratypes, Ukraina Carpathians Kvasy, 1963.6.30, Mamaev
- 52 *Micromya lucorum***
 B1-250298 Rossia Yaroslavl region Volkovo, 1961.6?., Mamaev
 B1-250299 Ugory , 1981.8.7
 B1-250300 Ugory , 1981.8.16
 B1-250301 Ugory , 1981.8.16
 B1-250302 Rossia North Caucasus Ubinskaja, 1970.7.15
 B1-250303 Rossia North Caucasus Ubinskaja, 1970.7.15
 B1-250304 Uzbekistan Mubarek, 1962.4.17, Mamaev
 B1-250305 Uzbekistan Mubarek, 1962.4.17, Mamaev
 B1-250306 Uzbekistan Mubarek, 1962.4.17, Mamaev
 B1-250307 Uzbekistan Mubarek, 1962.4.17, Mamaev
 B1-250308 Uzbekistan Mubarek, 1962.4.17, Mamaev
 B1-250309 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250310 Uzbekistan Samarkand, 1962.6.5, Mamaev
 B1-250311 Uzbekistan Samarkand, 1962.6.5, Mamaev
 B1-250312 Uzbekistan Samarkand, 1962.5.15-18, Mamaev
 B1-250313 Uzbekistan Samarkand, 1962.5.27, Mamaev
- 53 *Micromya taurica***
 B1-250314 Holotype, Ukraina Anapa Krym, 1953.6.26, Mamaev
- 54 *Micropteromyia ghilarovi***
 B1-250315 Paratypes, Rossia Tula region Krapivna, 1958.5.20, Mamaev
 B1-250316 Paratype, Rossia Tula region Krapivna, 1958., Mamaev
 B1-250317 Paratype, Rossia Tula region Krapivna, 1958., Mamaev
 B1-250318 Paratypes, Rossia Tula region Krapivna, 1958.5.12, Mamaev
 B1-250319 Rossia Voronezh region Tellerman, 1960.9.25
 B1-250320 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250321 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250322 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250323 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250324 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250325 Rossia Voronezh region Tellerman, 1960.9.20, B. M.
 B1-250326 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250327 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250328 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250329 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
 B1-250330 Rossia Voronezh region Tellerman, 1960.9.25, B. M.
- 55 *Mycopriona holoptica***
 B1-250331 Holotype and Paratype*, Rossia Far East Ussury reserve, 1969.5.17, B. Mamaev
- 56 *Mycopriona incerta***
 B1-250332 Holotype and Paratype*, Rossia Far East Kedrovaja Pad reserve, 1967.5.10
- 57 *Mycopriona lateralis***
 B1-250333 Holotype and Paratypes, Rossia Moscow region Malinki, 1979.5.18
 B1-250334 Rossia Moscow region Malinki, 1979.5.18
- 58 *Mycopriona abnormis***
 B1-250335 Rossia North Caucasus Krasnaja Poljina, 1967.9.8
- 59 *Trichopteromyia absurda***
 B1-250336 Holotype and Paratype*, Rossia Far East Kedrovaja Pad reserve, 1967.
- 60 *Trichopteromyia bicolorata***
 B1-250337 Paratype, Rossia North Caucasus Krasnaja Poljina, 1966.9.10
- 61 *Trichopteromyia difficilis***
 B1-250338 Paratype, Rossia Far East Kedrovaja Pad reserve, 1964.8.25, Mamaev
- 62 *Trichopteromyia modesta***
 B1-250339 Rossia North Caucasus Novopokhladnoe, 1959.6.2, Mamaev
 B1-250340 Rossia North Caucasus Novopokhladnoe, 1959.6.2, Mamaev

- 63** *Trichopteromyia magnifica*
B1-250341 Holotype and Paratype,
Russia Voronezh region Tellerman, 1960.5.10, Mamaev
- 64** *Trichopteromyia fungicola*
B1-250342 Holotype and Paratype*, Russia Far East Ussury reserve,
1968.9.25
- 65** *Polyardis bispinosa*
B1-250343 Holotype, Russia Moscow region Abramtsevo,
1961.7., Mamaev
B1-250344 Russia Tuva Ishtii-Khem, 1973.8.13, Mamaev
B1-250345 Russia Tuva Ishtii-Khem, 1974.6.10
B1-250346 Russia Tuva Ishtii-Khem, 1974.6.20
B1-250347 Russia North Caucasus Krasnaja Poljina, 1967.8.6
B1-250348 Russia North Caucasus Krasnaja Poljina, 1967.8.6
- 66** *Polyardis edwardsi*
B1-250349 Bulgaria Sofia, 1987.6.2
- 67** *Polyardis adela*
B1-250350 Russia Altai Altai reserve, 1981.6.8
B1-250351 Russia Altai Altai reserve, 1981.6.8
B1-250352 Russia Altai Altai reserve, 1981.6.24
- 68** *Polyardis elongata*
B1-250353 Holotype, Uzbekistan Samarkand,
1962.5.15-18, Mamaev
- 69** *Polyardis carpini*
B1-250354 Russia Tuva Ishtii-Khem, 1973.8.13, Mamaev
B1-250355 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
B1-250356 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
- 70** *Polyardis carbonaria*
B1-250357 Holotype, Russia Moscow region Pavlovskaja Slovoda,
1963.8.11, Mamaev
- 71** *Xylopriona atra*
B1-250358 Ukraina Carpathians Kvasy, 1963.6.13
B1-250359 Ukraina Carpathians Kvasy, 1963.6.13
B1-250360 Ukraina Carpathians Kvasy, 1963.6.17
B1-250361 Ukraina Carpathians Kvasy, 1963.6.17, B. M. Mamaev
B1-250362 Ukraina Carpathians Kvasy, 1963.6.22, B. M. Mamaev
B1-250363 Ukraina Carpathians Kvasy, 1963.6.22, B. M. Mamaev
B1-250364 Ukraina Carpathians Kvasy, 1963.6.27
B1-250365 Ukraina Carpathians Kvasy, 1963.6.30, Mamaev
B1-250366 Russia Moscow region Danki, 1962.5.26, Mamaev
- 72** *Excrescentia mutuata*
B1-250367 Holotype, Ukraina Carpathians Kvasy,
1963.6.28, Mamaev
- 73** *Antennardia gallicola*
B1-250368 Holotype and Paratype*,
Russia Far East Ussury reserve, 1968.10.11
- 74** *Vulcanardia kamtshatica*
B1-250369 Holotype and Paratypes, Russia Kamtshatka,
1984.6.20, Mamaev
B1-250370 Paratypes, Russia Kamtshatka, 1984.6.20
- 75** *Campylomyza fusca*
B1-250371 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
B1-250372 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
B1-250373 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
B1-250374 Russia Tuva Ishtii-Khem, 1973.8.13, Mam
B1-250375 Russia Tuva Ishtii-Khem, 1973.8.13, Mamaev
B1-250376 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250377 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250378 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250379 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250380 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250381 Russia Tuva Ishtii-Khem, 1973.8.18
B1-250382 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250383 Russia Tuva Ishtii-Khem, 1973.8.17
B1-250384 Russia Tuva Ishtii-Khem, 1973.8.18
B1-250385 Russia Tuva Ishtii-Khem, 1974.7.18
B1-250386 Russia Tuva Ishtii-Khem, 1974.7.8
B1-250387 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250388 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250389 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250390 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250391 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250392 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250393 Russia Tuva Ishtii-Khem, 1973.8.19
B1-250394 Russia Tuva Ishtii-Khem, 1973.8.22
B1-250395 Russia Tuva Ishtii-Khem, 1973.8.22
B1-250396 Russia Tuva Ishtii-Khem, 1973.8.22
B1-250398 Russia Tuva Ishtii-Khem, 1973.8.25
B1-250399 Russia Tuva Ishtii-Khem, 1973.8.25
B1-250401 Russia Rostov region Donleskhoz, 1953.6.7, Mamaev
B1-250402 Kugei, 1953.5.14, Mamaev
B1-250403 Russia Daghestan Arani, 1955.5.4, Mamaev
- 76** *Campylomyza dilatata*
B1-250404 Russia Moscow region Pavlovskaja Slovoda,
1962.8.18, Mamaev
B1-250405 Russia Tuva Ishtii-Khem, 1973.8.22
B1-250406 Armenia Artybash, 1981.6.21
B1-250407 Armenia Artybash, 1981.6.21
- 77** *Campylomyza praecox*
B1-250408 Kushka, 1963.5.1, Mamaev
B1-250409 Kushka, 1963.5.1, Mamaev
B1-250410 Kushka, 1963.5.5, Mamaev
B1-250411 Kushka, 1963.5.5, Mamaev

B1-250412 Uzbekistan Samarkand, 1962.4.27, Mamaev
 B1-250413 Uzbekistan Samarkand, 1962.5.10-15, Mamaev
 B1-250414 Uzbekistan Samarkand, 1962.5.10-15, Mamaev
 B1-250415 Uzbekistan Samarkand, 1962.5.15-18, Mamaev
 B1-250416 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250417 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250418 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250419 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250420 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250421 Uzbekistan Mubarek, 1962.4.15, Mamaev
 B1-250422 Uzbekistan Mubarek, 1972.4.17, X. Mamaeva
 B1-250423 Uzbekistan Mubarek, 1972.4.17, X. Mamaeva
 B1-250424 Uzbekistan Mubarek, 1962.4.17, X. Mamaeva
 B1-250425 Uzbekistan Mubarek, 1972.4.17, X. Mamaeva
 B1-250426 Uzbekistan Mubarek, 1962.4.23, Mamaev

78 *Campylomyza flavipes*

B1-250428 Russia Moscow region Pavlovskaja Slovoda,
1963.6.26, Mamaev
 B1-250429 Russia Moscow region Pavlovskaja Slovoda,
1963.7.16, Mamaev
 B1-250430 Russia Moscow region Pavlovskaja Slovoda,
1962.8.19, Mamaev
 B1-250431 Russia Vologda region Kadnikovka, 1962.6?., Mamaev
 B1-250432 Lituania Vevis, 1962.8.6, Mamaev
 B1-250433 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
 B1-250434 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250435 Russia Far East Ussury reserve, 1969.4.30, B. M. Mamaev

79 *Campylomyza pumila* (?)

B1-250436 Russia Tuva Ishtii-Khem, 1974.6.29
 B1-250437 Russia Far East Kedrovaja Pad reserve, 1967.5.12
 B1-250438 Russia Far East Zeja reserve, 1982.6.18
 B1-250439 Bulgaria Sofia, 1987.5.10
 B1-250440 Bulgaria Sofia, 1987.5.24

***Campylomyza* spp. (males)**

B1-250441 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250442 Russia Tuva Ishtii-Khem, 1974.6.10
 B1-250443 Russia Tuva Ishtii-Khem, 1974.6.10
 B1-250444 Russia Tuva Ishtii-Khem, 1974.6.10
 B1-250445 Russia Tuva Ishtii-Khem, 1974.6.10
 B1-250446 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250447 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250448 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250449 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250450 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-250451 Russia Tuva Ishtii-Khem, 1974.6.13
 B1-250452 Russia Tuva Ishtii-Khem, 1974.6.20
 B1-250453 Russia Tuva Ishtii-Khem, 1974.6.24
 B1-250454 Russia Tuva Ishtii-Khem, 1974.6.27
 B1-250455 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250456 Russia Tuva Ishtii-Khem, 1974.6.26
 B1-250457 Russia Tuva Ishtii-Khem, 1974.6.28

B1-250458 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250459 Russia Tuva Ishtii-Khem, 1974.6.28
 B1-250460 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250461 Russia Tuva Ishtii-Khem, 1974.7.4
 B1-250462 Russia Tuva Ishtii-Khem, 1974.7.7
 B1-250463 Russia Tuva Ishtii-Khem, 1974.7.9
 B1-250464 Russia Tuva Ishtii-Khem, 1974.7.10
 B1-250465 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250466 Russia Tuva Ishtii-Khem, 1974.7.11
 B1-250468 Russia Tuva Ishtii-Khem, 1973.8.25
 B1-250469 Russia Tuva Ishtii-Khem, 1973.8.18
 B1-250470 Russia Tuva Ishtii-Khem, 1973.8.19
 B1-250471 Russia Tuva Ishtii-Khem, 1973.8.25

***Campylomyza* spp. (females)**

B1-250472 ...B1-250576: 105 slides Russia Tuva Ishtii-Khem

80 *Cordylomyia montana*

B1-250577 Holotype, Uzbekistan Samarkand, 1962.4.27, Mamaev

81 *Cordylomyia verna*

B1-250578 Bulgaria Sofia, 1987.5.10

82 *Cordylomyia coronata*

B1-250579 Paratype, Russia Far East Ussury reserve,
1968.9.15, Mamaev

83 *Cordylomyia intergerina*

B1-250580 Holotype, Russia Far East Kedrovaja Pad reserve,
1964.9.1, Mamaev

84 *Cordylomyia commutata*

B1-250581 Russia Moscow region Danki, 1964.6.10, Mamaev

85 *Cordylomyia venusta*

B1-250582 Holotype and Paratype*, Russia Far East Ussury reserve,
1969.6.17, Mamaev

86 *Cordylomyia hastagera*

B1-250583 Holotype, Ukraina Carpathians Kvasy,
1963.6.15, Mamaev

87 *Cordylomyia hyperborea*

B1-250584 Holotype, Russia Ural Yamal, 1979.7.
 B1-250585 Paratype, Russia Ural Yamal, 1979.7.
 B1-250586 Paratype, Russia Ural Yamal, 1979.7.
 B1-250587 Paratype, Russia Ural Yamal, 1979.7.
 B1-250588 Paratype, Russia Ural Yamal, 1979.7.
 B1-250589 Paratype, Russia Ural Yamal, 1979.7.

88 *Corinthomyia brevicornis*

B1-250590 Russia Kamtshatka, 1984.6.26, B. M.
 B1-250591 Russia Kamtshatka, 1984.6.20, B. M.

- 89 *Microcordylomyia degenerans***
B1-250592 Paratype, FRG Bad Frankenhausen, 1968.8.21
- 90 *Peromyia caricis***
B1-250593 Ukraina Carpathians Khust, 1963.7.10, Mamaev
- 91 *Peromyia cornuta***
B1-250594 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
- 92 *Peromyia diadema***
B1-250595 Paratype, Russia Vologda region Kadnikovka, 1962.7., Mamaev
- 93 *Peromyia muscorum***
B1-250596 Ukraina Carpathians Khust, 1963.7.15, Mamaev
B1-250597 Ukraina Carpathians Khust, 1963.7.3, Mamaev
B1-250598 Russia Yaroslavl region Volkovo, 1963.7.10, Mamaev
- 94 *Peromyia palustris***
B1-250599 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
- 95 *Peromyia perpusilla***
B1-250600 Russia Moscow region Zavety Iljitcha, 1962.6.12, Mamaev
B1-250601 Russia North Caucasus Novopokhladnoe, 1959.4., Mamaev
B1-252800 Russia North Caucasus Novopokhladnoe, 1959.4.
- 96 *Peromyia ramosa***
B1-250602 Russia Moscow region Zavety Iljitcha, 1962.6.19, Mamaev
B1-250603 Russia Moscow region Danki, 1962.5.25, Mamaev
- 97 *Peromyia subapicalis***
B1-250604 Holotype, Ukraina Carpathians Rakhov, 1966.5.30, Mamaev
B1-250605 Paratype, Ukraina Carpathians Rakhov, 1966.5.30, Mamaev
- 98 *Peromyia carpathica***
B1-250606 Holotype, Ukraina Carpathians Khust, 1963.7.3, Mamaev
B1-250607 Paratype, Ukraina Carpathians Khust, 1963.7.3, Mamaev
B1-250608 Russia North Caucasus Krasnaja Poljina, 1967.7.8
B1-250609 Russia North Caucasus Krasnaja Poljina, 1967.7.8
B1-250610 Russia North Caucasus Krasnaja Poljina, 1967.7.8
- Peromyia* spp. (males)**
B1-250611 Russia Tuva Ishtii-Khem, 1974.7.5, B. M. Mamaev
B1-250612 Russia Tuva Ishtii-Khem, 1974.6.10
B1-250613 Russia Tuva Ishtii-Khem, 1974.7.6
B1-250614 Russia Tuva Ishtii-Khem, 1974.7.4
- Peromyia* spp. (females)**
B1-250615 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
- B1-250616 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
B1-250617 Russia Tuva Ishtii-Khem, 1973.8.9, Mamaev
B1-250618 Russia Tuva Ishtii-Khem, 1973.8.22
B1-250619 Russia Tuva Ishtii-Khem, 1973.8.22
B1-250620 Russia Tuva Ishtii-Khem, 1974.6.23
B1-250621 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250622 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250623 Russia Tuva Ishtii-Khem, 1974.7.4
B1-250624 Russia Tuva Ishtii-Khem, 1974.7.6, B. M. Mamaev
B1-250625 Russia Tuva Ishtii-Khem, 1974.7.6
B1-250626 Russia Tuva Ishtii-Khem, 1974.7.6
B1-250627 Russia Tuva Ishtii-Khem, 1974.7.6
B1-250628 Russia Tuva Ishtii-Khem, 1974.7.7
B1-250629 Russia Tuva Ishtii-Khem, 1974.7.8
B1-250630 Russia Tuva Ishtii-Khem, 1974.7.9
B1-250631 Russia Tuva Ishtii-Khem, 1974.7.10
B1-250632 Russia Tuva Ishtii-Khem, 1974.7.11
B1-250633 Russia Tuva Ishtii-Khem, 1974.7.11
B1-250634 Russia Tuva Ishtii-Khem, 1974.7.18
B1-250635 Russia Tuva Ishtii-Khem, 1974.7.18
- 99 *Skuhraviana triangulifera***
B1-250636 Holotype, Russia North Caucasus Novopokhladnoe, 1959.5.8, Mamaev
B1-250637 Paratypes, Russia North Caucasus Novopokhladnoe, 1959.5.8, Mamaev
B1-250638 Paratype, Russia North Caucasus Novopokhladnoe, 1959., Mamaev
- 100 *Skuhraviana camelina***
B1-250639 Holotype and Paratype, Ukraina Carpathians Khust, 1963.7.12, Mamaev
- 101 *Acoenonia parvolobata***
B1-250640 Holotype and Paratype, Ukraina Carpathians Kvasy, 1963.6.19, Mamaev
- PORRICONDYLINAE**
- 102 *Diallactes subroceus***
B1-250641 Holotype and Paratype*, Ukraina Carpathians Rakhov, 1966.
B1-250642 Paratype, Ukraina Carpathians Rakhov, 1966.
- 103 *Ferovisenda pigrum***
B1-250643 Holotype and Paratype*, Russia Far East Kedrovaja Pad reserve, 1968.9.20
- 104 *Gynapteromyia carpatica***
B1-250644 Paratype, Ukraina Carpathians Kvasy, 1963.6.28
B1-250645 Paratype, Ukraina Carpathians Kvasy, 1963.6.28, Mamaev

- 105 *Chastomera hondrui***
 B1-250646 Paratype, Romania Bukharest, 1962.6.22, Mamaev
- 106 *Johnsonomyia palpata***
 B1-250647 Russia North Caucasus Krasnaja Poljina, 1967.7.7
- 107 *Johnsonomyia pallida***
 B1-250648 Holotype and Paratype,
 Russia Far East Kedrovaja Pad reserve,
 1964.3.20, Mamaev
 B1-250649 Paratypes, Russia Far East Kedrovaja Pad reserve,
 1964.8.22, Mamaev
- 108 *Wyattella ussuriensis***
 B1-250650 Paratype, Russia Far East Kedrovaja Pad reserve,
 1964., Mamaev
- 109 *Wyattella fungicola***
 B1-250651 Holotype, Russia Far East Khekhzir reserve,
 1976.5.22, Mamaev
 B1-250652 Paratype, Russia Far East Khekhzir reserve, 1976.5.22
 B1-250653 Paratype, Russia Far East Khekhzir reserve, 1976.5.22
 B1-250654 Paratype, Russia Far East Khekhzir reserve, 1976.5.22
 B1-250655 Paratype, Russia Far East Khekhzir reserve, 1976.5.22
- 110 *Neocolpodia paradoxa***
 (originally identified with *Colpodia paradoxa*)
 B1-250656 Holotype, Russia Moscow region Abramtsevo,
 1961.6., Mamaev
- 111 *Claspettomyia formosa***
 B1-250657 Russia Far East Zeja reserve, 1982.8.14
- 112 *Claspettomyia niveitarsis***
 B1-250658 Russia Moscow region Pavlovskaja Slovoda,
 1962.7.15, Mamaev
 B1-250659 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-250660 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-250661 Ugory Kostroma region, 1981.8.9
 B1-250662 Russia Ural Yamal, 1981.5.3
 B1-250663 Russia Ural Yamal, 1981.8.2
 (B1-250658...660: originally identified with *Dicroneurus niveitarsis*)
- 113 *Claspettomyia montana***
 B1-250664 Russia Kursk region Kursk reserve, 1970.7.1
 B1-250665 Holotype, Ukraine Carpathians Kvasy,
 1963.6.30, Mamaev
 B1-250666 Ukraine Carpathians Khust, 1963.7.3, Mamaev
 B1-250667 Ukraine Carpathians Khust, 1962.7.15, Mamaev
 B1-250668 Ukraine Carpathians Khust, 1963.7.10, Mamaev
 B1-250669 Russia North Caucasus Krasnaja Poljina, 1967.8.6
 (B1-250665...668: originally identified with *Dicroneurus montana*)
- 114 *Claspettomyia oculata***
 B1-250670 Holotype, Turkmenistan Ipaj-Kala, 1971.5.25, B. Mamaev
 B1-250671 Kirghizstan Sary-Tshelek reserve, 1978.7.2
- 115 *Claspettomyia chrysanthemii***
 B1-250672 Ukraine Carpathians Khust, 1963.7.3
 B1-250673 Ukraine Carpathians Khust, 1963.7.3
 B1-250674 Ukraine Carpathians Khust, 1963.7.15
 B1-250675 Ukraine Carpathians Khust, 1963.7.15
- 116 *Holoneurus pini***
 B1-250676 Holotype and Paratype,
 Russia Moscow region Levinskaja, 1958.8.20
 B1-250677 Holotype and Paratype, wing and genitalia,
 Russia Moscow region Levinskaja, 1958.8.24
- 117 *Holoneurus marginatus***
 (originally identified with *Holoneurus obscurus*)
 B1-250678 Holotype, Russia Moscow region Pavlovskaja Slovoda,
 1962.7.15
 B1-250679 Paratype, Russia Moscow region Pavlovskaja Slovoda,
 1962.7.21
- 118 *Holoneurus fulviventris***
 B1-250680 Russia Moscow region Pavlovskaja Slovoda, 1962.7.4
 B1-250681 Russia Moscow region Pavlovskaja Slovoda, 1963.7.12
 B1-250682 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
 B1-250683 Russia Moscow region Pavlovskaja Slovoda, 1962.7.20
 B1-250684 Russia Vologda region Kadnikovka, 1962.7.
- 119 *Holoneurus paneliusi***
 B1-250685 Russia Far East Ussury reserve, 1964.9.7
 B1-250686 Russia Far East Ussury reserve, 1964.9.13
 B1-250687 Russia Far East Ussury reserve, 1964.9.7
 B1-250688 Russia Far East Ussury reserve, 1969.6.23
 B1-250689 Russia Far East Ussury reserve, 1969.6.13
- 120 *Holoneurus elongatus***
 B1-250690 Paratype, Russia Yaroslavl region Volkovo,
 1961.7., Mamajev
 B1-250691 Paratype, Russia Yaroslavl region Volkovo,
 1961.6?., Mamajev
- 121 *Monepidosis furcata***
 B1-250692 Holotype, Russia Moscow region Pavlovskaja Slovoda,
 1962.7.15
- 122 *Parepidosis venusta* (?)**
 B1-250693 Russia North Caucasus Krasnaja Poljina, 1967.6.30
 B1-250694 Russia North Caucasus Krasnaja Poljina, 1967.9.10
- 123 *Parepidosis arcuata***
 B1-250695 Russia North Caucasus Krasnaja Poljina, 1967.7.8

124 *Parepidosis militaris*

B1-250696 Russia Far East Zeja reserve, 1982.7.5

125 *Cryptoneurus muscicola*

B1-250697 Ukraina Carpathians Rakhov, 1966.5.30

126 *Porricondyla nigripennis*

B1-250698 Kirghizstan Sary-Tshelek reserve, 1965.5.24, Mamaev
B1-250699 Kirghizstan Sary-Tshelek reserve, 1965.5.24, Mamaev
B1-250700 Kirghizstan Sary-Tshelek reserve, 1965.5.24, Mamaev
B1-250701 Russia Voronezh region Tellerman, 1960.9.18, Mamaev
B1-250702 Russia Tuva Ishtii-Khem, 1973.8.25

127 *Porricondyla petrophila*

B1-250703 Holotype, Turkmenistan Ipaj-Kala, 1971.6.6, B. M.
B1-250704 Paratype, Turkmenistan Ipaj-Kala, 1971.6.6, B. M.
B1-250705 Turkmenistan Ipaj-Kala, 1971.6.6, B. M.

128 *Porricondyla pergrata*

B1-250706 Holotype, Turkmenistan Ipaj-Kala, 1971.5.25, B. M.

129 *Porricondyla fuscostriata*

B1-250707 Russia Moscow region Pavlovskaja Slovoda, , Mamaev
B1-250708 Russia Moscow region Pavlovskaja Slovoda, 1960.6., Mamaev
B1-250709 Russia Moscow region Pavlovskaja Slovoda, 1962.7.6, Mamaev
B1-250710 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15, Mamaev
B1-250711 Russia Moscow region Pavlovskaja Slovoda, 1962.7.18, Mamaev
B1-250712 Lituania Vevis, 1962.8.5, Mamaev
B1-250713 Lituania Vevis, 1962.8.5, Mamaev
B1-250714 Lituania Vevis, 1962.8.29, Mamaev
B1-250715 Russia Altai Altai reserve, 1981.6.24
B1-250716 Russia Altai Altai reserve, 1981.6.24

130 *Porricondyla media*

B1-250717 Russia Ural Yamal, 1979.7.
B1-250718 Russia Ural Yamal, 1979.7.
B1-250719 Russia Ural Yamal, 1979.7.
B1-250720 Russia Ural Yamal, 1979.7.
B1-250721 Russia Ural Yamal, 1981.5.3
B1-250722 Russia Ural Yamal, 1981.7.30
B1-250723 Russia Ural Yamal, 1981.8.2
B1-250724 Russia North Caucasus Novopokhladnoe, 1959.5., Mamaev
B1-250725 Russia North Caucasus Novopokhladnoe, 1959.5.5, Mamaev
B1-250726 Russia North Caucasus Novopokhladnoe, 1959.5.5, Mamaev
B1-250727 Russia Kamtshatka, 1984.6.28
B1-250728 Russia Moscow region Danki, 1962.5.23, Mamaev
B1-250729 Russia Moscow region Danki, 1961.5.25, Mamaev

B1-250730 Russia Moscow region Pavlovskaja Slovoda, 1963.5.19, Mamaev

B1-250731 Russia Moscow region Pavlovskaja Slovoda, 1963.6.15, Mamaev

131 *Porricondyla bifurcata*

B1-250732 Uzbekistan Samarkand, 1962.5.19, Mamaev
B1-250733 Uzbekistan Samarkand, 1962.5.24, Mamaev

132 *Porricondyla hypoxantha*

B1-250734 Ukraina Carpathians Kvasy, 1963.6.13, Mamaev
B1-250735 Ukraina Carpathians Kvasy, 1963.6.22, Mamaev
B1-250736 Ukraina Carpathians Kvasy, 1963.6.27, Mamaev
B1-250737 Ukraina Carpathians Kvasy, 1963.6.27, Mamaev
B1-250738 Ukraina Carpathians Kvasy, 1963.6.30, Mamaev
B1-250739 Ukraina Carpathians Kvasy, 1963.7.5, Mamaev
B1-250740 Russia Yaroslavl region Volkovo, 1961..., Mamaev
B1-250741 Russia Yaroslavl region Volkovo, 1961..., Mamaev

133 *Porricondyla pubescens*

B1-250742 Paratype, Ukraina Carpathians Kvasy, 1963.6.27, Mamaev
B1-250743 Paratype, Russia North Caucasus Krasnaja Poljina, 1967.6.13, B. M.
B1-250744 Russia North Caucasus Krasnaja Poljina, 1967.6.15
B1-250745 Russia North Caucasus Krasnaja Poljina, 1967.6.15
B1-250746 Russia North Caucasus Krasnaja Poljina, 1967.6.27, B. M.
B1-250747 Russia North Caucasus Krasnaja Poljina, 1967.7.1, B. M.

134 *Porricondyla rostellata*

B1-250748 Lituania Vevis, 1962.8.5, det. Panelius
B1-250749 Lituania Vevis, 1962.8.5, Mamaev
B1-250750 Lituania Vevis, 1962.8.5, Mamaev

135 *Porricondyla armata*

B1-250751 Russia Moscow region Danki, 1962.9.10, Mamaev Spungis
B1-250752 Russia Moscow region Danki, 1962.9.11, Mamaev Spungis
B1-250753 Russia Moscow region Danki, 1962.9.11, Mamaev Spungis

136 *Porricondyla asiatica*

B1-250754 Paratype*, Uzbekistan Samarkand, 1962.5.19, Mamaev
B1-250755 Holotype, Uzbekistan Samarkand, 1962.5.24, Mamaev

137 *Porricondyla neglecta*

B1-250756 Holotype and Allotype, Russia Moscow region Zavety Iljitcha, 1962.6.13, Mamaev
B1-250757 Paratypes, Russia Moscow region Zavety Iljitcha, 1962.6.13, Mamaev
B1-252802 Paratypes, Russia Moscow region Pavlovskaja Slovoda, 1977.6.28

138 *Porricondyla quadridens*

B1-250758 Latvia Brotseny, 1962.7.15, Mamaev

139 *Porricondyla rufescens*

B1-250759 Russia Kamtshatka, 1984.6.20, B. M.

B1-250760 Turkmenistan Ipaj-Kala, 1971.5.14, B. M.

B1-252803 Russia Kursk region Kursk reserve,
1970.7.6, X. P. Mamaeva

140 *Porricondyla lata*

B1-250761 Russia Moscow region Pavlovskaja Slovoda,
1962.7.15, Mamaev

B1-250762 Russia Moscow region Pavlovskaja Slovoda,
1962.7.15, Mamaev

B1-250763 Russia Moscow region Pavlovskaja Slovoda,
1962.7.15, Mamaev

B1-250764 Russia Moscow region Pavlovskaja Slovoda,
1962.8.17, Mamaev

B1-250765 Russia Moscow region Pavlovskaja Slovoda,
1962.7.15, Mamaev

B1-250766 Russia Vologda region Kadnikovka, 1962.6?., Mamaev

B1-250767 Lithuania Vevis, 1962.8.5, Mamaev

B1-250768 Lithuania Vevis, 1962.8.5, det. Panelius

141 *Porricondyla distinguenda*

B1-250769 Holotype, Uzbekistan Samarkand, 1962.8.5, B. Mamaev

B1-250770 Uzbekistan Samarkand, 1962.5.19, B. Mamaev

142 *Porricondyla colpodoides*

B1-250771 Holotype, Uzbekistan Samarkand, 1962.5.27, Mamaev

B1-250772 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev

143 *Pseudepidosis lunaris*

B1-250773 Holotype and Allotype,
Russia Moscow region Pavlovskaja Slovoda,
1963.8.27, Mamaev

B1-250774 Paratypes, Russia Moscow region Pavlovskaja Slovoda,
1963.8.27, Mamaev

B1-250775 Paratypes, Russia Moscow region Pavlovskaja Slovoda,
1963.8.27, Mamaev

B1-250776 Paratype, Russia Moscow region Pavlovskaja Slovoda,
1963.8.13, Mamaev

144 *Pseudepidosis trifida*

B1-250777 Russia Moscow region Pavlovskaja Slovoda,
1963.5.27, Mamaev

145 *Pseudepidosis zonata*

B1-250778 Paratype, Russia Taimyr Tereja, 1969.7.3

146 *Pseudepidosis armilla*

B1-250779 Holotype, Russia Kamtshatka, 1987.8.17, Mamaev

147 *Asynapta strobi*

B1-250780 Russia Leningrad region Taizi, 1972.7.18

B1-250781 Russia Leningrad region Taizi, 1972.7.18

B1-250782 Russia Leningrad region Taizi, 1972.7.6

B1-250783 Latvia Ogre, 1967.

B1-250784 Latvia Ogre, 1967.

B1-250785 Latvia Ogre, 1969.

B1-250786 Russia Khabarovsk region Mukheja, 1970.5.

148 *Asynapta baltica*

B1-250787 Russia Far East Kedrovaja Pad reserve, 1967.5.12

149 *Asynapta thuraii*

B1-250788 Russia Yaroslavl region Volkovo, 1961.6?., Mamaev

150 *Asynapta harudinea*

B1-250789 Kazakhstan Almata, 1981.7.12

B1-250790 Kazakhstan Almata, 1981.7.12

151 *Asynapta brachycera*

B1-250791 Saratov region Balashov

B1-250792 Saratov region Balashov

152 *Camptomyia salicicola*

B1-250793 Holotype and Paratype*,
Russia Voronezh region Tellerman, 1960.10.2

153 *Camptomyia populicola*

B1-250794 Holotype, Russia Voronezh region Tellerman, 1959.9.19

B1-250795 Russia Yaroslavl region Volkovo, 1961.7.

B1-250796 Russia Moscow region Pavlovskaja Slovoda, 1962.7.21

154 *Camptomyia tiliarum*

B1-250797 Russia Vologda region Kadnikovka, 1962.7., Mamaev

B1-250798 Russia Far East Ussury reserve, 1963.9.23, Mamaev

B1-250799 Russia Far East Kedrovaja Pad reserve, 1964.9.6, Mamaev

B1-250800 Uzbekistan Samarkand, 1962.5.16

B1-250801 Uzbekistan Samarkand, 1962.5.19-20, B. M. Mamaev

B1-250802 Russia Far East Ussury reserve, 1968.10.1

B1-250803 Russia Far East Kunashir, 1977.5.8, Akcentiev

155 *Camptomyia calcarata*

B1-250804 Holotype, Russia Moscow region Pavlovskaja Slovoda,
1962.7.20, Mamaev

B1-250805 Russia Yaroslavl region Volkovo, 1961.7., Mamaev

B1-250806 Russia Yaroslavl region Volkovo, 1961.7., Mamaev

B1-250807 Russia Kursk region Kursk reserve,
1970.8.5, X. P. Mamaeva

156 *Camptomyia abnormis*

B1-250808 Holotype and Paratype*,
Russia Voronezh region Tellerman, 1958.10.29

B1-250809 Holotype and Paratype*, heads and genitalia,
Russia Voronezh region Tellerman, 1958.10.29

- B1-250810 Russia Voronezh region Tellerman, 1960.9.25
 B1-250811 Russia Tuva Ishtii-Khem, 1974.7.
 B1-250812 Russia Moscow region Pavlovskaja Slovoda,
 1962.7.15, Mamaev
 B1-250813 Russia Moscow region Pavlovskaja Slovoda,
 1963.8.13, Mamaev
 B1-250814 Russia Yaroslavl region Volkovo, 1981.7.
 B1-250815 Russia Yaroslavl region Volkovo, 1961.7.
 B1-250816 Russia Yaroslavl region Volkovo, 1961.7.
 B1-250817 Russia Yaroslavl region Volkovo, 1961.7.
 B1-250818 Russia Yaroslavl region Volkovo, 1961.7.

157 *Camptomyia ulmicola*

- B1-250819 Holotype and Paratype,
 Russia Voronezh region Tellerman, 1959.9.19, Mamaev
 B1-250820 Holotype and Paratype, heads and genitalia,
 Russia Voronezh region Tellerman, 1959.9.19
 B1-250821 Russia Voronezh region Tellerman, 1959.9.7
 B1-250822 Russia Voronezh region Tellerman, 1960.10.4
 B1-250823 Russia Yaroslavl region Volkovo, 1961.7.18
 B1-250824 Russia North Caucasus Ubinskaja, 1970.8.3, Mamaev
 B1-250825 Russia North Caucasus Ubinskaja, 1970.8.3
 B1-250826 Russia Moscow region Pavlovskaja Slovoda, 1960.6.
 B1-250827 Russia Yaroslavl region Volkovo, 1961.7.

158 *Camptomyia spinifera*

- B1-250828 Holotype and Paratype, Russia Tula region Krapivna,
 1958.5.9
 B1-250829 Holotype and Paratype, heads and genitalia,
 Russia Tula region Krapivna, 1958.
 B1-250830 Paratypes, Russia Tula region Krapivna, 1958..
 B1-250831 Russia Tula region Krapivna, 1958., Mamaev
 B1-250832 Russia Yaroslavl region Volkovo, 1961.7.4
 B1-250833 Russia North Caucasus Ubinskaja, 1970.8.13

159 *Camptomyia maritima*

- B1-250834 Holotype and Paratype*,
 Russia Far East Kedrovaja Pad reserve,
 1964.8.24, Mamaev
 B1-250835 Paratypes, Russia Far East Ussury reserve, 1968.9.25
 B1-250836 Russia Far East Ussury reserve, 1968.9.25

160 *Camptomyia heterobia*

- B1-250837 Paratype, Russia Voronezh region Tellerman, 1959.9.19
 B1-250838 Holotype, Russia Voronezh region Tellerman, 1959.9.19
 B1-250839 Paratypes, Russia Voronezh region Tellerman, 1959.9.11
 B1-250840 Russia Voronezh region Tellerman, 1959.9.11
 B1-250841 Russia Voronezh region Tellerman, 1960.10.17
 B1-250842 Russia Voronezh region Tellerman, 1967.5.8
 B1-250843 Russia Voronezh region Tellerman, 1969.5.27
 B1-250844 Russia Voronezh region Tellerman, 1969.4.28

161 *Camptomyia flavocinerea*

- B1-250845 Russia Moscow region Pavlovskaja Slovoda,
 1960.6., Mamaev
 B1-250846 Russia Yaroslavl region Volkovo, 1961., Mamaev
 B1-250847 Russia Yaroslavl region Volkovo, 1961., Mamaev
 B1-250848 Russia Yaroslavl region Volkovo, 1961., Mamaev
 B1-250849 Russia Yaroslavl region Volkovo, 1961., Mamaev

162 *Camptomyia stylosa*

- B1-250850 Holotype and Paratype*, Russia Kamtshatka,
 1984.7.3, Mamaev

163 *Camptomyia corticalis*

- B1-250851 Russia Moscow region Glubokoe Ozero,
 1960.8.15, Mamaev
 B1-250852 Russia Moscow region Malinki, 1973.5.
 B1-250853 Russia Moscow region Malinki, 1973.5.
 B1-250854 Russia Moscow region Malinki, 1973.5.22
 B1-250855 Russia Moscow region Vesenniaja, 1973.4.2-3
 B1-250856 Neotype, head and genitalia,
 Russia Voronezh region Tellerman, 1959.9.8, Mamaev
 B1-250857 Neotype, Russia Voronezh region Tellerman,
 1959.9.8, Mamaev
 B1-250858 Russia Yaroslavl region Volkovo, 1961.6.14, Mamaev
 B1-250859 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
 B1-250860 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
 B1-250861 Russia North Caucasus Novopokhladnoe,
 1959.5.4, Mamaev
 B1-250862 Russia North Caucasus Novopokhladnoe,
 1959.5.4, Mamaev
 B1-250863 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
 B1-250864 Russia North Caucasus Novopokhladnoe,
 1959.5.23, Mamaev
 B1-250865 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
 B1-250866 Russia North Caucasus Ubinskaja, 1970.8.3
 B1-250867 Russia North Caucasus Guzeripl, 1971.7.10
 B1-250868 Russia North Caucasus Guzeripl, 1971.7.9
 B1-250869 Russia North Caucasus Guzeripl, 1971.7.9
 B1-250870 Russia North Caucasus Guzeripl, 1971.7.9
 B1-250871 Russia North Caucasus Guzeripl, 1971.7.12
 B1-250872 Russia North Caucasus Guzeripl, 1971.7.12
 B1-250873 Russia North Caucasus Guzeripl, 1971.7.12
 B1-250874 Russia North Caucasus Guzeripl, 1971.7.21
 B1-250875 Ukraina Carpathians Rakhov, 1968.5.23
 B1-250876 Ukraina Carpathians Rakhov, 1968.5.23
 B1-250877 Ukraina Carpathians Rakhov, 1966.6.6
 B1-250878 Russia Far East Kunashir, 1972.9.23

164 *Camptomyia cognata*

- B1-250879 Holotype and Paratype,
 Russia Far East Kedrovaja Pad reserve, 1968..20

165 *Camptomyia piceae*

- B1-250880 Russia Arkhangelsk region Obozerskaja, 1967..

- B1-250881 Ukraina Carpathians Rakhov, 1963.6.
 B1-250882 Rossia North Caucasus Guzeripl, 1970.7.24
 B1-250883 Rossia Altai Altai reserve, 1981.6.23-7.10
 B1-250884 Rossia Altai Altai reserve, 1981.6.23-7.10
 B1-250885 Rossia Altai Altai reserve, 1981.6.23-7.10
 B1-250886 Rossia Tuva Ishtii-Khem, 1974.6.20
 B1-250887 Rossia Far East Khekhzir reserve, 1974.6.20
 B1-250888 Rossia Far East Khekhzir reserve, 1976.4.25
 B1-250889 Rossia Far East Ussury reserve, 1969.6.1
 B1-250890 Rossia Far East Ussury reserve, 1969.6.1
 B1-250891 Rossia Far East Kunashir, 1972.9.23
 B1-250892 Rossia Far East Kunashir, 1972.9.23
 B1-250893 Rossia Far East Kunashir, 1972.9.28

166 *Camptomyia maxima*

- B1-250894 Holotype and Paratype*, Rossia Tula region Krapivna, 1958.5.16
 B1-250895 Paratypes, Rossia Tula region Krapivna, 1958..
 B1-250896 Rossia Moscow region Pavlovskaja Slovoda, 1965.6.16
 B1-250897 Rossia Moscow region Pavlovskaja Slovoda, 1965.6.16
 B1-250898 Rossia Tuva Ishtii-Khem, 1974.6.9
 B1-250899 Rossia Tuva Ishtii-Khem, 1974.6.9

167 *Camptomyia pinicola*

- B1-250900 Holotype, Rossia Moscow region Levinskaja, 1958.8.20
 B1-250901 Paratype, Rossia Moscow region Levinskaja, 1958.8.20

Camptomyia spp. (females)

- B1-250902 Rossia Moscow region Pavlovskaja Slovoda, 1963.6.22, Mamaev
 B1-250903 Rossia Moscow region Malinki, 1973.5.15
 B1-250904 Rossia Moscow region Malinki, 1973.5.14
 B1-250905 Rossia Moscow region Malinki, 1973.5.14
 B1-250906 Rossia Tuva Ishtii-Khem, 1973.8.9
 B1-250907 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250908 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250909 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250910 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250911 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250912 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev
 B1-250913 Rossia Yaroslavl region Volkovo, 1961.7?., Mamaev

168 *Colomyia clavata*

- B1-250914 Rossia Moscow region Pavlovskaja Slovoda, 1963.6.30, Mamaev

169 *Colomyia caudata*

- B1-250915 Ukraina Carpathians Kvasy, 1963.6.30, Mamaev

170 *Kronomyia melanura*

- B1-250916 Holotype and Paratype*,
 Rossia Far East Kedrovaja Pad reserve,
 1964.8.23, Mamaev

171 *Kronomyia variegata*

- B1-250917 Holotype and Paratype*, Ukraina Carpathians Khust, 1963.7.6, Mamaev

172 *Rhipidoxyomyia minor*

- B1-250918 Holotype and Paratype*,
 Rossia Voronezh region Tellerman, 1959.9.10, Mamaev
 B1-250919 Holotype and Paratype*,
 heads and genitalia, Rossia Voronezh region Tellerman,
 1959.9.10, Mamaev

173 *Rhipidoxyomyia brevicornis*

- B1-250920 Holotype and Paratype, heads and genitalia,
 Rossia Tula region Krapivna, 1958., Mamaev
 B1-250921 Holotype and Paratype, Rossia Tula region Krapivna,
 1958.6.26, Mamaev
 B1-250922 Holotype and Paratype, wings,
 Rossia Tula region Krapivna, 1958., Mamaev
 B1-250923 Rossia Moscow region Pavlovskaja Slovoda, 1965.6.6

174 *Rhipidoxyomyia rubella*

- B1-250924 Holotype and Paratype, Rossia Tula region Krapivna, 1958.6.5, Mamaev

175 *Winnertzia brachypalpa*

- B1-250925 Holotype and Paratype, Rossia Far East Ussury reserve, 1964.9.27, Mamaev
 B1-250926 Rossia Far East Ussury reserve, 1967.4.10, B. Mamaev
 B1-250927 Rossia Far East Khekhzir reserve, 1976.5.19
 B1-250928 Rossia Far East Khekhzir reserve, 1976.5.19

176 *Winnertzia discreta*

- B1-250929 Paratype, Turkmenistan Badkhyz reserve, 1963.5.5, Mamaev
 B1-250930 Paratype, Turkmenistan Badkhyz reserve, 1963.5.5, Mamaev
 B1-250931 Turkmenistan Badkhyz reserve, 1963.5.5, Mamaev
 B1-250932 Turkmenistan Badkhyz reserve, 1963.5.5, Mamaev
 B1-250933 Turkmenistan Badkhyz reserve, 1963.5.5, Mamaev

177 *Winnertzia globifera*

- B1-250934 Holotype and Paratype*,
 Rossia Voronezh region Tellerman, 1960..
 B1-250935 Ukraina Carpathians Rakhov, 1966.6.7
 B1-250936 Rossia North Caucasus Krasnaja Poljina, 1967.9.10
 B1-250937 Rossia Tuva Ishtii-Khem, 1974.7.10
 B1-250938 Rossia Tuva Ishtii-Khem, 1974.7.10

178 *Winnertzia tamariciphila*

- B1-250939 Holotype and Paratype*, Uzbekistan Shafrikan, 1961.3.29, Mamaev

179 *Winnertzia colubrifer*

B1-250940 Holotype and Paratype*, Russia Far East Ussury reserve, 1969.5.24, Mamaev

180 *Winnertzia deserticola*

B1-250941 Holotype and Paratype*, Uzbekistan Kuldjuktai, 1961.3.14, Mamaev

181 *Winnertzia rubricola*

B1-250942 Holotype and Paratype*, Russia Tula region Krapivna, 1958.5.15, Mamaev
 B1-250943 Paratypes, Russia Tula region Krapivna, 1958., Mamaev
 B1-250944 Russia Tula region Krapivna, 1958., Mamaev
 B1-250945 Russia Tula region Krapivna, 1958.7.3, Mamaev
 B1-250946 Russia Tula region Krapivna, 1958.7.3, Mamaev
 B1-250947 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
 B1-250948 Russia North Caucasus Novopokhladnoe, 1959., Mamaev

182 *Winnertzia nigra*

B1-250949 Russia Voronezh region Tellerman, 1959.9.21, Mamaev
 B1-250950 Holotype, Russia Voronezh region Tellerman, 1959.9.21, Mamaev
 B1-250951 Russia Far East Ussury reserve, 1967.4.25
 B1-250952 Russia Far East Kunashir, 1977.4.15
 B1-250953 Russia Far East Kunashir, 1977.4.23
 B1-250954 Russia Far East Kunashir, 1977.4.23

183 *Winnertzia maxima*

B1-250955 Russia Voronezh region Tellerman, 1958.10.6, Mamaev
 B1-250956 Paratypes, Russia Voronezh region Tellerman, 1958.10.6, Mamaev
 B1-250957 Russia Far East Khekhzir reserve, 1976.5.14
 B1-250958 Russia Far East Khekhzir reserve, 1976.5.16
 B1-250959 Russia Far East Khekhzir reserve, 1976.4.28
 B1-250960 Russia Far East Khekhzir reserve, 1976.4.28
 B1-250961 Russia Far East Khekhzir reserve, 1976.4.28
 B1-250962 Russia Far East Khekhzir reserve, 1975.5.19, Mamaev

184 *Winnertzia assimilata*

B1-250963 Russia Tula region Krapivna, 1958.5.29
 B1-250964 Holotype, Russia Far East Ussury reserve, 1969.5.8, Mamaev
 B1-250965 Russia Tula region Krapivna, 1958.5.29, Mamaev

185 *Winnertzia rotundata*

B1-250966 Russia Far East Khekhzir reserve, 1976.5.20
 B1-250967 Russia Far East Khekhzir reserve, 1976.5.20

186 *Winnertzia solidaginis*

B1-250968 Russia Yaroslavl region Volkovo, 1961.6.23, Mamaev
 B1-250969 Russia Voronezh region Tellerman, 1959.9.23, Mamaev
 B1-250970 Russia Voronezh region Tellerman, 1959.9.23, Mamaev
 B1-250971 Russia Voronezh region Tellerman, 1959., Mamaev
 B1-250972 Russia Yaroslavl region Volkovo, 1961., Mamaev

B1-250973 Russia North Caucasus Novopokhladnoe, 1959.6.1, Mamaev

B1-250974 Russia North Caucasus Novopokhladnoe, 1959.6.1, Mamaev

B1-250975 Russia Far East Ussury reserve, 1969.5.31, B. Mamaev

B1-250976 Ukraina Carpathians Khust, 1964.7., B. Mamaev

187 *Winnertzia maacki*

B1-250977 Holotype and Paratype*, Russia Far East Ussury reserve

188 *Winnertzia pectinulata*

B1-250978 Holotype and Paratype*, Russia Far East Ussury reserve, 1967.4.17, B. Mamaev

189 *Winnertzia tridens*

B1-250979 Russia Moscow region Zavety Iljitcha, 1962.6.16, Mamaev
 B1-250980 Russia Yaroslavl region Volkovo, 1961., Mamaev
 B1-250981 Ukraina Carpathians Rakhov, 1966.5.30
 B1-250982 Ukraina Carpathians Khust, 1963.7.10, Mamaev
 B1-250983 Russia North Caucasus Krasnaja Poljina, 1967.7.6
 B1-250984 Russia North Caucasus Ubinskaja, 1970.7.15

190 *Winnertzia discretella*

B1-250985 Russia Moscow region Danki, 1962.5.28, Mamaev

191 *Winnertzia equestris*

B1-250986 Holotype and Paratype*, Russia Daghestan, 1955.5.12, B. Mamaev
 B1-250987 Holotype and Paratype*, heads and genitalia, Russia Daghestan, 1955.5.12, Mamaev

192 *Winnertzia pravdini*

B1-250988 Russia North Caucasus Krasnaja Poljina, 1967.5.14
 B1-250989 Russia North Caucasus Krasnaja Poljina, 1967.5.19

193 *Winnertzia pinicola*

B1-250990 Holotype, Russia Tula region Krapivna, 1958.5.2, Mamaev
 B1-250991 Paratypes*, Russia Tula region Krapivna, 1958.5.2, Mamaev

194 *Winnertzia nigripennis*

B1-250992 Neotype and Paratype, Russia Yaroslavl region Volkovo, 1961.6.25, Mamaev

195 *Winnertzia fusca*

B1-250993 Russia Far East Ussury reserve, 1969.4.9
 B1-250994 Russia Far East Ussury reserve, 1964.9.18, Mamaev

196 *Dicerura rossica*

(originally identified with *Ulmomyia rossica*)

B1-250995 Holotype and Paratype*, Russia Voronezh region Tellerman, 1959.9.10, Mamaev

- B1-250996 Holotype and Paratype*, heads and genitalia,
Russia Voronezh region Tellerman, 1959.9.15, Mamaev
- B1-250997 Paratypes*, Russia Voronezh region Tellerman,
1959., Mamaev
- B1-250998 Paratype*, Russia Voronezh region Tellerman,
1959.10.6, Mamaev
- 197 *Dicerura furculata***
B1-250999 Holotype and Paratype*, Ukraine Carpathians Rakhov,
1966..
- B1-251000 Paratype, Ukraine Carpathians Rakhov,
1966.7.16, Mamaev
- 198 *Dicerura xylophila***
(originally identified with *Ulmomyia xylophila*)
B1-251001 Ukraine Carpathians Kvasy, 1963.6.22, Mamaev
B1-251002 Ukraine Carpathians Kvasy, 1963.6.27, Mamaev
- 199 *Dicerura barbata***
(originally identified with *Ulmomyia barbata*)
B1-251003 Holotype, Ukraine Carpathians Kvasy,
1963.6.27, Mamaev
- B1-251004 Paratype, Ukraine Carpathians Kvasy,
1963.6.30, Mamaev
- B1-251005 Paratype, Ukraine Carpathians Kvasy,
1966.6.7, B. Mamaev
- 200 *Dicerura padi***
B1-251006 Paratypes, Russia Far East Ussury reserve, 1969.5.8
- 201 *Hilversidia autumnalis***
B1-251007 Holotype, Russia Moscow region Pavlovskaja Slovoda,
1963.9.10, Mamaev
- B1-251008 Russia Moscow region Danki, 1962.9.11, Mamaev
- 202 *Tetraneuromyia similis***
B1-251009 Holotype, Russia Voronezh region Tellerman,
1960.9.19, Mamaev
- 203 *Griseipidosis bilobata***
B1-251010 Holotype and Paratype, Russia Far East Ussury reserve,
1967.5.16
- 204 *Solntsevia nigripes***
B1-251011 Holotype and Paratype,
Russia Moscow region Pavlovskaja Slovoda,
1963.5.27, Mamaev
- B1-251012 Paratypes, Russia Moscow region Pavlovskaja Slovoda,
1963.5.27, Mamaev
- 205 *Bryocrypta indubitata***
B1-251013 Russia Moscow region Pavlovskaja Slovoda,
1962.7.6, Mamaev
- 206 *Bulbepidosis tarsalis***
B1-251014 Holotype and Paratype, Ukraine Carpathians Rakhov
B1-251015 Paratype, Ukraine Carpathians Rakhov, 1966.5.30
B1-251016 Paratype*, Ukraine Carpathians Rakhov, 1966.5.30
- 207 *Arctepidosis jamalensis***
B1-251017 Paratype, Russia Ural Yamal, 1979.7.
- 208 *Lamellepidosis spungisi***
B1-251018 Paratype, Ukraine Krym, 1986.6.4
- 209 *Monocolpodia spiniformis***
B1-251019 Russia Moscow region Abramtsevo, 1961., B. Mamaev
- 210 *Stomatocolpodia iridis***
B1-251020 Holotype and Paratype*, Lithuania Juvintas reserve, 1969.6.
- 211 *Sensepidosis gukasiani***
B1-251021 Holotype and Paratype*, Russia Tuva Ishtii-Khem,
1974.7.18, Mamaev
- B1-251022 Paratype, Russia Tuva Ishtii-Khem, 1974.7.18, Mamaev
B1-251023 Paratype, Russia Tuva Ishtii-Khem, 1974.7.18, Mamaev
B1-251024 Russia Tuva Ishtii-Khem, 1974.7.18, Mamaev
- 212 *Furcepidosis gamma***
B1-251025 Holotype and Paratype, Russia Far East Ussury reserve,
1969.4.19
- 213 *Dendrepidosis trispinula***
B1-251026 Holotype, Russia Moscow region Pavlovskaja Slovoda,
1962.7.22, Mamaev
- 214 *Desertepidosis phryganophila***
B1-251027 Holotype, Turkmenistan Badkhyz reserve,
1963.5.5, Mamaev
- B1-251028 Paratype*, Turkmenistan Badkhyz reserve,
1963.5.1, Mamaev
B1-251029 Paratype*, Turkmenistan Badkhyz reserve,
1963.5.1, Mamaev
- 215 *Clinorhynchus flavitarsis***
B1-251030 Russia Far East Ussury reserve, 1967.5.19
- 216 *Miastor metraloas***
B1-251031 Russia North Caucasus Novopokhladnoe, 1959.5.8
B1-251032 Russia North Caucasus Novopokhladnoe, 1959.5.15
B1-251033 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
B1-251034 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
B1-251035 Russia North Caucasus Novopokhladnoe, 1959., Mamaev
B1-251036 Russia Tula region Krapivna, 1958.5.29
B1-251037 Russia Tula region Krapivna, 1958.5.29
B1-251038 Russia Tula region Krapivna, 1958., Mamaev
B1-251039 Russia Tula region Krapivna, 1958.5.29, Mamaev
B1-251040 Russia Tula region Krapivna, 1958.6., Mamaev

- B1-251041 Kirghizstan Sary-Tshelek reserve, 1978.6.16
 B1-251042 Kirghizstan Sary-Tshelek reserve, 1978.6.16
 B1-251043 Rossia Burjatia Babushkin, 1976.6.10
 B1-251044 Rossia Far East Khekhzir reserve, 1976.4.27
 B1-251045 Rossia Far East Khekhzir reserve, 1976.5.6
 B1-251046 Rossia Tuva Ishtii-Khem
 B1-251047 Rossia Tuva Ishtii-Khem, 1974.6.26
 B1-251048 Rossia Far East Khungan reserve, 1975.7.3
 B1-251049 Rossia Far East Khungan reserve, 1975.5.29
 B1-251050 Rossia Kamtshatka, 1984.7.6, Mamaev
 B1-251051 Rossia Far East Kunashir, 1977.5.23

217 *Brittenia fraxinicola*

- B1-251052 England Sussex, 1958.7.15, I. J. Wyatt
 B1-251053 England Sussex, 1958.7.15, I. J. Wyatt

218 *Henria psalliotae*

- B1-251054 England Cornwall, 1958.8.30

219 *Heteropezina cathistes*

- B1-251055 Rossia Voronezh region Tellerman, 1960.9.27, Mamaev

220 *Nikandria brevitarsis*

- B1-251056 Paratypes, Rossia Voronezh region Tellerman,
 1960.9.25, Mamaev

221 *Heteropeza pygmaea*

- B1-251057 Rossia Leningrad region, Mamaev
 B1-251058 Ukraina Carpathians Rakhov, 1966.6.14, Mamaev
 B1-251059 Rossia Moscow region Danki, 1962.5.22, Mamaev
 B1-251060 Rossia Tula region Krapivna, 1958.5.22
 B1-251061 Rossia Tula region Krapivna, 1958., Mamaev

CECIDOMYIINAE

222 *Lasioptera rubi*

- B1-251062 Rossia Moscow region Pavlovskaja Slovoda,
 1953., Mamaev
 B1-251063 Rossia Moscow region Pavlovskaja Slovoda, 1953.
 B1-251064 Rossia Moscow region Pavlovskaja Slovoda,
 1954., Mamaev
 B1-251065 Rossia Moscow region Pavlovskaja Slovoda,
 1953-1954., Mamaev
 B1-251066 Rossia Moscow region Pavlovskaja Slovoda,
 1953-1954., Mamaev
 B1-251067 Rossia Moscow region Pavlovskaja Slovoda,
 1953-1954., Mamaev

223 *Lasioptera tiliarum*

- B1-251068 Holotype, Rossia Moscow region Pavlovskaja Slovoda,
 1962.6.26

224 *Lasioptera sambucicola*

- B1-251069 Paratype, Rossia Far East Khasan, 1962.8.18

225 *Lasioptera lespedezae*

- B1-251070 Paratype, Rossia Far East Khasan, 1962.8.6

226 *Lasioptera diascoreae*

- B1-251071 Paratype, Rossia Far East Kedrovaja Pad reserve,
 1962.7.16

227 *Lasioptera cimicifugae*

- B1-251072 Paratype, Rossia Far East Ussury reserve, 1960.9.15

228 *Lasioptera ussurica*

- B1-251073 Paratype, Rossia Far East Kedrovaja Pad reserve,
 1968.10.
 B1-251074 Holotype, Rossia Far East Kedrovaja Pad reserve,
 1968.10.

***Lasioptera* spp.**

- B1-251075 Rossia Moscow region Pavlovskaja Slovoda,
 1962.6.14, Mamaev
 B1-251076 Rossia Moscow region Pavlovskaja Slovoda,
 1962.8.18, Mamaev
 B1-251077 Rossia Yaroslavl region, 1962.8.18, Mamaev
 B1-251078 Rossia Vologda region, 1962.7., B. Mamaev
 B1-251079 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251080 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251081 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251082 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251083 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251084 Ukraina Carpathians Khust, 1963.7.15, Mamaev
 B1-251085 Ukraina Carpathians Khust, 1963.6.27, Mamaev
 B1-251086 Ukraina Carpathians Khust, 1963.7.17, Mamaev
 B1-251087 Rossia Moscow region Danki, 1962.5.28, Mamaev
 B1-251088 Rossia Moscow region Danki, 1960.6., Mamaev
 B1-251089 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251090 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev

229 *Ozihincus millefolii*

- B1-251091 Armenia Gokt, 1987.7.3
 B1-251092 Tshechia, 1956.8.15
 B1-251093 Rossia Far East Kedrovaja Pad reserve, 1964.9.9
 B1-251094 Rossia Far East Kedrovaja Pad reserve, 1964.9.9
 B1-251095 Rossia Far East Kedrovaja Pad reserve, 1964.9.9

***Ozihincus* spp.**

- B1-251096 Rossia Moscow region Pavlovskaja Slovoda,
 1962.8.18, Mamaev
 B1-251097 Rossia Rostov region Donleskhov, 1953.6.7, Mamaev
 B1-251098 Rossia Tuva Ishtii-Khem, 1973.8.9, Mamaev

230 *Exopsyllomyia karakumensis*

- B1-251099 Turkmenistan Shakhshenem, 1990.5.

- B1-251100 Turkmenistan Shakhsehem, 1990.5.
B1-251101 Turkmenistan Shakhsehem, 1990.5.
B1-251102 Turkmenistan Shakhsehem, 1990.5.
- 231 *Exopsyllomyia symbia***
B1-251103 Holotype, Turkmenistan Mary, 1971.9.5
B1-251104 Turkmenistan Gasli, 1965.6.14
- 232 *Trotteria spinosa***
B1-251105 Paratype, Russia Tshapigou, 1962.8.9
- 233 *Artemisiomyia gorovoji***
B1-251106 Paratype, Russia Ljantshikhe, 1962.5.21
B1-251107 Paratype*, Russia Far East Kedrovaja Pad reserve, 1965.1.30
- 234 *Baldratia przewalskii***
B1-251108 Uzbekistan Shafrikan, 1961.3.31, Mamaev
B1-251109 Turkmenistan Mary, 1970.4.4, Mamaev
B1-251110 Turkmenistan Mary, 1970.4.7, Mamaev
B1-251111 Turkmenistan Mary, 1971.4.16, Mamaev
B1-251112 Turkmenistan Uzboi, 1984.4.30
B1-251113 Turkmenistan Uzboi, 1984.4.30
B1-251114 Mongolia Bulgana, 1970.7.29
B1-251115 Mongolia Bulgana, 1970.8.18
- 235 *Baldratia kozlovi***
B1-251116 Turkmenistan Kaplankyr, 1984.4.28-5.7
B1-251117 Turkmenistan Kaplankyr, 1984.4.28-5.7
B1-251118 Turkmenistan Mary, 1971.4.3
- 236 *Baldratia tubulata***
B1-251119 Paratypes, Turkmenistan Mary, 1971.5.7
B1-251120 Paratype, Turkmenistan Mary, 1971.5.7, B. Mamaev
- Baldratia* sp.**
B1-251121 Turkmenistan Sarykamys, 1984.4.20-26
B1-251122 Turkmenistan Sarykamys, 1984.4.20-26
B1-251123 Turkmenistan Sarykamys, 1984.4.20-26
- 237 *Aridofavilla bicuspidata***
B1-251145 Paratype, Turkmenistan Mary, 1971.4.27, B. Mamaev
- 238 *Arafavilla terteriani***
B1-251146 Holotype and Paratype, Armenia Masis, 1987.7.23
- 239 *Primofavilla initialis***
B1-251147 Holotype, Kazakhstan Bugun, 1971.5.
B1-251148 Armenia Garni, 1989.8.7
- 240 *Stefaniella atriplicis***
B1-251149 Russia Voronezh region Tellerman, 1960.9.
- 241 *Stefaniella hilversidae***
B1-251150 Paratypes, Kazakhstan Voronezh region Bugun, 1971.5., X. P. Mamaeva
B1-251151 Armenia Erevan, 1990.7.3
B1-251152 Armenia Erevan, 1990.7.3
B1-251153 Armenia Erevan, 1989.6.20
- 242 *Hybolasioptera cerealis***
B1-251154 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
B1-251155 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
- 243 *Stefaniola psammophila***
B1-251124 Paratypes, Turkmenistan Mary, 1971.4.3, B. Mamaev
B1-251125 Turkmenistan Sarykamys, 1985.4.20
B1-251126 Turkmenistan Sarykamys, 1985.4.20
B1-251127 Turkmenistan Sarykamys, 1984.4.20-5/15
B1-251128 Turkmenistan Sarykamys, 1984.4.20-5/15
- 244 *Stefaniola deformans***
B1-251129 Uzbekistan Shafrikan, 1961.3.20, Mamaev
B1-251130 Uzbekistan Shafrikan, 1961.3.20, Mamaev
B1-251131 Turkmenistan Mary, 1971., B. Mamaev
B1-251132 Turkmenistan Mary, 1971., B. Mamaev
B1-251133 Turkmenistan Mary, 1970.4.4, B. Mamaev
B1-251134 Turkmenistan Mary, 1971., B. Mamaev
- 245 *Stefaniola inobservabilis***
B1-251135 Uzbekistan Kuldjuktai, 1961.3.13, Mamaev
B1-251136 Uzbekistan Kuldjuktai, 1961.3.13, Mamaev
B1-251137 Turkmenistan Mary, 1971.4.16, B. Mamaev
B1-251138 Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251139 Turkmenistan Mary, 1971.4.16, B. Mamaev
- 246 *Stefaniola insignata***
B1-251140 Paratypes, Turkmenistan Mary, 1971.4.3, B. Mamaev
- 247 *Stefaniola diversa***
B1-251141 Paratypes, Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251142 Paratypes, Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251143 Paratypes, Turkmenistan Mary, 1971.4.12, B. Mamaev
B1-251144 Paratypes, Turkmenistan Mary, 1971.4.16, B. Mamaev
- 248 *Stefaniola polita***
B1-251156 Holotype and Paratypes, Turkmenistan Mary, 1970.4.29, B. Mamaev
B1-251157 Turkmenistan Mary, 1970.4.7, B. Mamaev
B1-251158 Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251159 Turkmenistan Mary, 1970.4.11, B. Mamaev
B1-251160 Turkmenistan Mary, 1971.4.19, B. Mamaev
B1-251161 Turkmenistan Mary, 1971.4.19, B. Mamaev
B1-251162 Turkmenistan Mary, 1970.4.28, B. Mamaev
- 249 *Stefaniola dubia***
B1-251163 Paratypes, Turkmenistan Mary, 1971.5.7, B. Mamaev

B1-251164 Paratypes, Turkmenistan Mary, 1971.5.7, B. Mamaev

250 *Stefaniola miscella*

B1-251165 Holotype, Turkmenistan Mary, 1971.4.30, B. Mamaev
B1-251166 Uzbekistan Kuldjktau, 1961.6.15, Mamaev

251 *Stefaniola procera*

B1-251169 Kazakhstan Obrutshovka, .5.28, X. Mamaeva

252 *Stefaniola insignis*

B1-251170 Uzbekistan Shafrikan, 1961.3.26, Mamaev
B1-251171 Turkmenistan Mary, 1971.4.3, B. Mamaev
B1-251172 Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251173 Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251174 Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251175 Turkmenistan Mary, 1971.4.9, B. Mamaev
B1-251176 Uzbekistan Shafrikan, 1961.3.26, Mamaev
B1-251177 Uzbekistan Shafrikan, 1961.3.26, Mamaev
B1-251178 Uzbekistan Shafrikan, 1961.3.26, Mamaev
B1-251179 Turkmenistan Mary, 1971.4.12, B. Mamaev
B1-251180 Turkmenistan Mary, 1971.4.12, B. Mamaev
B1-251181 Turkmenistan Mary, 1971.4.12, B. Mamaev
B1-251182 Turkmenistan Mary, 1971.4.12, B. Mamaev
B1-251183 Turkmenistan Mary, 1971.4.27, B. Mamaev
B1-251184 Turkmenistan Shakhsem, 1983.10.10
B1-251185 Turkmenistan Sarykamys, 1984.4.20

253 *Stefaniola tubifera*

B1-251186 Paratype, Turkmenistan Mary, 1973.5.22
B1-251187 Paratype, Turkmenistan Mary, 1973.5.22, B. M. Mamaev
B1-251188 Paratype, Turkmenistan Mary, 1973.5.22, Mamaev B. M.

254 *Stefaniola gigas*

B1-251189 Turkmenistan Sarykamys, 1984.4.20-22
B1-251190 Turkmenistan Sarykamys, 1984.4.20-22
B1-251191 Turkmenistan Sarykamys, 1984.4.20
B1-251192 Turkmenistan Sarykamys, 1984.4.20
B1-251193 Turkmenistan Sarykamys, 1984.4.20-26
B1-251194 Turkmenistan Sarykamys, 1984.4.20-5.5
B1-251195 Turkmenistan Tese-El, 1984.3.10-5.9
B1-251196 Turkmenistan Tese-El, 1984.3.10-5.15
B1-251197 Turkmenistan Tese-El, 1984.3.10-5.15
B1-251203 Turkmenistan Mary, 1970.4.2, B. Mamaev
B1-251204 Uzbekistan Kuldjktau, 1961.3.16, Mamaev
B1-251205 Uzbekistan Kuldjktau, 1961.3.16, Mamaev
B1-251206 Turkmenistan Mary, 1970.4.4, B. Mamaev
B1-251207 Turkmenistan Dongusburum, 1971.4.3, B. Mamaev
B1-251208 Turkmenistan Dongusburum, 1971.4.3, B. Mamaev
B1-251209 Turkmenistan Mary, 1970.4.8, B. Mamaev
B1-251210 Turkmenistan Mary, 1970.4.10, B. Mamaev
B1-251211 Turkmenistan Mary, 1970.4.12, B. Mamaev
B1-251212 Turkmenistan Mary, 1970.4.9, B. Mamaev
B1-251213 Turkmenistan Mary, 1970.4.9, B. Mamaev
B1-251214 Turkmenistan Mary, 1970.4.10, B. Mamaev

B1-251215 Turkmenistan Mary, 1970.4.12, B. Mamaev
B1-251216 Turkmenistan Mary, 1970.5.2, B. Mamaev
B1-251217 Turkmenistan Mary, 1970.5.2, B. Mamaev
B1-251218 Turkmenistan Sarykamys, 1985.4.28
B1-251219 Turkmenistan Sarykamys, 1984.4.20
B1-251220 Mongolia Bulgana, 1971.7.14
B1-251221 Mongolia Bulgana, 1971.6.26

255 *Stefaniola fragosa*

B1-251198 Paratypes, Turkmenistan Mary, 1971.5.1, B. Mamaev
B1-251199 Paratypes, Turkmenistan Mary, 1971.5.1, B. Mamaev
B1-251200 Turkmenistan Mary, 1970.4.26, B. Mamaev
B1-251201 Turkmenistan Mary, 1971.5.1, B. Mamaev
B1-251202 Turkmenistan Mary, 1971.5.8, B. Mamaev

256 *Stefaniola asiatica*

B1-251222 Turkmenistan Kaplankyr, 1984.5.10
B1-251223 Turkmenistan Kaplankyr, 1984.5.5
B1-251224 Uzbekistan Kuldjktau, 1961.4.11, Mamaev
B1-251225 Uzbekistan Kuldjktau, 1961.4.11, Mamaev
B1-251226 Turkmenistan Kaplankyr, 1985.4.12
B1-251227 Turkmenistan Kaplankyr, 1984.5.5-15
B1-251228 Turkmenistan Kaplankyr, 1984.5.5-15
B1-251229 Turkmenistan Kaplankyr, 1984.5.5
B1-251230 Turkmenistan Kaplankyr, 1985.4.12
B1-251231 Turkmenistan Kaplankyr, 1985.4.12
B1-251232 Turkmenistan Kaplankyr, 1984.4.26-5.10

257 *Stefaniola lepidosa*

B1-251233 Paratype, Uzbekistan Kuldjktau, 1961.4.11, Mamaev
B1-251234 Turkmenistan Kaplankyr, 1985.4.13

258 *Stefaniola pusilla*

B1-251235 Turkmenistan Mary, 1971.5.5, B. Mamaev
B1-251236 Mongolia Bulgana, 1971.8.30

259 *Stefaniola congregata*

B1-251237 Uzbekistan Shafrikan, 1961.3.26, Mamaev
B1-251238 Uzbekistan Shafrikan, B. Mamaev
B1-251239 Turkmenistan Mary, 1971., B. Mamaev
B1-251240 Turkmenistan Mary, 1970.4.3, B. Mamaev
B1-251241 Turkmenistan Mary, 1971., B. Mamaev
B1-251242 Turkmenistan Mary, 1971., B. Mamaev
B1-251243 Turkmenistan Sarykamys, 1984.4.20-5/4
B1-251244 Turkmenistan Sarykamys, 1984.4.20-5/4
B1-251245 Turkmenistan Sarykamys, 1984.4.21-5/9
B1-251246 Turkmenistan Sarykamys, 1984.4.21-5/9
B1-251247 Turkmenistan Sarykamys, 1984.4.20-29

260 *Stefaniola heterobia*

B1-251248 Turkmenistan Mary, 1971., B. Mamaev
B1-251249 Turkmenistan Mary, 1970.
B1-251250 Turkmenistan Mary, 1970.
B1-251251 Turkmenistan Mary, 1970.4.4, B. Mamaev

- B1-251252 Turkmenistan Mary, 1971.4.12
B1-251253 Turkmenistan Kaplankyr, 1983.10.3
- 261 *Stefaniola aurata***
B1-251254 Uzbekistan Kuldjktau, 1961.10.
B1-251255 Turkmenistan Kaplankyr, 1984.4.25-29
B1-251256 Turkmenistan Kaplankyr, 1983.10.9
B1-251257 Turkmenistan Sarykamys, 1983.10.9
B1-251258 Turkmenistan Sarykamys, 1984.4.20-29
- 262 *Stefaniola domina***
B1-251259 Turkmenistan Dongusburum, 1971.4.3, B. Mamaev
B1-251260 Turkmenistan Dongusburum, 1971.4.3, B. Mamaev
B1-251261 Turkmenistan Mary, 1970.4.4, B. Mamaev
B1-251262 Turkmenistan Mary, 1970.4.9, B. Mamaev
B1-251263 Turkmenistan Mary, 1971.4.19, B. Mamaev
B1-251264 Turkmenistan Mary, 1971.4.25, B. Mamaev
B1-251265 Turkmenistan Sarykamys, 1984.4.22-5/9
B1-251266 Turkmenistan Kaplankyr, 1985.4.28
- 263 *Stefaniola subterminalis***
B1-251269 Holotype and Paratype*, Turkmenistan Sarykamys, 1984.4.21-27
B1-251270 Uzbekistan Shafrikan, 1961.3.31, Mamaev
- 264 *Stefaniola excelsa***
B1-251271 Uzbekistan Kuldjktau, 1961.4.22
B1-251272 Uzbekistan Kuldjktau, 1961.4.22
B1-251273 Uzbekistan Kuldjktau, 1961.4.22
B1-251274 Uzbekistan Kuldjktau, 1961.4.22
B1-251275 Turkmenistan Mary, 1970.4.15
B1-251276 Turkmenistan Mary, 1970.5.7
- 265 *Stefaniola globosa***
B1-251277 Uzbekistan Kuldjktau, 1961.autumn.
B1-251278 Uzbekistan Kuldjktau, 1961.autumn.
B1-251279 Uzbekistan Shafrikan, 1961.4.19
- 266 *Stefaniola fructua***
B1-251280 Turkmenistan Mary, 1970.5.7
B1-251281 Turkmenistan Mary, 1970.4.15
B1-251282 Turkmenistan Mary, 1970.5.7
B1-251283 Turkmenistan Mary, 1970.4.15
- 267 *Stefaniola ramicola***
B1-251284 Turkmenistan Mary, 1971.4., B. Mamaev
B1-251285 Turkmenistan Mary, 1971.4., B. Mamaev
B1-251286 Turkmenistan Mary, 1970.4.8, B. Mamaev
B1-251287 Turkmenistan Sarykamys, 1984.4.20-5/21
B1-251288 Turkmenistan Sarykamys, 1985.4.24
- 268 *Stefaniola vexillata***
B1-251289 Holotype and Paratype, Uzbekistan Shafrikan, 1961.3.29, Mamaev
- B1-251290 Paratype, Uzbekistan Shafrikan, 1961.3.29, Mamaev
B1-251291 Turkmenistan Mary, 1971.5.5, B. Mamaev
- 269 *Stefaniola similata***
B1-251292 Paratype, Turkmenistan Dongusburum, 1971.4.3, B. Mamaev
B1-251293 Turkmenistan Kaplankyr, 1984.6.9-10
B1-251294 Uzbekistan Shafrikan, 1961.5., Mamaev
B1-251295 Uzbekistan Shafrikan, 1961.5., Mamaev
- 270 *Stefaniola orta* (?)**
B1-251296 Uzbekistan Kuldjktau, 1961.4.22
B1-251297 Uzbekistan Kuldjktau
B1-251298 Uzbekistan Kuldjktau, 1961.3.20
- 271 *Stefaniola turcistana* (?)**
B1-251299 Uzbekistan Kuldjktau, 1961.
B1-251300 Uzbekistan Kuldjktau, 1961.4.11
B1-251301 Uzbekistan Kuldjktau, 1961.4.11
B1-251302 Uzbekistan Kuldjktau, 1961.4.10
- 272 *Stefaniola harenosa***
B1-251303 Uzbekistan Kuldjktau, 1961.3.15
B1-251304 Uzbekistan Kuldjktau, 1961.3.15
- 273 *Careopalpis suaedae***
B1-251167 Armenia Masis, 1981.7.23
- 274 *Careopalpis suaedicola***
B1-251168 Armenia Oktjamberian, 1988.6.23
- 275 *Careopalpis roborovskyi***
B1-251267 Turkmenistan Sarykamys, 1984.4.23
B1-251268 Turkmenistan Sarykamys, 1984.4.23
- 276 *Asphondylia melanopus***
B1-251305 CSSR Tshekhia, 1957.8.13, det. M. skuhrava
B1-251306 CSSR Tshekhia, 1958.9.1, det. M. skuhrava
- 277 *Asphondylia miki***
B1-251307 CSSR Tshekhia, 1956.9.3, det. M. skuhrava
- 278 *Asphondylia genistae***
B1-251308 CSSR Tshekhia, 1956.8.27, det. M. skuhrava
- 279 *Asphondylia ignorata***
B1-251309 CSSR Tshekhia, 1959.5.9, det. M. skuhrava
B1-251310 CSSR Tshekhia, 1959.5.9, det. M. skuhrava
- 280 *Asphondylia scrophulariae***
B1-251311 Russia Lugansk region Streltsovka, 1953.7.4
B1-251312 Russia Lugansk region Streltsovka, 1953.7.4
B1-251313 Russia Lugansk region Streltsovka, 1953.7.4
B1-251314 Russia Lugansk region Streltsovka, 1953.7.4

281 *Asphondylia cytisi*

B1-251315 Russia Rostov region Kundrutshskaja, 1953.7.4

282 *Asphondylia pruniperda*

B1-251316 Armenia Tokht, 1987.6.19

283 *Asphondylia aelleniae*

B1-251317 Paratypes, Uzbekistan Kuldjuktai, 1962.4.22, Mamaev

B1-251318 Turkmenistan Kaplankyr, 1985.5.6

B1-251319 Turkmenistan Repetek reserve, 1963.4.17

B1-251320 Turkmenistan Repetek reserve, 1963.4.17

B1-251321 Turkmenistan Repetek reserve, 1963.4.17

B1-251322 Turkmenistan Kaplankyr, 1984.5.6-21

284 *Asphondylia deserticola*

B1-251323 Paratypes, Uzbekistan Kuldjuktai, 1965.4.29

B1-251324 Turkmenistan Kaplankyr, 1984.5.5

B1-251325 Turkmenistan Kaplankyr, 1984.5.5

285 *Schizandrobia arsenjevi*

B1-251326 Paratypes*, Russia Far East Primorye territory, 1960.8.7

286 *Desertovelum stackelbergi*

B1-251327 Paratype, Turkmenistan Mary, 1971.8.19

287 *Desertovelum kaplankyrum*

B1-251328 Holotype, Turkmenistan Kaplankyr, 1984.5.5

B1-251329 Paratype, Turkmenistan Kaplankyr, 1984.5.5

B1-251330 Paratype, Turkmenistan Kaplankyr, 1984.5.5

B1-251331 Turkmenistan Kaplankyr, 1985.4.12

B1-251332 Turkmenistan Kaplankyr, 1985.4.12

B1-251333 Turkmenistan Kaplankyr, 1985.4.14

B1-251334 Turkmenistan Kaplankyr, 1985.4.14

B1-251335 Turkmenistan Kaplankyr, 1985.4.14

B1-251336 Turkmenistan Kaplankyr, 1985.4.13

288 *Kochiomyia lanugiviva*

B1-251337 Turkmenistan Kaplankyr, 1984.5.5

B1-251338 Turkmenistan Kaplankyr, 1984.5.5

B1-251339 Turkmenistan Kaplankyr, 1984.5.5

B1-251340 Turkmenistan Kaplankyr, 1984.5.7

B1-251341 Turkmenistan Kaplankyr, 1985.4.30

B1-251342 Turkmenistan Kaplankyr, 1985.4.30

B1-251343 Turkmenistan Kaplankyr, 1984.4.26-5.15

B1-251344 Turkmenistan Kaplankyr, 1984.4.26-5.16

289 *Pseudokochiomyia vicina*

B1-251345 Armenia Arzni, 1988.8.4

B1-251346 Armenia Arzni, 1988.8.4

290 *Pseudokochiomyia mesasiatica*

B1-251347 Armenia Arzni, 1988.8.3

B1-251348 Armenia Arzni, 1988.8.3

291 *Pseudokochiomyia comphorosmae*

B1-251349 Armenia Etshmiadjzin, 1988.6.29

B1-251350 Armenia Etshmiadjzin, 1988.6.29

292 *Pseudokochiomyia londesiaae*

B1-251351 Paratypes, Turkmenistan Mary, 1971.8., B. Mamaev

293 *Pseudokochiomyia kochiae*

B1-251352 Russia Rostov region Voloshino, 1953.7.12

B1-251353 Russia Rostov region Voloshino, 1953.7.12

294 *Kiefferia pericarpicola*

B1-251354 Russia Moscow region Pavlovskaja Slovoda, 1954.5.20, Mamaev

B1-251355 Russia Moscow region Pavlovskaja Slovoda, 1962.7.16, Mamaev

B1-251356 Russia Far East Ussury reserve, 1964.9.20

B1-251357 Russia Far East Ussury reserve, 1964.9.20

295 *Placochela nigripes*

B1-251358 CSSR Tshekhia, 1959.5.15, M. Sku

B1-251359 CSSR Tshekhia, 1959.5.15, M. Sku

296 *Placochela araliae*

B1-251360 Holotype and Paratype, Russia Far East Ussury reserve, 1964.10.3

B1-251361 Paratype, Russia Far East Ussury reserve, 1964.10.3, B. Mamaev

297 *Asterolobia solidaginis*

B1-251362 Russia Far East Ussury reserve, 1964.10.1

298 *Asterolobia asteris*

B1-251363 Russia Far East Kedrovaja Pad reserve, 1964.8.28

B1-251364 Russia Far East Kedrovaja Pad reserve, 1964.8.28

299 *Euasterolobia calathidiphaga*

B1-251365 Paratype, Russia Far East Kedrovaja Pad reserve, 1962.8.13

B1-251366 Russia Far East Kedrovaja Pad reserve, 1963.2.1

B1-251367 Russia Far East Kedrovaja Pad reserve, 1964.8.20

B1-251368 Russia Far East Kedrovaja Pad reserve, 1963.2.1

300 *Schizomyia galiorum*

B1-251369 Lithuania Rybatskij, 1969.7.19

301 *Philadelphella philadelphia*

B1-251370 Paratypes, Russia Okeanskaja, 1961.7.5

302 *Bruggmannia randiae*

B1-251371 Paratypes, Brasil El Salvador

303 *Didactylomyia longimana*

B1-251372 Russia Moscow region Pavlovskaja Slovoda, 1962.7.6

- B1-251373 Russia Moscow region Pavlovskaja Slovoda, 1962.7.6
 B1-251374 Russia Moscow region Pavlovskaja Slovoda, 1962.8.2
 B1-251375 Russia Moscow region Pavlovskaja Slovoda, 1963.7.28
 B1-251376 Russia Yaroslavl region Volkovo, 1961.7.
 B1-251377 Russia Yaroslavl region Volkovo, 1961.7.
 B1-251378 Russia Yaroslavl region Volkovo, 1961.7.
 B1-251379 Russia Vologda region Kadnikovka, 1962.7.
 B1-251380 Lituania Vevis, 1962.8.5
 B1-251381 Lituania Klaipeda, 1962.7.29
 B1-251382 Ukraina Carpathians Khust, 1963.7.17
 B1-251383 Ukraina Carpathians Khust, 1963.7.7
 B1-251384 Ukraina Carpathians Khust, 1963.7.15
 B1-251385 Russia North Caucasus Ubinskaja, 1953.6.20
 B1-251386 Russia North Caucasus Ubinskaja, 1970.7.15
 B1-251387 Russia North Caucasus Krasnaja Poljina, 1966.9.10
 B1-251388 Russia North Caucasus Krasnaja Poljina, 1967.8.6
 B1-251389 Russia North Caucasus Krasnaja Poljina, 1967.8.1
 B1-251390 Russia North Caucasus Krasnaja Poljina, 1966.9.10
 B1-251391 Russia Far East Kedrovaja Pad reserve, 1964.9.6
- 304 *Stomatosema obscura***
 B1-251392 Holotype, Russia Yaroslavl region Volkovo, 1961.6.22
 B1-251393 Paratype, Russia Yaroslavl region Volkovo, 1961.6.22
 B1-251394 Russia Moscow region Udelnaja, 1961.6.
 B1-251395 Russia Moscow region Pavlovskaja Slovoda, 1962.8.2
 B1-251396 Lituania Vevis, 1962.8.5
- 305 *Stomatosema brevicornis***
 B1-251397 Holotype, Russia Vologda region Kadnikovka, 1962.7.
- 306 *Epimyrella palustris***
 B1-251398 Holotype, Russia Moscow region Glubokoe Ozero, 1960.7.27, B. Mamaev
- 307 *Ledomyia aestiva***
 (originally identified with *Phaeolautia aestiva*)
 B1-251399 Holotype, Russia Moscow region Danki, 1962.5.26, Mamaev
- 308 *Ledomyia lepida***
 (originally identified with *Phaeolautia lepida*)
 B1-251400 Holotype, Russia Moscow region Danki, 1962.5.28, Mamaev
 B1-251401 Russia Moscow region Udelnaja, 1961.6., Mamaev
- 309 *Ledomyia obscuripennis***
 (originally identified with *Phaeolautia obscuripennis*)
 B1-251402 Neotype and Paratypes*, Russia Yaroslavl region Volkovo, 1961.7.5
- 310 *Ledomyia volucris***
 B1-251403 Holotype and Paratype*, Russia Far East Ussury reserve, 1969.5.16
- 311 *Lauthia spilota***
 B1-251404 Holotype, Russia Yaroslavl region Volkovo, 1961.7.5, Mamaev
 B1-251405 Paratype, Russia Moscow region Udelnaja, 1961.6., Mamaev
 B1-251406 Ukraina Carpathians Khust, 1963.7.10, Mamaev
 B1-251407 Ukraina Carpathians Khust, 1963.7.17, Mamaev
 B1-251408 Russia North Caucasus Krasnaja Poljina, 1966.9.10
 B1-251409 Russia Tuva Ishtii-Khem, 1973.8.9
 B1-251410 Russia Tuva Ishtii-Khem, 1973.8.9
 B1-251411 Russia Tuva Ishtii-Khem, 1973.8.16
- 312 *Lauthia spinigerella***
 B1-251412 Holotype, Russia Yaroslavl region Volkovo, 1961.7.?
 B1-251413 Ukraina Carpathians Khust, 1963.7.10, Mamaev
- 313 *Brachyneurina xylophila***
 B1-251414 Holotype and Allotype, Russia Yaroslavl region Volkovo, 1961.6.20, Mamaev
 B1-251415 Russia Moscow region Pavlovskaja Slovoda, 1962.8.19, Mamaev
 B1-251416 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
- 314 *Brachyneurina angulata***
 B1-251417 Holotype, Russia Moscow region Pavlovskaja Slovoda, 1962.8.11, Mamaev
- 315 *Brachineura stygia***
 B1-251418 Russia Moscow region Pavlovskaja Slovoda, 1962.7.16, Mamaev
 B1-251419 Ukraina Carpathians Khust, 1963.7.7, Mamaev
 B1-251420 Russia Vologda region Kadnikovka, 1962.7., Mamaev
- 316 *Brachineura modesta***
 B1-251421 Holotype, Russia Yaroslavl region Volkovo, 1962.6.25, Mamaev
- 317 *Brachineura scotica***
 B1-251422 Ukraina Carpathians Khust, 1963.7.5, Mamaev
 B1-251423 Ukraina Carpathians Khust, 1963.7.5, Mamaev
- 318 *Brachineura fungicola***
 B1-251424 Holotype and Paratype*, Russia Yaroslavl region Volkovo, 1961.7.4, Mamaev
 B1-251425 Russia Moscow region Glubokoe Ozero, 1960.7.27, Mamaev
- 319 *Brachineura quercina***
 B1-251426 Russia Moscow region Zavety Iljitcha, 1962.6.12, Mamaev
 B1-251427 Russia Moscow region Pavlovskaja Slovoda, 1962.7.18, Mamaev

320 *Brachineura aberrata*

B1-251428 Holotype, Russia Moscow region Danki,
1962.5.25, Mamaev

321 *Rhizomyia fasciata*

B1-251429 Paraneotype, Russia Moscow region
Pavlovskaja Slovoda, 1962.7.15
B1-251430 Paraneotype, Russia Moscow region
Pavlovskaja Slovoda, 1962.7.16
B1-251431 Paraneotype, Russia Moscow region
Pavlovskaja Slovoda, 1962.7.15
B1-251432 Paraneotype, Russia Moscow region
Pavlovskaja Slovoda, 1962.7.16

322 *Rhizomyia ornata*

B1-251433 Holotype, Russia Moscow region Zavety Iljitcha,
1962.6.19
B1-251434 Russia Moscow region Pavlovskaja Slovoda, 1962.7.25

323 *Rhizomyia detrita*

B1-251435 Paratype, Russia Vologda region Kadnikovka, 1962.7.
B1-251436 Paratype, Russia Vologda region Kadnikovka, 1962.7.
B1-251437 Holotype, Russia Vologda region Kadnikovka, 1962.7.
B1-251438 Paratype, Russia Vologda region Kadnikovka, 1962.7.
B1-251439 Paratype, Russia Vologda region Kadnikovka, 1962.7.
B1-251440 Paratype, Russia Vologda region Kadnikovka, 1962.7.
B1-251441 Russia Moscow region Pavlovskaja Slovoda, 1962.7.11
B1-251442 Russia Moscow region Pavlovskaja Slovoda, 1962.7.11
B1-251443 Russia Moscow region Pavlovskaja Slovoda, 1962.7.11
B1-251444 Russia Moscow region Pavlovskaja Slovoda, 1962.7.11
B1-251445 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
B1-251446 Russia Moscow region Pavlovskaja Slovoda, 1962.7.16
B1-251447 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
B1-251448 Russia Yaroslavl region Volkovo, 1961.7.
B1-251449 Russia Yaroslavl region Volkovo, 1962.7.

324 *Rhizomyia perplexa*

B1-251450 Paraneotype, Russia Vologda region Kadnikovka, 1962.7.
B1-251451 Paraneotype, Russia Yaroslavl region Volkovo, 1961.7.1

325 *Rhizomyia sylvicola*

B1-251452 Russia Moscow region Danki, 1962.

326 *Rhizomyia selecta*

B1-251453 Russia Rostov region Donleskhoz, 1953.6.30

327 *Rhizomyia vittata*

B1-251454 Paratype, Russia Moscow region Pavlovskaja Slovoda,
1962.7.11
B1-251455 Paratype, Russia Moscow region Pavlovskaja Slovoda,
1962.7.16
B1-251456 Russia Vologda region Kadnikovka, 1962.7.
B1-251457 Russia Vologda region Kadnikovka, 1962.7.
B1-251458 Russia Vologda region Kadnikovka, 1962.7.

328 *Stroblophila aberrans* (?)

B1-251459 Russia Moscow region Pavlovskaja Slovoda,
1962.8.11, Mamaev

329 *Isogynandromyia terricola*

B1-251460 Paratypes, Latvia Brotzeni, 1918.11.29
B1-251461 Paratypes, Latvia Brotzeni, 1911.5.26
B1-251462 Paratype, Latvia Brotzeni, 1979.10.5

330 *Psectrosema tamaricum*

B1-251463 Armenia Oktjamberian, 1988.6.23
B1-251464 Georgia Tbilisi, 1960.6.23

331 *Psectrosema diversicornis*

B1-251465 Holotype and Paratype*, Turkmenistan Mary,
1971.4.19, B. Mamaev
B1-251466 Paratypes, Turkmenistan Mary, 1971.4.19, B. Mamaev
B1-251467 Paratypes, Turkmenistan Mary, 1970.4.4, B. Mamaev
B1-251468 Turkmenistan Mary, 1971.4.20, B. Mamaev
B1-251469 Turkmenistan Mary, 1971.4.20, B. Mamaev
B1-251470 Turkmenistan Mary, 1970.4.10, B. Mamaev
B1-251471 Turkmenistan Mary, 1971.4.19, B. Mamaev

332 *Psectrosema turkmenica*

B1-251472 Holotype and Paratype*, Turkmenistan Mary,
1970.4.4, B. Mamaev
B1-251473 Paratypes, Turkmenistan Mary,
1970.4.4, B. Mamaev

333 *Isosandalum noxium*

B1-251474 Uzbekistan Shafrikan, 1961.3.27, Mamaev
B1-251475 Uzbekistan Shafrikan, 1961.3.27, Mamaev

334 *Isosandalum barbatum*

B1-251483 Uzbekistan Shafrikan, 1961.5.20, Mamaev
B1-251484 Turkmenistan Mary, 1970.4.10, B. Mamaev
B1-251485 Turkmenistan Mary, 1970.4.10, B. Mamaev
B1-251486 Turkmenistan Mary, 1970.4.12, B. Mamaev
B1-251487 Turkmenistan Mary, 1970.4.16, B. Mamaev
B1-251488 Turkmenistan Mary, 1970.4.18, B. Mamaev
B1-251489 Turkmenistan Mary, 1971.4.20, B. Mamaev
B1-251490 Turkmenistan Mary, 1971.4.20, B. Mamaev
B1-251491 Turkmenistan Mary, 1971.4.20, B. Mamaev
B1-251492 Turkmenistan Mary, 1971.4.25, B. Mamaev
B1-251493 Turkmenistan Mary, 1972.4.25, B. Mamaev

335 *Isosandalum dentipes*

B1-251494 Armenia Oktjamberian, 1990.5.7
B1-251495 Armenia Oktjamberian, 1990.5.7
B1-251496 Armenia Oktjamberian, 1988.6.23

336 *Ephedromyia dibilopalpis*

B1-251476 Turkmenistan Ipaj-Kala, B. Mamaev
B1-251477 Georgia Vashlavanskij reserve, 1976.5.24

- B1-251478 Georgia Vashlavanskij reserve, 1976.5.24
 B1-251479 Georgia Vashlavanskij reserve, 1976.5.24
 B1-251480 Georgia Vashlavanskij reserve, 1990.5.24
 B1-251481 Georgia Vashlavanskij reserve, 1976.5.24
- 337 *Xerephedromyia bipartita***
 B1-251482 Holotype and Paratype*, Uzbekistan Kuldjuktai, 1961.4.19, Mamaev
- 338 *Sophoromyia armenica***
 B1-251497 Holotype and Paratype*, Armenia Dzhverz, 1987.6.17
 B1-251498 Paratype, Armenia Dzhverzh, 1987.6.17
 B1-251499 Paratype, Armenia Dzhverzh, 1987.6.17
- 339 *Bremiolina gemmicola***
 B1-251500 Holotype*, Armenia Etshmiadzhin, 1988.4.5
- 340 *Dasyneuriola salicorniae***
 B1-251501 Armenia Oktjamberian, 1988.6.23
 B1-251502 Armenia Oktjamberian, 1988.6.23
- 341 *Dasyneuriola suaedae***
 B1-251503 Turkmenistan Mary, 1973.5.23, B.M. Mamaev
- 342 *Hartigiola annulipes***
 B1-251504 CSSR Tshekhia, 1958.5.5, M. Skuhrava
- 343 *Semudobia betulae***
 B1-251505 Russia Moscow region Danki, 1962.5.21, Mamaev
 B1-251506 CSSR Tshekhia, 1958.5.5, M. Skuhrava
 B1-251507 CSSR Tshekhia, 1958.5.5, M. Skuhrava
- 344 *Semudobia tarda***
 B1-251508 Russia Moscow region Malinki, 1973.6.26
 B1-251509 Bolgalia Plana, 1987.6.7
- 345 *Oligotrophus panteli***
 B1-251510 Russia Moscow region Mitinskoe, 1954.5.5-10, Mamaev
- 346 *Oligotrophus juniperinus***
 B1-251511 CSSR Tshekhia, 1959.4.21, M. Skuhrava
- 347 *Oligotrophus schmidti***
 B1-251512 FRG Stuttgart
- 348 *Taxomyia taxi***
 B1-251513 CSSR Tshekhia, 1961.4.19, B.M. Mamaev
- 349 *Schmidtiella gemmarum***
 B1-251514 CSSR Tshekhia, 1958.5.21, M. Skuhrava
- 350 *Phlyctidobia solmsi***
 B1-251515 England, 1949.6.8, H. F. Barnes
- 351 *Giraudiella inclusa***
 B1-251516 Lituania Rybatskij, 1969.8.18
 B1-251517 Lituania Rybatskij, 1969.8.18
- 352 *Mayetiola poae***
 B1-251518 CSSR Tshekhia, 1958.5.12, M. Skuhrava
- 353 *Zygiobia carpini***
 B1-251519 England, 1950.9.13, H. F. Barnes
 B1-251520 England Surrey, 1950.9.13, H. F. Barnes
- 354 *Rhopalomyia millefolii***
 B1-251521 Armenia Artashen, 1987.6.18
 B1-251522 Russia North Caucasus Ubinskaja, 1953.6.15, M. Skuhrava
 B1-251523 CSSR Tshekhia, 1958.9.15
- 355 *Rhopalomyia hypogaea***
 B1-251524 Russia Yaroslavl region Volkovo, 1961..., Mamaev
- 356 *Rhopalomyia artemisiae***
 B1-251525 (no data), 1933., Mamaev
 B1-251526 (no data), 1933., Mamaev
- 357 *Rhopalomyia tanaceticola***
 B1-251527 Russia Lugansk region Streltsovka, 1953.7.5
- 358 *Rhopalomyia foliorum***
 (originally identified with *Diarthronomyia foliorum*)
 B1-251528 CSSR Tshekhia, 1958.7.20, M. Skuhrava
 B1-251529 CSSR Tshekhia, 1958.8.5, M. Skuhrava
- 359 *Rhopalomyia baccarum***
 B1-251530 Russia Moscow region Pavlovskaja Slovoda, 1954.6., Mamaev
 B1-251531 Russia Moscow region Pavlovskaja Slovoda, 1954.6., Mamaev
- 360 *Rhopalomyia gynaptera***
 (originally identified with *Diarthronomyia gynaptera*)
 B1-251532 Paratype, Mongolia Bulgana, 1971.3.8-15
- 361 *Rhopalomyia lobulifera***
 B1-251533 Paratypes, Russia Taimyr Tereja, 1968.7.1
 B1-251534 Holotype and Paratype*, Russia Taimyr Tereja, 1968.7.1
- 362 *Rhopalomyia mongolica***
 B1-251535 Paratypes, Mongolia Bulgana
- 363 *Apiomyia bergenstammi***
 B1-251536 Greece, 1938.4.15, H. F. Barnes
 B1-251537 Greece, 1938.4.15, H. F. Barnes

- 364 *Gephyraulus raphanistri***
B1-251538 Netherlands, 1959.6.8, P. Nijveldt
- 365 *Iteomyia capreae***
B1-251539 Russia Moscow region Pavlovskaja Slovoda, 1953.6., B. M. Mamaev
B1-251540 Russia Moscow region Pavlovskaja Slovoda, 1953.6., B. M. Mamaev
- 366 *Janetiella thymi***
B1-251542 Armenia Megri, 1988.6.27
B1-251543 Armenia Megri, 1988.8.21
- 367 *Mikiola fagi***
B1-251544 CSSR Kokorin, 1959.3.21, M. Skuhrava
- 368 *Coniophora graminicola***
B1-251545 Netherlands, 1956., Nijveldt
B1-251546 Russia Leningrad region, 1979.9.
- 369 *Craneiobia corni***
B1-251547 CSSR Karlstein, 1958.5.20, M. Skuhrava
- 370 *Cystiphora taraxaci***
B1-251548 CSSR Praha, 1957.6.28, M. Skuhrava
B1-251549 CSSR Praha, 1958.6.16, M. Skuhrava
B1-251550 Russia Daghestan Arani, 1954.9.5, B. M. Mamaev
B1-251551 Armenia Garni, 1988.6.17
- 371 *Cystiphora sonchi***
B1-251552 Russia Voronezh region Tellerman, 1960.9.18
- 372 *Geocrypta heterophylli***
B1-251553 Armenia Garni, 1988.6.16
B1-251554 Armenia Garni, 1988.6.16
- 373 *Geocrypta galii***
B1-251555 Russia Daghestan, 1954.8.24, B. M. Mamaev
B1-251556 Russia Daghestan, 1954., B. M. Mamaev
B1-251557 Russia Daghestan, 1954., B. M. Mamaev
- 374 *Neomikiella lychnidis***
B1-251558 Russia Samara, 1935., B. M. Mamaev
B1-251559 Russia Samara, 1935., B. M. Mamaev
B1-251560 Russia Samara, 1935.7.22
B1-251561 Russia Samara, 1935.7.22
B1-251562 Russia Samara, 1935.7.22
- 375 *Wachtliella karelini***
B1-251563 Russia Daghestan Arani, 1955.6.13, B. M. Mamaev
- 376 *Wachtliella persicariae***
B1-251564 CSSR Tshekhia, 1958.7.7, M. Skuhrava
B1-251565 Armenia Agavnadzor, 1988.6.28
- B1-251566 CSSR Tshekhia, 1958.7.7, M. Skuhrava
- 377 *Wachtliella rosarum***
B1-251567 Russia Far East Zeja reserve, 1982.6.25-7.15
B1-251568 CSSR Tshekhia, 1958.7.20, M. Skuhrava
B1-251569 CSSR Tshekhia, 1958.7.7, M. Skuhrava
- 378 *Kaltenbachiola strobi***
B1-251570 Russia Moscow region Abramtsevo, 1962., B. M. Mamaev
B1-251571 Georgia Borjomi, 1959.4.15
B1-251572 Russia Kalinin, 1934.5.14
B1-251573 Russia Karelia Khibini, 1937.3.28
B1-251574 Russia Karelia Khibini, 1937.3.28
- 379 *Bayeria capitigena***
B1-251575 CSSR Tshekhia, 1958.7.17, M. Skuhrava
B1-251576 CSSR Tshekhia, 1958.6.30, M. Skuhrava
- 380 *Macrolabis luceti***
B1-251577 CSSR Tshekhia, 1958.8.12, Mamaev
- 381 *Macrolabis pavidata***
B1-251578 Netherlands , 1960.5.25, Nijveldt
- 382 *Macrolabis incolens***
B1-251579 Russia Voronezh region Tellerman, 1960.9.
B1-251580 Russia Moscow region Pavlovskaja Slovoda, 1953.8.20
- 383 *Macrolabis heraclei***
B1-251581 Armenia Megri, 1988.8.18
- 384 *Misopatha campestris***
B1-251582 Armenia Erevan, 1990.6.6
- 385 *Sterrhaulius corneolus***
B1-251583 Russia Moscow region Pavlovskaja Slovoda, 1962.6., B. M. Mamaev
- 386 *Jaapiella volvens***
B1-251584 Armenia Garni, 1988.6.16
- 387 *Jaapiella bryoniae***
B1-251585 CSSR Tshekhia, 1958.6.30, M. Skuhrava
- 388 *Jaapiella loticola***
B1-251586 Armenia Goris, 1988.8.20
- 389 *Jaapiella floriperda***
B1-251587 Samara region , 1935.7.16
B1-251588 Russia Moscow region Pavlovskaja Slovoda, 1958.7.30, M. Skuhrava
B1-251589 Russia Moscow region Pavlovskaja Slovoda, 1958.8.12, M. Skuhrava

390 *Jaapiella veronicae*

- B1-251590 Russia Moscow region Nakhabino, 1954.6.22
B1-251591 Russia Moscow region Nakhabino, 1954., Mamaev
B1-251592 Russia Moscow region Nakhabino, 1954.4.26

391 *Jaapiella medicaginis*

- B1-251593 CSSR Tshekhia, 1958.8.25, M. Skuhrava
B1-251594 CSSR Tshekhia, 1958.8.16, M. Skuhrava

392 *Jaapiella schmidtii*

- B1-251595 CSSR Tshekhia, 1958.7.7, M. Skuhrava
B1-251596 CSSR Tshekhia, 1958.7.30, M. Skuhrava
B1-251597 Russia Moscow region Pavlovskaja Slovoda, 1962.6., Mamaev
B1-251598 Russia Moscow region Pavlovskaja Slovoda, 1962.6., Mamaev

393 *Jaapiella rubicundula*

- B1-251599 CSSR Tshekhia, 1958.8.25, M. Skuhrava
B1-251600 CSSR Tshekhia, 1958.8.25, M. Skuhrava

394 *Dasineura saliciperda*

- B1-251601 CSSR Tshekhia, 1959.5.5
B1-251602 CSSR Tshekhia, 1959.5.5
B1-251603 Samara region Pilna, 1935.
B1-251604 Samara region Pilna, 1935.
B1-251605 Samara region Pilna, 1935.5.3
B1-251606 Samara region Pilna, 1935.5.3
B1-251607 Samara region Pilna, 1935.5.3
(B1-251601, 1602: originally identified with *Helicomyia saliciperda*)
(B1-251603...1607: originally identified with *Rhabdophaga saliciperda*)

395 *Dasineura triandraperda*

- (originally identified with *Rhabdophaga triandraperda*)
B1-251608 Russia Voronezh region Tellerman, 1960.9.

396 *Dasineura salicis*

- (originally identified with *Rhabdophaga salicis*)
B1-251609 CSSR Tshekhia, 1958.5.26
B1-251610 CSSR Tshekhia, 1958.5.20, Mamaev

397 *Dasineura marginemtorquens*

- B1-251612 Armenia Ankovan, 1989.7.22

398 *Dasineura iteobia*

- B1-251613 Armenia Ararat region, 1989.4.7
B1-251614 Armenia Ararat region, 1989.4.27

399 *Dasineura heterobia*

- (originally identified with *Rhabdophaga heterobia*)
B1-251615 Kazakhstan Almati, 1937.6.19
B1-251616 Kazakhstan Almati, 1937.
B1-251617 Kazakhstan Almati
B1-251618 Kazakhstan Almati

- B1-251619 Russia Moscow region Mitinskoe, 1954.5.9
B1-251620 CSSR Tshekhia, 1958.8.5
B1-251621 CSSR Tshekhia, 1958.7.30

400 *Dasineura terminalis*

- (originally identified with *Rhabdophaga terminalis*)
B1-251622 Russia Khibini, 1938.
B1-251623 Armenia Goht, 1987.6.19, Mamaev
B1-251624 CSSR Tshekhia, 1958.8.5

401 *Dasineura rosaria*

- (originally identified with *Rhabdophaga rosaria*)
B1-251625 Russia Moscow region, 1935.
B1-251626 Russia Moscow region, 1935., Mamaev
B1-251627 CSSR Tshekhia, 1958.5.12

402 *Dasineura hyperici*

- B1-251628 Armenia Megri, 1988.8.20
B1-251629 Armenia Megri, 1988.8.20

403 *Dasineura asperulae*

- B1-251630 Armenia Garni, 1989.5.18
B1-251631 Armenia Garni, 1988.6.17

404 *Dasineura crataegi*

- B1-251632 Russia Moscow region, 1959.
B1-251633 Russia Moscow region, 1959.
B1-251634 Russia Moscow region, 1959.
B1-251635 Russia Moscow region, 1959.

405 *Dasineura clematidina*

- B1-251636 Armenia Erevan, 1989.6.25

406 *Dasineura pustulans*

- B1-251637 Russia Moscow region Glubokoe Ozero, 1960.6., Mamaev

407 *Dasineura ulmaria*

- B1-251638 Russia Moscow region Pavlovskaja Slovoda, 1954.6.29
B1-251639 Russia Moscow region Pavlovskaja Slovoda, 1954.6.29

408 *Dasineura ranunculi*

- B1-251640 Russia Moscow region Pavlovskaja Slovoda, 1954.7.5
B1-251641 Russia Moscow region Pavlovskaja Slovoda, 1954..

409 *Dasineura affinis*

- B1-251642 Russia Moscow region Pavlovskaja Slovoda, 1954.7.5, Mamaev
B1-251643 (no data), 1954., Mamaev
B1-251644 (no data), 1954., Mamaev

410 *Dasineura salviae*

- B1-251645 Russia Lugansk region Gorodischi, 1953.7.10
B1-251646 Russia Lugansk region Gorodischi, 1953.7.10
B1-251647 Russia Lugansk region Gorodischi, 1953.7.10

- B1-251648 Russia Lugansk region Gorodischi, 1953.7.10
 B1-251649 Russia Lugansk region Gorodischi, 1967.6.15
 B1-251650 Ukraina Krym, 1953.6.27
- 411 *Dasineura salicariae***
 B1-251651 Russia North Caucasus Ubinskaja, 1953.6.27
 B1-251652 Russia North Caucasus Ubinskaja, 1953.6.27
 B1-251653 Russia North Caucasus Ubinskaja, 1953.6.27
 B1-251654 Russia North Caucasus Ubinskaja, 1953.6.27
 B1-251655 Russia North Caucasus Ubinskaja
- 412 *Dasineura ribis***
 B1-251656 Russia Moscow region, 1953.10.2
- 413 *Dasineura mali***
 B1-251657 Russia Moscow Ostan, 1954.9.5
- 414 *Dasineura sampaina***
 B1-251658 Russia Daghestan Khunsakh, 1954.
 B1-251659 Russia Daghestan Khunsakh, 1954., Mamaev
 B1-251660 Russia Daghestan Khunsakh, 1954., Mamaev
- 415 *Dasineura capsulae***
 B1-251661 Russia Daghestan, 1954.9.10
 B1-251662 Russia Daghestan, 1955.11.14
- 416 *Dasineura urticae***
 B1-251663 CSSR Tshekhia, 1987.9.14, M. Skuhrava
 B1-251664 Armenia Dzhrvezh, 1962.7.25
 B1-251665 Russia Far East Petrov island
- 417 *Dasineura brassicae***
 B1-251666 Bulgaria Pleven, 1988.6.16
- 418 *Dasineura subpatula***
 B1-251667 Armenia Megri, 1988.8.21
 B1-251668 Armenia Megri, 1988.6.16
 B1-251669 Armenia Megri, 1989.7.18
 B1-251670 Armenia Megri, 1953.7.
- 419 *Dasineura populicola***
 B1-251671 Russia Moscow region Pavlovskaja Slovoda, 1955., Mamaev
 B1-251672 Ukraina Belgorod, 1955., Mamaev
 B1-251673 Ukraina Belgorod, 1962.6., Mamaev
- 420 *Dasineura tetensi***
 B1-251674 Russia Moscow region, 1955.5.31, Mamaev
- 421 *Dasineura trifolii***
 B1-251675 Russia Daghestan, 1954.
 B1-251676 Russia Daghestan, 1954., Mamaev
 B1-251677 Russia Daghestan, 1988.7.18, Mamaev
 B1-251678 Armenia Erevan, 1961.6.30
- 422 *Dasineura gentneri***
 B1-251679 Russia Yaroslavl region Volkovo, 1962.6., Mamaev
- 423 *Dasineura virgaeaureae***
 B1-251680 Russia Moscow region Pavlovskaja Slovoda, 1962.6.
 B1-251681 Russia Moscow region Pavlovskaja Slovoda, 1961.7.2, Mamaev
- 424 *Dasineura fairmaieri***
 B1-251682 Russia Yaroslavl region Volkovo, 1982.7.22-8.3, Mamaev
- 425 *Dasineura epilobii***
 B1-251683 Russia Far East Zeja reserve, 1936.
- 426 *Dasineura sisymbrii***
 B1-251684 Ukraina Krym, 1936., Mamaev
 B1-251685 Ukraina Krym, 1936.6.5, Mamaev
 B1-251686 Ukraina Krym, 1957.8.21
 B1-251687 CSSR Tshekhia, 1988.6.5, M. Skuhrava
 B1-251688 Armenia Erevan, 1987.6.12
 B1-251689 Armenia Erevan, 1973.8.16
- 427 *Dasineura medicaginis***
 B1-251700 Russia Daghestan, 1954.
 B1-251701 Russia Daghestan, 1954., Mamaev
 B1-251702 Russia Daghestan, , Mamaev
- 428 *Dasineura rozhkovi***
 B1-251703 Russia near Krasnojarsk
 B1-251704 Russia near Krasnojarsk
 B1-251705 Russia near Krasnojarsk
 B1-251706 Russia near Krasnojarsk
 B1-251707 Russia near Krasnojarsk
 B1-251708 Russia near Krasnojarsk
 B1-251709 Russia near Krasnojarsk
 B1-251710 Russia near Krasnojarsk
 B1-251711 Russia near Krasnojarsk
 B1-251712 Russia near Krasnojarsk
 B1-251713 Russia near Krasnojarsk
 B1-251714 Russia near Krasnojarsk
 B1-251715 Russia near Krasnojarsk
 B1-251716 Russia near Krasnojarsk
 B1-251717 Russia near Krasnojarsk
 B1-251718 Russia near Krasnojarsk
 B1-251719 Russia near Krasnojarsk
 B1-251720 Russia near Krasnojarsk
 B1-251721 Russia near Krasnojarsk
 B1-251722 Russia near Krasnojarsk
 B1-251723 Russia near Krasnojarsk
 B1-251724 Russia near Krasnojarsk
 B1-251725 Russia near Krasnojarsk
 B1-251726 Russia near Krasnojarsk
 B1-251727 Russia near Krasnojarsk
 B1-251728 Russia near Krasnojarsk

B1-251729 Russia near Krasnojarsk
 B1-251730 Russia near Krasnojarsk
 B1-251731 Russia near Krasnojarsk
 B1-251732 Russia near Krasnojarsk
 B1-251733 Russia near Krasnojarsk
 B1-251734 Russia near Krasnojarsk
 B1-251735 Russia near Krasnojarsk
 B1-251736 Russia near Krasnojarsk, 1978.7.7
 B1-251787 Holotype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251788 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251789 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251790 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251791 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251792 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251793 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251794 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251795 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251796 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251797 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251798 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.
 B1-251799 Paratype, Russia Krasnojarsk Akademgorodok, 1982.1?.

***Dasineura* spp.**

B1-251737 (no data), 1962.5.28, Mamaev
 B1-251690 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-251691 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-251692 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-251693 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-251694 Russia Tuva Ishtii-Khem, 1973.8.16, Mamaev
 B1-251695 Russia Tuva Ishtii-Khem, 1969.5.4, Mamaev
 B1-251696 Russia Tuva Ishtii-Khem, 1965.6.5, Mamaev
 B1-251697 Russia Tuva Ishtii-Khem, 1963., Mamaev
 B1-251698 Russia Tuva Ishtii-Khem, 1960.7.15, Mamaev
 B1-251699 Russia Tuva Ishtii-Khem, 1955.6.5, Mamaev
 B1-251738 Russia Moscow region Danki, 1962.5.23, B. M. Mamaev
 B1-251739 Russia Moscow region Danki, 1962.5.23, B. M. Mamaev
 B1-251740 Russia Moscow region Danki, 1962.5.23, B. M. Mamaev
 B1-251741 Russia Moscow region Danki, 1962.5.27, B. M. Mamaev
 B1-251742 Russia Moscow region Danki, 1962.5.28, B. M. Mamaev
 B1-251743 Russia Moscow region Danki, 1962.5.29, B. M. Mamaev
 B1-251744 Russia Moscow region Danki, 1962.6.10, B. M. Mamaev
 B1-251745 (no data), 1961.7?., B. M. Mamaev
 B1-251746 Russia Yaroslavl region Volkovo,
 1961.7?., B. M. Mamaev
 B1-251747 Russia Yaroslavl region Volkovo,
 1961.7?., B. M. Mamaev
 B1-251748 Russia Yaroslavl region Volkovo,
 1961.7?., B. M. Mamaev
 B1-251749 Russia Yaroslavl region Volkovo, 1961.7., B. M. Mamaev
 B1-251750 Russia Yaroslavl region Volkovo,
 1961.7?., B. M. Mamaev
 B1-251751 Russia Yaroslavl region Volkovo, 1961.6., B. M. Mamaev
 B1-251752 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev
 B1-251753 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev

B1-251754 Russia Moscow region Udelnaja, 1961.7?., B. M. Mamaev
 B1-251755 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev
 B1-251756 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev
 B1-251757 Russia Moscow region Udelnaja,
 1963.6.15, B. M. Mamaev
 B1-251758 Ukraina Carpathians Kvasy, 1963.6.17, B. M. Mamaev
 B1-251759 Ukraina Carpathians Kvasy, 1963.7.17, B. M. Mamaev
 B1-251760 Ukraina Carpathians Khust, 1963.6.22, B. M. Mamaev
 B1-251761 Ukraina Carpathians Kvasy, 1963.6.29, B. M. Mamaev
 B1-251762 Ukraina Carpathians Kvasy, 1963.6.29, B. M. Mamaev
 B1-251763 Ukraina Carpathians Kvasy, 1967.5.1, B. M. Mamaev
 B1-251764 Cynuminsk, 1967.5.19, B. M. Mamaev
 B1-251765 Cynuminsk, 1967.5.1, B. M. Mamaev
 B1-251766 Cynuminsk, 1967.5.12, B. M. Mamaev
 B1-251767 Russia Kedrovaja-Padj, 1967.5.12, B. M. Mamaev
 B1-251768 Russia Kedrovaja-Padj, 1962.5.28, B. M. Mamaev
 B1-251800 (no data), 1982.6.23
 B1-251801 Amurskaja, 1981.8.7
 B1-251802 Ugory, 1982.7.26
 B1-251803 Amurskaja, 1982.7.26
 B1-251804 Amurskaja, 1982.7.26
 B1-251805 Russia Tuva Ishtii-Khem, 1974.6.11
 B1-251806 Russia Tuva Ishtii-Khem, 1974.6.13
 B1-251807 Russia Tuva Ishtii-Khem, 1974.6.28

***Jaapiella* spp.**

B1-251769 Russia Moscow region Danki, 1962.5.25, B. M. Mamaev
 B1-251770 Russia Moscow region Danki, 1962.5.25, B. M. Mamaev
 B1-251771 Russia Moscow region Danki, 1962.5.30, B. M. Mamaev
 B1-251772 Russia Moscow region Danki, 1962.5.29, B. M. Mamaev
 B1-251773 Russia Moscow region Danki, 1961., B. M. Mamaev
 B1-251774 (no data), 1962.7.17, B. M. Mamaev
 B1-251775 Russia Moscow region Pavlovskaja Slovoda,
 1961., B. M. Mamaev
 B1-251776 (no data), 1962.5.23, B. M. Mamaev

***Macrolabis* spp.**

B1-251777 Russia Moscow region Danki, 1961.6., B. M. Mamaev
 B1-251778 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev
 B1-251779 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev
 B1-251780 Russia Moscow region Udelnaja, 1961.6., B. M. Mamaev
 B1-251781 Russia Moscow region Udelnaja, 1961.7., B. M. Mamaev
 B1-251782 Russia Yaroslavl region Volkovo, 1961.7., B. M. Mamaev
 B1-251783 Russia Yaroslavl region Volkovo,
 1962.7.15, B. M. Mamaev

***Mayetiola* spp.**

B1-251784 Russia Moscow region Pavlovskaja Slovoda,
 1955.5.25, B. M. Mamaev
 B1-251785 Russia Daghestan Arani, 1962.7.15, B. M. Mamaev
 B1-251786 Russia Moscow region Pavlovskaja Slovoda,
 1982.1?., B. M. Mamaev

429 *Karschomyia concinna*

(originally identified with *Hiastatus concinna*)

- B1-251808 Russia Voronezh region Tellerman, 1960.9.18
 B1-251809 Lithuania Klaipeda, 1962.7.30
 B1-251810 Ukraina Carpathians Rakhov, 1969.6.10
 B1-251811 Ukraina Carpathians Rakhov, 1967.6.10
 B1-251812 Ukraina Carpathians Kvasy, 1963.6.27
 B1-251813 Ukraina Carpathians Kvasy, 1963.6.13
 B1-251814 Ukraina Carpathians Kvasy, 1963.6.28
 B1-251815 Ukraina Carpathians Kvasy, 1963.6.22
 B1-251816 Ukraina Carpathians Kvasy, 1963.6.30
 B1-251817 Russia North Caucasus Krasnaja Poljina, 1965.6.7
 B1-251818 Russia Altai Altai reserve, 1984.6.24

430 *Karschomyia abnormis*

(originally identified with *Hiastatus abnormis*)

- B1-251819 Holotype, Russia Moscow region Glubokoe Ozero, 1960.7.27
 B1-251820 Russia Vologda region Kadnikovka, 1962.7.
 B1-251821 Russia North Caucasus Krasnaja Poljina, 1966.9.10
 B1-251822 Russia North Caucasus Krasnaja Poljina, 1967.6.4
 B1-251823 Russia North Caucasus Krasnaja Poljina, 1967.8.1
 B1-251824 Russia North Caucasus Krasnaja Poljina, 1967.7.6

431 *Karschomyia aceris*

- B1-251825 Holotype and Paratype, Russia Voronezh region Tellerman, 1959.9.6
 B1-251826 Holotype and Paratype, heads and genitalia, Russia Voronezh region Tellerman, 1959.9.6
 B1-251827 Russia Voronezh region Tellerman, 1959.9.6
 B1-251828 Russia Yaroslavl region Volkovo, 1961.7.
 B1-251829 Russia Vologda region Kadnikovka, 1962.7.
 B1-251830 Russia North Caucasus Ubinskaja, 1970.7.15
 B1-251831 Russia Kamtshatka, 1984.6.28
 B1-251832 Russia Kamtshatka, 1984.6.28

432 *Karschomyia curvidentata*

(originally identified with *Hiastatus curvidentata*)

- B1-251833 Holotype, Russia Moscow region Pavlovskaja Slovoda, 1960.6.25
 B1-251834 Paratype, Russia Moscow region Pavlovskaja Slovoda, 1962.7.20
 B1-251835 Russia Yaroslavl region Volkovo, 1961.7.
 B1-251836 Russia Kursk region Kursk reserve, 1970.7.6
 B1-251837 Russia Altai Altai reserve, 1981.6.23
 B1-251838 Russia Kursk region Kursk reserve, 1970.8.5

433 *Karschomyia elegans*

- B1-251839 Russia Moscow region Pavlovskaja Slovoda, 1963.7.5
 B1-251840 Russia Moscow region Pavlovskaja Slovoda, 1963.8.13
 B1-251841 Paratype, Russia Moscow region Pavlovskaja Slovoda, 1960.7.27
 B1-251842 Russia Kursk region Kursk reserve, 1970.8.4
 B1-251843 Holotype, Russia Voronezh region Tellerman, 1960.9.18

- B1-251844 Ukraina Carpathians Khust, 1963.6.
 B1-251845 Russia Kamtshatka, 1984.6.28
 B1-251846 Russia Kamtshatka, 1984.6.28

434 *Karschomyia hemispherica*

- B1-251847 Holotype, Russia Far East Kedrovaja Pad reserve, 1962.8.24
 B1-251848 Paratype, Russia Far East Kedrovaja Pad reserve, 1964.8.25

435 *Karschomyia marikovsklii*

(originally identified with *Hiastatus marikovsklii*)

- B1-251849 Paratypes, Russia Moscow region Bykovo, 1960.7.11
 B1-251850 Holotype, Russia Moscow region Bykovo, 1960.7.11
 B1-251851 Paratype, Russia Moscow region Bykovo, 1960.7.11
 B1-251852 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11
 B1-251853 Lithuania Vevis, 1962.8.5

436 *Karschomyia xylophila*

(originally identified with *Hiastatus xylophila*)

- B1-251854 Holotype, Russia North Caucasus Kudepsta, 1959.6.14
 B1-251855 Paratype, Russia North Caucasus Kudepsta, 1959.6.14
 B1-251856 Russia North Caucasus Krasnaja Poljina, 1967.6.27

437 *Coquillettomyia extensa*

- B1-251857 Russia Moscow region Pavlovskaja Slovoda, 1963.7.5, Mamaev
 B1-251858 Paratypes, Russia Moscow region Pavlovskaja Slovoda, 1963.8.18, Mamaev
 B1-251859 Holotype, Russia Moscow region Pavlovskaja Slovoda, 1963.8.18, Mamaev
 B1-251860 Russia Moscow region Pavlovskaja Slovoda, 1963.8.12, Mamaev
 B1-251861 Russia Moscow region Pavlovskaja Slovoda, 1962.8.19, Mamaev

438 *Coquillettomyia umida*

- B1-251862 Russia Moscow region Pavlovskaja Slovoda, 1962.7.20, Mamaev
 B1-251863 Russia Moscow region Pavlovskaja Slovoda, 1962.7.21, Mamaev
 B1-251864 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251865 Russia Vologda region Kadnikovka, 1962.7., Mamaev
 B1-251866 Russia Kursk region Kursk reserve, 1970.8.5

439 *Coquillettomyia caricis*

- B1-251867 Russia Yaroslavl region Volkovo, 1961.
 B1-251868 Russia Yaroslavl region Volkovo, 1961., Mamaev
 B1-251869 Russia Kursk region Kursk reserve, 1970.8.4
 B1-251870 Russia North Caucasus Ubinskaja, 1953.6.20, Mamaev
 B1-251871 Russia North Caucasus Krasnaja Poljina, 1966.9.10
 B1-251872 Russia North Caucasus Krasnaja Poljina, 1967.6.27
 B1-251873 Ukraina Carpathians Khust, 1963.7.7, Mamaev
 B1-251874 Ukraina Carpathians Khust, 1963.7.10, Mamaev

- B1-251875 Ukraina Carpathians Khust, 1963.7.3
 B1-251876 Rossia Far East Kedrovaja Pad reserve, 1962.8.17
 B1-251877 Rossia Far East Ussury reserve, 1969.6.13
 B1-251878 Rossia Tshapigou, 1962.8.10
 B1-251879 Rossia Far East Kedrovaja Pad reserve, 1962.8.17

440 *Coquillettomyia mirifica*

- B1-251880 Rossia Yaroslavl region Volkovo, 1961., Mamaev
 B1-251881 Rossia North Caucasus Krasnaja Poljina, 1967.6.19
 B1-251883 Rossia Far East Kedrovaja Pad reserve, 1964.9.9
 B1-251884 Rossia Far East Kedrovaja Pad reserve, 1970.8.17
 B1-251885 Rossia Far East Kedrovaja Pad reserve, 1964.9.9

441 *Coquillettomyia divergens*

- B1-251886 Holotype, Rossia North Caucasus Krasnaja Poljina, 1967.8.1

442 *Coquillettomyia bidens*

- B1-251887 Holotype, Rossia Far East Kedrovaja Pad reserve, 1962.8.17

443 *Coquillettomyia lobata*

- B1-251888 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251889 Rossia Yaroslavl region Volkovo, 1961.7., Mamaev
 B1-251890 Rossia Yaroslavl region Volkovo, 1961.7.
 B1-251891 Rossia Kursk region Kursk reserve, 1970.8.5
 B1-251892 Rossia Kursk region Kursk reserve, 1970.8.7-9
 B1-251893 Rossia Kursk region Kursk reserve, 1970.7.1
 B1-251894 Lituania Gargzhdai, 1969.8.3
 B1-251895 Rossia North Caucasus Ubinskaja, 1970.7.15
 B1-251896 Rossia North Caucasus Krasnaja Poljina, 1967.9.15
 B1-251897 Rossia Far East Kedrovaja Pad reserve, 1962.8.17
 B1-251898 Rossia Far East Kedrovaja Pad reserve, 1962.8.18
 B1-251899 Rossia Far East Kedrovaja Pad reserve, 1970.8.17
 B1-251900 Rossia Far East Kedrovaja Pad reserve, 1962.8.25
 B1-251901 Rossia Far East Kedrovaja Pad reserve, 1962.8.30
 B1-251902 Rossia Far East Kedrovaja Pad reserve, 1962.8.28
 B1-251903 Uzbekistan Samarkand, 1962.5.27, Mamaev
 B1-251904 Uzbekistan Samarkand, 1962.5.27, Mamaev

444 *Coquillettomyia dentata*

- B1-251905 Rossia Kursk region Kursk reserve, 1970.8.4
 B1-251906 Ukraina Carpathians Kvasy, 1963.6.15, Mamaev
 B1-251907 Rossia Far East Ussury reserve, 1969.6.15

445 *Coquillettomyia spinosa*

- B1-251908 Holotype, Rossia Far East Kedrovaja Pad reserve, 1970.8.17
 B1-251909 Paratype, Rossia Far East Kedrovaja Pad reserve, 1962.8.17
 B1-251910 Paratype, Rossia Far East Kedrovaja Pad reserve, 1962.8.17
 B1-251911 Paratype, Rossia Far East Kedrovaja Pad reserve, 1970.8.17

446 *Monobremia subterranea*

- B1-251912 Rossia Moscow region Pavlovskaja Slovoda, 1955.7.11, Mamaev
 B1-251913 Rossia Moscow region Verbilki, 1954.8.17, Mamaev
 B1-251914 Rossia North Osetia Sodon, 1956.8.12, Mamaev
 B1-251915 Rossia North Osetia Sodon, 1954., Mamaev
 B1-251916 Rossia Moscow region Pavlovskaja Slovoda, 1963.6.16, Mamaev
 B1-251917 Rossia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251918 Rossia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251919 Rossia Moscow region Pavlovskaja Slovoda, 1961.6., Mamaev

447 *Monobremia longicornis*

- B1-251920 Holotype, Rossia Far East Kedrovaja Pad reserve, 1962.8.24
 B1-251921 Paratype, Rossia Far East Kedrovaja Pad reserve, 1962.8.25

448 *Aphidoletes abietis*

- B1-251922 Rossia Moscow region Pavlovskaja Slovoda, 1963.7.30, Mamaev
 B1-251923 Rossia Moscow region Pavlovskaja Slovoda, 1962.7.15, Mamaev
 B1-251924 Rossia Moscow region Pavlovskaja Slovoda, 1963.7.12
 B1-251925 Rossia Moscow region Pavlovskaja Slovoda, 1962.7.16, Mamaev

449 *Aphidoletes aphidimyza*

- B1-251926 Netherlands, Nijweldt
 B1-251927 Rossia Moscow region Kuntzevo, 1961.7.20
 B1-251928 Georgia Batumi, 1952.7.
 B1-251929 Georgia Batumi, 1952.7.
 B1-251931 Rossia Moscow region Pavlovskaja Slovoda, 1955.6., Mamaev
 B1-251932 Rossia Moscow region Pavlovskaja Slovoda, 1955.6., Mamaev
 B1-251933 Uzbekistan Tashkent, 1970.6.27
 B1-251934 Uzbekistan Tashkent, 1970.6.27
 B1-251935 Uzbekistan Tashkent, 1970.6.27
 B1-251936 Moldova Benderi, 1962.6.19, Mamaev
 B1-251937 Ukraina Odessa, 1924.9.10
 B1-251938 Kazakhstan Hikolaevka, 1975.7.7
 B1-251939 Kazakhstan Hikolaevka, 1975.7.7
 B1-251940 Kazakhstan Hikolaevka, 1975.7.7
 B1-251941 Kazakhstan Hikolaevka, 1975.7.7
 B1-251942 Kazakhstan Hikolaevka, 1975.7.7
 B1-251943 Georgia Tbilisi, 1974.5.15
 B1-251944 Georgia Tbilisi, 1978.7.
 B1-251945 Rossia Yaroslavl region Volkovo, 1961.7.
 B1-251946 Ukraina Carpathians Khust, 1963.7.3, Mamaev

450 *Aphidoletes urticae*

- B1-251930 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251947 Russia Moscow region Udelnaja, 1961.6., Mamaev
 B1-251948 Ukraina Carpathians Kvasy, 1963.6.13, Mamaev
 B1-251949 Russia Moscow region Pavlovskaja Slovoda, 1962.6.27, Mamaev
 B1-251950 Russia Moscow region Pavlovskaja Slovoda, 1862.6.27, Mamaev
 B1-251951 Russia Moscow region Pavlovskaja Slovoda, 1962.7.13, Mamaev
 B1-251952 Russia Moscow region Pavlovskaja Slovoda, 1962.7.13, Mamaev
 B1-251953 Russia Moscow region Pavlovskaja Slovoda, 1962.7.13, Mamaev
 B1-251954 Russia Moscow region, 1954.8.17, Mamaev
 B1-251955 Russia Moscow region, 1954.8.17, Mamaev
 B1-251956 Russia Moscow region Kuntzevo, 1961.7.20, Mamaev
 B1-251957 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15, Mamaev
 B1-251958 Russia Moscow region Pavlovskaja Slovoda, 1962.7.1, Mamaev
 B1-251959 Russia Moscow region Pavlovskaja Slovoda, 1962.6.26, Mamaev
 B1-251960 Russia Yaroslavl region Volkovo, 1961.7.11, Mamaev
 B1-251961 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251962 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251963 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251964 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251965 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251966 Russia Moscow region Pavlovskaja Slovoda, 1961.7., Mamaev
 B1-251967 Russia Moscow region Pavlovskaja Slovoda, 1962.7.4, Mamaev
 B1-251968 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11, Mamaev
 B1-251969 Russia Moscow region Pavlovskaja Slovoda, 1960.6., Mamaev
 B1-251970 Russia Moscow region Pavlovskaja Slovoda, 1967.6.15
 B1-251971 Russia Moscow region Pavlovskaja Slovoda, 1963.7.30
 B1-251972 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15, Mamaev

451 *Oculoxenium compitale*

- B1-251973 Holotype, Uzbekistan Namangan, 1970.6.27
 B1-251974 Paratypes, Uzbekistan Namangan, 1970.6.27

452 *Halodiplosis araratica*

- B1-251975 Armenia Kurdamir, 1956.3.27, Mamaev B. M.

- B1-251976 Paratype, Armenia Tshiman, 1989.5.12
 B1-251977 Georgia Krasnij Most, 1976.6.10
 B1-251978 Georgia Krasnij Most, 1976.6.10
 B1-251979 Georgia Krasnij Most, 1976.6.10
 B1-251980 Georgia Krasnij Most, 1976.6.10
 B1-251981 Georgia Krasnij Most, 1976.6.10
 B1-252804 Armenia Kurdamir, 1956.3.27, Mamaev. B. M.

453 *Halodiplosis eremobia*

- B1-251982 Paratypes, Turkmenistan Shakhseem, 1984.5.7-10
 B1-251983 Holotype, Turkmenistan Shakhseem, 1985.5.7
 B1-251984 Paratype, Turkmenistan Shakhseem, 1984.5.7-10

454 *Halodiplosis rosaria*

- (originally identified with *Asiodiplosis rosaria*)
 B1-251985 Paratypes, Mongolia Bulgana, 1971.6.29

455 *Halodiplosis magna*

- B1-251986 Paratypes, Turkmenistan Mary, 1970.4.11, B. Mamaev
 B1-251987 Uzbekistan Kuldjuktai, 1961.3.13, Mamaev

456 *Halodiplosis salsuginea*

- (originally identified with *Asiodiplosis salsuginea*)
 B1-251988 Paratypes, Uzbekistan Kuldjuktai, 1961., Mamaev

457 *Halodiplosis hirsuta*

- (originally identified with *Asiodiplosis hirsuta*)
 B1-251989 Paratypes, Uzbekistan Kuldjuktai, 1961.3.13, Mamaev

458 *Halodiplosis stackelbergi*

- (originally identified with *Asiodiplosis stackelbergi*)
 B1-251990 Turkmenistan Haloxylon Mary, 1971.9.5, B. Mamaev
 B1-251991 Turkmenistan Haloxylon Mary, 1971.9.5, B. Mamaev

459 *Halodiplosis morbosa*

- B1-251992 Holotype and Paratypes, Turkmenistan Kaplankyr, 1985.5.2

460 *Halodiplosis latentis*

- B1-251993 Holotype and Paratype*, Uzbekistan Kuldjuktai, 1985.4.14, Mamaev

461 *Halodiplosis salsolicola*

- B1-251994 Uzbekistan Kuldjuktai, 1961.3.16, Mamaev
 B1-251995 Uzbekistan Kuldjuktai, 1961.3.16
 B1-251996 Turkmenistan Dongusburum, 1973.4.28
 B1-251997 Turkmenistan Dongusburum, 1973.4.28
 B1-251998 Turkmenistan Sarykamys, 1984.4.20-27
 B1-251999 Turkmenistan Sarykamys, 1985.4.21
 B1-252000 Turkmenistan Sarykamys, 1985.4.21
 B1-252001 Turkmenistan Sarykamys, 1985.4.21
 B1-252002 Turkmenistan Sarykamys, 1984.4.20-27
 B1-252003 Turkmenistan Sarykamys, 1984.4.20-27
 B1-252004 Turkmenistan Sarykamys, 1984.4.20-27

- B1-252005 Turkmenistan Mary, 1971.4.8
 B1-252006 Turkmenistan Mary, 1971.4.8
 B1-252007 Turkmenistan Mary, 1971.4.8
 B1-252008 Turkmenistan Mary, 1971.4.8
 B1-252009 Turkmenistan Dongusburum, 1973.4.26
 B1-252010 Turkmenistan Dongusburum, 1973.4.26
 B1-252011 Turkmenistan Kaplankyr, 1984.4.27-30
 B1-252012 Turkmenistan Kaplankyr, 1984.4.27-30

462 *Halodiplosis syrdarjensis*

(originally identified with *Asiodiplosis syrdarjensis*)

- B1-252013 Uzbekistan Kuldjuktai, 1961.4.23, Mamaev
 B1-252014 Uzbekistan Kuldjuktai, 1961.4.23, Mamaev
 B1-252015 Uzbekistan Kuldjuktai, 1961., Mamaev
 B1-252016 Uzbekistan Kuldjuktai, 1961., Mamaev

463 *Halodiplosis floripara*

- B1-252017 Paratype, Uzbekistan Kuldjuktai, 1961.3.13, Mamaev
 B1-252018 Paratypes, Uzbekistan Kuldjuktai, 1961.3.13, Mamaev
 B1-252019 Paratype, Uzbekistan Kuldjuktai, 1961.3.23, Mamaev
 B1-252020 Paratypes, Uzbekistan Kuldjuktai, 1961.3.23, Mamaev
 B1-252021 Turkmenistan Sarykamys, 1984.4.19
 B1-252022 Turkmenistan Sarykamys, 1984.4.19

464 *Halodiplosis propria*

(originally identified with *Asiodiplosis propria*)

- B1-252023 Uzbekistan Kuldjuktai, 1961.3.13, Mamaev

465 *Halodiplosis conmixta*

- B1-252024 Holotype and Paratype*, Turkmenistan Kaplankyr, 1985.5.6
 B1-252025 Paratypes, Turkmenistan Kaplankyr, 1985.5.6

466 *Halodiplosis deserta*

- B1-252026 Turkmenistan Shakhsemen, 1985.5.2
 B1-252027 Turkmenistan Kaplankyr, 1984.5.5-7
 B1-252028 Turkmenistan Kaplankyr, 1984.5.5-7

467 *Halodiplosis truncatula*

- B1-252029 Paratypes, Turkmenistan Dongusburum, 1971.4.3, B. Mamaev

468 *Halodiplosis infestans*

- B1-252030 Turkmenistan Mary, 1971.4.8
 B1-252031 Turkmenistan Repetek reserve, 1978.4.17
 B1-252032 Turkmenistan Kaplankyr, 1984.4.28-30

469 *Halodiplosis fedtschenkovi*

- B1-252033 Turkmenistan Shakhsemen, 1985.5.2
 B1-252034 Turkmenistan Shakhsemen, 1985.5.2
 B1-252035 Turkmenistan Shakhsemen, 1985.5.2
 B1-252036 Turkmenistan Shakhsemen, 1985.5.3
 B1-252037 Turkmenistan Shakhsemen, 1985.5.3

470 *Halodiplosis festinans*

(originally identified with *Asiodiplosis festinans*)

- B1-252038 Turkmenistan Mary, 1970.4.2, B. Mamaev
 B1-252039 Turkmenistan Mary, 1970.4.23, B. Mamaev
 B1-252040 Turkmenistan Mary, 1970.4.12, B. Mamaev

471 *Halodiplosis vernalis*

- B1-252041 Turkmenistan Sarykamys, 1984.5.4
 B1-252042 Turkmenistan Sarykamys, 1984.5.4

472 *Halodiplosis noxia*

- B1-252043 Turkmenistan Mary, 1971.4.3, B. Mamaev
 B1-252044 Turkmenistan Mary, 1971.4.9, B. Mamaev
 B1-252045 Turkmenistan Mary, 1970.4.3, B. Mamaev
 B1-252046 Turkmenistan Sarykamys, 1984.4.27
 B1-252047 Turkmenistan Sarykamys, 1984.4.27
 B1-252048 Turkmenistan Kaplankyr, 1984.4.24-28
 (B1-252043...45: originally identified with *Asiodiplosis noxia*)

473 *Halodiplosis densipila*

- B1-252049 Turkmenistan Shakhsemen, 1990.5.
 B1-252050 Turkmenistan Shakhsemen, 1984.5.9-15

474 *Halodiplosis hirta*

- B1-252051 Turkmenistan Shakhsemen, 1990.5.

475 *Contarinia chrysanthemi*

- B1-252052 Russia Yaroslavl region Volkovo, 1961.6.22
 B1-252053 Russia Yaroslavl region Volkovo, 1961.6.22, B. M. Mamaev
 B1-252054 Russia Yaroslavl region Volkovo, 1961.6.22, B. M. Mamaev

476 *Contarinia steini*

- B1-252055 Armenia Garni, 1989.5.18

477 *Contarinia dipsacearum*

- B1-252056 Russia Yaroslavl region Volkovo, 1961.6.29, B. M. Mamaev
 B1-252057 Russia Yaroslavl region Volkovo, 1961.6.29
 B1-252058 Russia Moscow region Pavlovskaja Slovoda, 1963.7.29, B. M. Mamaev
 B1-252059 Russia Moscow region Pavlovskaja Slovoda, 1962.6.25

478 *Contarinia panici*

(originally identified with *Stenodiplosis panici*)

- B1-252060 Russia Standart, 1953.
 B1-252061 Russia Standart, 1953.
 B1-252062 Russia Standart, 1933.

479 *Contarinia petioli*

(originally identified with *Syndiplosis petioli*)

- B1-252063 Russia Moscow region Pavlovskaja Slovoda, 1954.6.22, B. Mamaev

480 *Contarinia polygonati*

B1-252064 Russia Yaroslavl region Volkovo,
1961.6.24, B. M. Mamaev

481 *Contarinia bromicola*

B1-252065 Russia Moscow region Dedinovo, 1979.6.3
B1-252066 Russia Moscow region Dedinovo, 1979.6.10

482 *Contarinia zygophylliflorae*

B1-252067 Turkmenistan Kaplankyr, 1983.5., B. M.
B1-252068 Armenia Erevan, 1989.5.30
B1-252069 Armenia Erevan, 1989.5.30
B1-252070 Armenia Erevan, 1989.5.30

483 *Contarinia desertorum*

B1-252071 Holotype, Armenia Oktjamberian, 1988.6.29

484 *Contarinia psammophila*

B1-252072 Holotype, Turkmenistan Kaplankyr, 1983.5.10
B1-252073 Paratype, Turkmenistan Kaplankyr, 1983.5.10

485 *Contarinia medicaginis*

B1-252074 Armenia Garni, 1989.8.7

486 *Contarinia pravdini*

B1-252075 Holotype and Paratype*, Turkmenistan Mary, 1971.4.26
B1-252076 Paratypes, Turkmenistan Mary, 1971.4.26

487 *Contarinia turkmenica*

B1-252077 Paratypes, Uzbekistan Kuldjuktai,
1961.5.11, B. M. Mamaev
B1-252078 Holotype and Paratype*, Uzbekistan Kuldjuktai,
1961.5.11, B. M. Mamaev

488 *Contarinia marschali*

B1-252079 Paratype, Russia Lugansk region Gorodischi,
1955., B. M. Mamaev
B1-252080 Paratype, Russia Lugansk region Gorodischi,
1955., B. M. Mamaev

489 *Contarinia agropyri*

B1-252081 Saratov, 1959., C. T. Mamaeva

490 *Contarinia pilosellae*

B1-252082 Russia Yaroslavl region Volkovo,
1961.6.28, B. M. Mamaev
B1-252083 Russia Yaroslavl region Volkovo,
1961.6.28, B. M. Mamaev

491 *Contarinia acetosellae*

(originally identified with *Atylodiplosis acetosellae*)
B1-252084 CSSR Tshekhia, 1958.9.15, M. Skuhrava
B1-252085 CSSR Tshekhia, 1958.9.15, M. Skuhrava

492 *Contarinia nasturtii*

B1-252086 (no data), 1953., B. M. Mamaev
B1-252087 (no data), 1953., Mamaev

493 *Contarinia tiliarum*

B1-252088 Russia Moscow region Pavlovskaja Slovoda,
1954.6., B. M. Mamaev

***Contarinia* spp. (males)**

B1-252089...B1-252120: 32 slides coll. by netting,
only for comparison

494 *Cecidomyia pini*

B1-252121 Russia Altai Altai reserve, 1981.6.8
B1-252122 Russia Moscow region Pavlovskaja Slovoda, 1963.8.4

495 *Cecidomyia pumila*

B1-252123 Paratype, Russia Kamtshatka, 1985.10.

496 *Cecidomyia mesasiatica*

(originally identified with *Stelechodiplosis mesasiatica*)
B1-252124 Holotype and Paratype, Kirghizstan Sary-Tshelek reserve,
1965.5.13
B1-252125 Paratypes, Kirghizstan Sary-Tshelek reserve, 1965.5.13

497 *Cecidomyia magna*

(originally identified with *Stelechodiplosis magna*)
B1-252126 Ukraina Carpathians Rakhov, 1966.6.16

498 *Gynandrobremia salicicola*

B1-252127 Holotype and Allotype,
Russia Yaroslavl region Volkovo, 1961.7.4, Mamaev
B1-252128 Paratypes, Russia Yaroslavl region Volkovo,
1961.7.4, Mamaev
B1-252129 Paratype, Russia Yaroslavl region Volkovo,
1961.7.4, Mamaev
B1-252130 Paratype, Russia Yaroslavl region Volkovo, 1961.7.4

499 *Gynandrobremia vaciae*

B1-252131 Holotype and Paratype,
Russia Yaroslavl region Volkovo, 1961.6.30, Mamaev
B1-252132 Russia Moscow region Pavlovskaja Slovoda,
1962.7.6, Mamaev

500 *Harmandia loewi*

B1-252133 Russia Moscow region Pavlovskaja Slovoda, 1954.6.22

501 *Harmandia globuli*

B1-252134 England, 1926.7.26, H. F. Barnes

502 *Macrodiplosis dryobia*

B1-252135 Russia Moscow region Pavlovskaja Slovoda, 1954.6.29

503 *Loewiola centaureae*

- B1-252136 Russia Daghestan Arani, 1954.9.5
B1-252137 Russia Daghestan Arani, 1954.

504 *Anisostephus betulinum*

- B1-252138 Russia Moscow region Bykovo, 1960.6.25, B. M. Mamaev

505 *Buhriella rubicola*

- B1-252139 Germani

506 *Haplodiplosis equestris*

- B1-252140 England, 1954.5.26, H. F. Barnes
B1-252141 England, 1954.5.26, H. F. Barnes

507 *Zeuxidiplosis giardi*

- B1-252142 Australia, 1954.2.9, H. F. Barnes
B1-252143 Australia, 1954.2.9, H. F. Barnes

508 *Agevillea abietis*

- B1-252144 Japan Hokkaido Ochiai, 1953.6.2, H. F. Barnes
B1-252145 Japan Hokkaido Ochiai, 1953.6.2, H. F. Barnes

509 *Mycoccecis ovalis*

- B1-252146 England, 1957.4., H. F. Barnes
B1-252147 England, 1957.4., H. F. Barnes
B1-252148 Russia Moscow region Peshki, 1968.6.15

510 *Sitodiplosis mosellana*

- B1-252149 Netherlands, 1960.8.22

511 *Coccomyza leefmansii*

- B1-252150 Indonesia Bogor, 1952.10.

512 *Dichodiplosis langeni*

- B1-252151 England, 1936.9.21, H. F. Barnes
B1-252152 England, 1936.9.21, H. F. Barnes

513 *Tricholaba trifolii*

- B1-252153 Netherlands, 1958..
B1-252154 Russia Yaroslavl region Volkovo, 1961.6.21, Mamaev
B1-252155 Russia Yaroslavl region Volkovo, 1961.7.11-15, Mamaev
B1-252156 Russia Yaroslavl region Volkovo, 1961.6.21, Mamaev
B1-252157 Russia Yaroslavl region Volkovo, 1961.6.21, Mamaev
B1-252158 Russia Yaroslavl region Volkovo, 1961.6.21, Mamaev

514 *Tricholaba viciarum*

- B1-252159 Russia Moscow region Novi Ierusalim, 1960.7.3, Mamaev
B1-252160 Russia Voronezh region Tellerman, 1960.10.2, Mamaev

515 *Dentifibula turkmenorum*

- B1-252161 Holotype, Turkmenistan Ipaj-Kala, 1971.5.14

516 *Gobidiplosis kandybinae*

- B1-252162 Paratypes, Mongolia Bulgana, 1970.7.29

517 *Spilodiplosis occidentalis*

- B1-252163 Holotype, Russia Far East Ussury reserve, 1961.8.2

518 *Micrasiodiplosis constricta*

- B1-252164 Holotype and Paratypes, Kazakhstan Ermolovka, 1973.10.21
B1-252165 Paratypes, Kazakhstan Ermolovka, 1973.10.21
B1-252166 Kazakhstan Ermolovka, 1973.10.21
B1-252167 Turkmenistan Shakhsemen, 1990.4.

519 *Etsuchoa yakhontovi*

- B1-252168 Holotype and Paratype, Uzbekistan Samarkand, 1962.5.3, Mamaev
B1-252169 Paratypes, Uzbekistan Samarkand, 1962.5.3, Mamaev

520 *Etsuchoa tianshanica*

- B1-252170 Kirghizstan Sary-Tshelek reserve, 1965.5.20, Mamaev

521 *Etsuchoa renifolia*

- B1-252171 Georgia, 1974.5.15
B1-252172 Georgia, 1974.5.15
B1-252173 Georgia, 1974.5.15
B1-252174 Georgia, 1974.5.15

522 *Monarthropalpus buxi*

- B1-252175 CSSR Tshekha, 1961.5.5

523 *Massalongia bachmaieri*

- B1-252176 Russia Moscow region Zavety Iljitcha, 1962.6.12, Mamaev
B1-252177 Russia Moscow region Danki, 1962., Mamaev
B1-252178 Russia Moscow region Udelnaja, 1961.6., Mamaev
B1-252179 Russia Yaroslavl region Volkovo, 1961.7., Mamaev
B1-252180 Russia Yaroslavl region Volkovo, 1961.6., Mamaev
B1-252181 Russia Yaroslavl region Volkovo, 1961.7., Mamaev

524 *Ametrodipsosis duclosii*

- B1-252182 Germany, 1956.7.1
B1-252183 Germany, 1956.7.1
B1-252184 Germany, 1956.7.1
B1-252185 Germany, 1956.7.1
B1-252186 Germany, 1956.7.1

525 *Ametrodipsosis viciae*

- B1-252187 Holotype and Paratype, Russia Moscow region Sofrino, 1954.6.29, Mamaev
B1-252188 Paratypes, Russia Moscow region Sofrino, 1954.6.29, Mamaev
B1-252189 Paratypes, heads and genitalia, Russia Moscow region Sofrino, 1954., Mamaev

526 *Ametrodipsosis medialis*

- B1-252190 Holotype and Paratype*, Russia North Caucasus Kudepsta, 1959.6.29, Mamaev

527 *Triommatomyia barnesi*

- B1-252191 Holotype and Paratype*,
Russia North Caucasus Novopokhladnoe, 1959.6.18
B1-252192 Paratypes*, Russia North Caucasus Novopokhladnoe,
1959.6.18

528 *Trisopsis acicularis*

- B1-252193 Holotype, Russia Moscow region Glubokoe Ozero,
1960.7.17, Mamaev
B1-252194 Ukraina Carpathians Khust, 1963.7.15

529 *Trisopsis tyroglyphi*

- B1-252195 Russia Leningrad region, 1936., Mamaev
B1-252196 Russia Leningrad region, 1959., Mamaev
B1-252197 Russia Leningrad region, 1959., Mamaev

530 *Trisopsis abdominalis*

- B1-252198 Holotype, Russia Tula region Krapivna, 1958.6.5
B1-252199 Russia Altai Altai reserve, 1981.6.23
B1-252200 Uzbekistan Samarkand, 1962.5.27, Mamaev
B1-252201 Russia Far East Zeja reserve, 1982.8.3

531 *Trisopsis punctiventris*

- B1-252202 Holotype, Russia Moscow region Pavlovskaja Slovoda,
1960.6.23
B1-252203 Russia Moscow region Pavlovskaja Slovoda, 1960.6.23
B1-252204 Uzbekistan Samarkand, 1962.6.25, Mamaev
B1-252205 Ukraina Carpathians Khust, 1963.7.15
B1-252206 Russia North Caucasus Krasnaja Poljina, 1967.6.19

532 *Trisopsis globularis*

- B1-252207 Russia Far East Zeja reserve, 1983.7.9

533 *Trisopsis vulgaris*

- B1-252208 Holotype, Russia Moscow region Glubokoe Ozero,
1960.8.20
B1-252209 Ukraina Carpathians Khust, 1963.7.5
B1-252210 Ukraina Carpathians Khust, 1963.7.5
B1-252211 Ukraina Carpathians Kvasy, 1963.6.28

534 *Trisopsis karelini*

- B1-252212 Russia Far East Zeja reserve, 1982.7.9
B1-252213 Ukraina Carpathians Kvasy, 1963.6.30
B1-252214 Ukraina Carpathians Kvasy, 1962.6.29
B1-252215 Ukraina Carpathians Kvasy, 1963.6.24
B1-252216 Ukraina Carpathians Kvasy, 1963.6.22
B1-252217 Ukraina Carpathians Kvasy, 1963.6.28
B1-252218 Uzbekistan Samarkand, 1962.5.21, Mamaev
B1-252219 Uzbekistan Samarkand, 1962.5.21, Mamaev
B1-252220 Uzbekistan Samarkand, 1962.5.19, Mamaev
B1-252221 Russia Vologda region Kadnikovka, 1962.7., Mamaev

535 *Trisopsis longitarsis*

- B1-252222 Holotype, Russia North Caucasus Ubinskaja,
1953.6.20, Mamaev
B1-252223 Russia Moscow region Pavlovskaja Slovoda, 1963.6.27

***Trisopsis* spp.**

- B1-252224...B1-252282: 59 slides coll. by netting

536 *Resseliella dizygomyzae*

- (originally identified with *Profeltiella dizygomyzae*)
B1-252283 Netherlands, 1957.10.1, Nijveldt

537 *Resseliella quercivora*

- (originally identified with *Profeltiella quercivora*)
B1-252284 Holotype* and Paratypes*, Russia Maikop, 1955.
B1-252285 Russia Maikop, 1955.
B1-252286 Russia Maikop, 1955.
B1-252287 Russia Maikop, 1955.
B1-252288 Russia Maikop, 1955.
B1-252289 Russia Maikop, 1955.

538 *Resseliella meridionalis*

- (originally identified with *Profeltiella meridionalis*)
B1-252290 Holotype and Paratype*,
Russia North Caucasus Kudepsta, 1959.6.26, Mamaev
B1-252291 Holotype and Paratype*, heads and genitalia,
Russia North Caucasus Kudepsta, 1959.6.26, Mamaev
B1-252292 Paratypes, Russia North Caucasus Kudepsta,
1959.6.26, Mamaev

539 *Resseliella ribis*

- (originally identified with *Thomasiniana ribis*)
B1-252293 Russia Moscow region, Mamaev

540 *Resseliella theobaldi*

- (originally identified with *Thomasiniana theobaldi*)
B1-252294 Moldavia Kishinev

541 *Resseliella resinophaga*

- (originally identified with *Thomasiniana resinophaga*)
B1-252295 Holotype and Paratype,
Russia North Caucasus Krasnaja Poljina, 1966.7.

542 *Resseliella sibirica*

- (originally identified with *Thomasiniana sibirica*)
B1-252296 Holotype* and Paratypes*,
Russia Irkutsk region Nizhneudinsk, 1969.7.15

543 *Resseliella ingrica*

- (originally identified with *Thomasiniana ingrica*)
B1-252297 Holotype, Russia Leningrad region, 1972.7.6
B1-252298 Paratypes, Russia Leningrad region, 1972.7.6-28
B1-252299 Paratypes, Russia Leningrad region, 1972.7.6-28
B1-252300 Paratype, Russia Leningrad region, 1972.7.6-28

- B1-252301 Paratype, Russia Leningrad region, 1972.7.6-28
 B1-252302 Paratypes, Russia Leningrad region, 1972.7.6-28
 B1-252303 Paratype, Russia Leningrad region, 1972.7.6-28
 B1-252304 Paratypes, Russia Leningrad region, 1972.7.6-28
 B1-252305 Paratype, Russia Leningrad region, 1972.7.6-28
 B1-252306 Paratype, Russia Leningrad region, 1972.7.6-28
 B1-252307 Paratypes, Russia Leningrad region Siverskaja, 1969.7.5-12
 B1-252308 Paratype, Russia Leningrad region Siverskaja, 1966.7.1
 B1-252309 Paratype, Russia Leningrad region Siverskaja, 1969.7.5-12
 B1-252310 Russia Leningrad region Siverskaja, 1969.7.5-12
 B1-252311 Russia Leningrad region Siverskaja, 1969.7.5-12

Resseliella spp.

- B1-252312...B1-252335: 24 slides coll. by netting

544 Bremia ciliata

- B1-252336 Russia Yaroslavl region Volkovo, 1961.

Bremia sp.1

- B1-252337 Russia Yaroslavl region Volkovo, 1961.
 B1-252338 Ukraina Carpathians Khust, 1963.7.3
 B1-252339 Ukraina Carpathians Khust, 1963.7.15
 B1-252340 Ukraina Carpathians Khust, 1963.7.15

Bremia sp.2

- B1-252341 Russia Krasnodar region Ivanovskij leskhoz, 1953.6.21
 B1-252342 Russia Krasnodar region Ivanovskij leskhoz, 1953.6.21
 B1-252343 Russia Krasnodar region Ivanovskij leskhoz, 1953.6.21

Bremia sp.3

- B1-252344 Russia Moscow region Pavlovskaja Slovoda, 1963.7.17
 B1-252345 Russia Moscow region Pavlovskaja Slovoda, 1963.7.22
 B1-252346 Russia Moscow region Pavlovskaja Slovoda, 1963.7.23
 B1-252347 Russia Yaroslavl region Volkovo, 1961.
 B1-252348 Russia Yaroslavl region Volkovo, 1961.
 B1-252349 Russia Yaroslavl region Volkovo, 1961.
 B1-252350 Russia Yaroslavl region Volkovo, 1961.
 B1-252351 Russia Yaroslavl region Volkovo, 1961.
 B1-252352 Russia Yaroslavl region Volkovo, 1961.
 B1-252353 Ukraina Carpathians Khust, 1963.7.17
 B1-252354 Ukraina Carpathians Khust, 1963.7.10

Bremia sp.4

- B1-252355 Russia North Caucasus Krasnaja Poljina, 1966.9.10
 B1-252356 Ukraina Carpathians Kvasy, 1963.6.30
 B1-252357 Ukraina Carpathians Kvasy, 1963.6.28
 B1-252358 Ukraina Carpathians Kvasy, 1963.6.28
 B1-252359 Russia Moscow region Glubokoe Ozero, 1960.7.27
 B1-252360 Russia North Caucasus Krasnaja Poljina, 1966.9.10

Bremia sp.5

- B1-252361 Russia Yaroslavl region Volkovo, 1961.

- B1-252362 Russia Moscow region Pavlovskaja Slovoda, 1963.7.12
 B1-252363 Russia Moscow region Glubokoe Ozero, 1960.7.27
 B1-252364 Russia Yaroslavl region Volkovo, 1961.
 B1-252365 Russia Vologda region Kadnikovka, 1962.7.
 B1-252366 Ukraina Carpathians Khust, 1963.7.3
 B1-252367 Ukraina Carpathians Kvasy, 1963.6.30

545 Lestodiplosis coni

- B1-252368 Russia Leningrad region Taizi, 1972.7.18
 B1-252369 Russia Leningrad region Taizi, 1972.7.6
 B1-252370 Russia Leningrad region Taizi, 1972.7.18
 B1-252371 Latvia Ogre, 1969.
 B1-252372 Latvia Ogre, 1969.
 B1-252373 Latvia Ogre, 1969.
 B1-252374 Russia Irkutsk Region Tikhonovka, 1971.8.15
 B1-252375 Russia Irkutsk Region Tikhonovka

546 Lestodiplosis polypori

- B1-252376 Russia Moscow region Danki, 1962.6.2, Mamaev
 B1-252377 Russia Moscow region Danki, 1962.6.2, Mamaev
 B1-252378 Russia Tula region Krapivna, 1958.7.1, Mamaev
 B1-252379 Russia Tula region Krapivna, 1958.7.1, Mamaev
 B1-252380 Russia Tula region Krapivna, 1958., Mamaev
 B1-252381 Russia Tula region Krapivna, 1958.7.1, Mamaev

547 Lestodiplosis pallidicornis

- B1-252382 Russia Yaroslavl region Volkovo, 1961.7.11-15, Mamaev

Lestodiplosis spp.

- B1-252383...B1-252457, B1-252801: 76 slides, unidentified species only for comparison

548 Mycodiplosis pucciniae

- B1-252458 Russia Moscow region Abramtsevo, 1961.7.7, Mamaev
 B1-252459 Russia Moscow region Pavlovskaja Slovoda, 1962.6., Mamaev
 B1-252460 Russia Moscow region Pavlovskaja Slovoda, 1962.6.

Mycodiplosis spp.

- B1-252461...B1-252527: 68 slides coll. by netting, only for comparison

549 Isodiplosis deuthera

- B1-252528 Russia Moscow region Pavlovskaja Slovoda, 1962.6.22, Mamaev
 B1-252529 Russia Moscow region Pavlovskaja Slovoda, 1962.6.22
 B1-252530 Russia Moscow region Pavlovskaja Slovoda, 1963.6.7, Mamaev
 B1-252540 Russia Moscow region Pavlovskaja Slovoda, 1963.7.22, Mamaev
 B1-252541 Russia Yaroslavl region Volkovo, 1961.7.2, Mamaev
 B1-252542 Russia Yaroslavl region Volkovo, 1961.7.15, Mamaev
 B1-252543 Russia Moscow region Pavlovskaja Slovoda, 1954.7.5, Mamaev

- B1-252544 Russia Moscow region Glubokoe Ozero,
1960.7.25, Mamaev
B1-252545 Russia Moscow region Pavlovskaja Slovoda,
1962.7.15, Mamaev
B1-252546 Russia Moscow region Pavlovskaja Slovoda,
1963.7.5, Mamaev
B1-252547 Russia Moscow region Pavlovskaja Slovoda,
1963.8.18, Mamaev
B1-252548 Russia Moscow region Abramtsevo, 1961., Mamaev
B1-252549 Russia Yaroslavl region Volkovo, 1961., Mamaev

***Isodiplosis* sp.**

- B1-252550 Russia Yaroslavl region Volkovo, 1961., Mamaev

550 *Echinella albiventris*

- B1-252551 Holotype and Paratype*,
Russia Yaroslavl region Volkovo, 1961.7.5
B1-252552 Paratypes, Russia Yaroslavl region Volkovo, 1961.7.5

551 *Echinella polypori*

- B1-252553 Holotype and Paratype*,
Russia Yaroslavl region Volkovo, 1961.6.20
B1-252554 Paratype, Russia Yaroslavl region Volkovo, 1961.6.20

552 *Epidiplosis reflexa*

- B1-252555 Russia Moscow region Danki, 1962.5.26

553 *Clinodiplosis papaveris*

- B1-252556 Netherlands, 1957.7.18
B1-252557 Netherlands, 1961.8.31
B1-252558 Netherlands, 1961.9.4

554 *Clinodiplosis coriscii*

- B1-252559 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
B1-252560 Russia Moscow region Pavlovskaja Slovoda,
1960.6., Mamaev
B1-252561 Ukraina Carpathians Khust, 1962.7.15, Mamaev
B1-252562 Ukraina Carpathians Khust, 1963.7.10
B1-252563 Ukraina Carpathians Khust, 1963.7.15

555 *Clinodiplosis fagopyri*

- B1-252564 Paratype, Russia Moscow region Pavlovskaja Slovoda,
1962.7., Mamaev

556 *Clinodiplosis cilicrus*

- B1-252565 Russia Moscow region Pavlovskaja Slovoda, 1960.6.
B1-252566 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
B1-252567 Russia Moscow region Pavlovskaja Slovoda, 1962.7.15
B1-252568 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11

***Clinodiplosis* spp.**

- B1-25256...B1-252618: 50 slides identifications are provisional,
should be corrected, many specimens are collected
by netting

557 *Trifila varia*

- B1-252619...B1-252766: 148 slides. coll. by netting,
identifications should be corrected.

SCJARIDAE クロバネキノコバエ科

558 *Zygoneura sciarina*

- B1-254001 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254002 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254003 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254004 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254005 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254006 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254007 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254008 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254009 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254010 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254011 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254012 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254013 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254014 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254015 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254016 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254017 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254018 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254019 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254020 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254021 Russia Far East Kunashir, 1977.4.20, Akcentiev
B1-254022 Russia Far East Kunashir, 1977.6.19, Akcentiev
B1-254023 Russia Far East Kunashir, 1977.6.19, Akcentiev
B1-254024 Russia Far East Kunashir, 1977.6.19, Akcentiev
B1-254025 Russia Far East Kunashir, 1977.6.19, Akcentiev
B1-254026 Russia Moscow region Pavlovskaja Slovoda, 1962.7.4
B1-254027 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11
B1-254028 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11
B1-254029 Russia Moscow region Pavlovskaja Slovoda, 1962.8.11
B1-254030 Russia Moscow region Pavlovskaja Slovoda, 1962.7.4
B1-254031 Russia Moscow region Malinki, 1973.10.4
B1-254032 Russia Moscow region Malinki
B1-254033 (no data), 1961.
B1-254034 Ukraina Carpathians Khust, 1963.7.3
B1-254035 (no data), 1966.5.23
B1-254036 (no data), 1966.6.10

559 *Zygoneura mohrigi*

- B1-254037 Paratype, Russia Tuva Ishtii-Khem, 1974.6.19, A. Zaitzev
B1-254038 Russia Far East Kunashir, A. Zaitzev

560 *Zygoneura sajanica*

- B1-254039 Holotype, Russia Tuva Ishtii-Khem, 1973.8.22

561 *Pharetratula bidens*

- B1-254050 Holotype, Prityolskij? Cynyminck?, 1964.9.13

- B1-254051 Paratypes, Prityolskij? Cynyminct?, 1968.9.9, Mamaev
 B1-254052 Prityolskij? Cynyminct?, 1968.9.9
 B1-254053 Prityolskij? Cynyminct?, 1968.10.1
 B1-254054 Prityolskij? Cynyminct?, 1968.10.1
 B1-254055 Prityolskij? Cynyminct?, 1968.11.19
 B1-254056 Prityolskij? Cynyminct?, 1969.4.16
 B1-254057 Prityolskij? Cynyminct?, 1969.5.8
 B1-254058 Prityolskij? Cynyminct?, 1969.5.23
 B1-254059 Prityolskij? Cynyminct?, 1969.4.16
 B1-254060 Prityolskij? Cynyminct?, 1969.5.29
 B1-254061 (no data)

562 *Pharetratul* *flavicornis*

- B1-254062 Holotype, Prityolskij? Cynyminct?, 1964.9.15
 B1-254063 Prityolskij? Cynyminct?, 1969.5.29
 B1-254064 (no data), 1969.5.29
 B1-254065 Russia Far East Kedrobaja-Pad
 B1-254066 Russia Far East Kedrobaja-Pad
 B1-254067 Russia Far East Kedrobaja-Pad

563 *Pseudozygoneura miraculosa*

- B1-254068 Kunashir Mendeleevo, 1977.5.30
 B1-254069 Kunashir Mendeleevo, 1977.5.30

564 *Bradysia disopsis*

- B1-254070 Holotype, Turkmenistan Badkhyz reserve,
 1963.4.20, Mamaev

565 *Hyperlasion duplicatum*

- B1-254071 Holotype, Russia Far East Kedrobaja-Pad,
 1967.5.8, Mamaev
 B1-254072 Russia Far East Kedrobaja-Pad, 1967.5.8, Mamaev
 B1-254073 Paratype, Russia Far East Kedrobaja-Pad,
 1967.5.8, Mamaev
 B1-254074 Paratypes, Russia Far East Kedrobaja-Pad,
 1967.5.8, Mamaev
 B1-254075 Russia Far East Kedrobaja-Pad, 1967.5.8, Mamaev

566 *Lycoriella disjuncta*

- B1-254076 Holotype, Turkmenistan Badkhyz reserve, 1968.4.25

567 *Parapnyxia armata*

- B1-254077 Holotype, Turkmenistan Imam-Baba, 1968.4.3, Mamaev
 B1-254078 Paratype, Turkmenistan Imam-Baba, 1968.4.3, Mamaev
 B1-254079 Paratype, Turkmenistan Imam-Baba, 1968.4.3, Mamaev
 B1-254080 Paratype, Turkmenistan Imam-Baba, 1968.4.3, Mamaev
 B1-254081 Paratype, Turkmenistan Imam-Baba, 1968.4.3, Mamaev

568 *Parapnyxia vermiformis*

- B1-254082 Holotype, Turkmenistan Badkhyz reserve,
 1963.4.25, Mamaev
 B1-254083 Paratype, Turkmenistan Badkhyz reserve, 1963.4.25
 B1-254084 Paratypes, Turkmenistan Badkhyz reserve, 1963.4.25
 B1-254085 Paratypes, Turkmenistan Badkhyz reserve, 1963.4.25

569 *Parapnyxia deserticola*

- B1-254086 Holotype, Uzbekistan Kuldjuktai, 1961.3.25, Mamaev
 B1-254087 Paratype, Uzbekistan Kuldjuktai, 1961.3.25, Mamaev
 B1-254088 Paratype, Uzbekistan Kuldjuktai, 1961.3.25, Mamaev

MYCETOBIIDAE

570 *Mycetobia pseudogemella*

- B1-254089 Holotype, Russia Far East Kunashir, 1972.9.10, Mamaev
 B1-254090 Paratype, Russia Far East Kunashir, 1972.9.10, Mamaev
 B1-254091 Russia Far East Kunashir, 1977.6.15, Mamaev
 B1-254092 Russia Far East Kunashir, 1977.6.15, Mamaev
 B1-254093 Russia Far East Kunashir, 1977.6.15, Mamaev
 B1-254094 Paratype, Khabar. Krai, 1976.4.18, Zaitzev
 B1-254095 Paratype, Khabar. Krai, 1976.4.18, Zaitzev
 B1-254096 Khabar. Krai, , Zaitzev
 B1-254097 Paratype, Khabar. Krai, 1976.4.18, Zaitzev
 B1-254098 Paratype, Khabar. Krai, 1976.4.18, Zaitzev
 B1-254099 Paratype, Khabar. Krai, 1976.4.18, Zaitzev
 B1-254100 Paratype, Khabar. Krai, 1976.4.18, Zaitzev
 B1-254101 Paratype, Prityolskij? Cynyminct?, 1969.10.12, Mamaev
 B1-254102 Paratypes, Prityolskij? Cynyminct?, 1969.10.12, Mamaev
 B1-254103 Prityolskij? Cynyminct?, 1969.5.2, Mamaev
 B1-254104 Prityolskij? Cynyminct?, 4.25, Mamaev
 B1-254105 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254106 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254107 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254108 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254109 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254110 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254111 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254112 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254113 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254114 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254115 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev
 B1-254116 Paratype, Russia Tuva Ishtii-Khem, 1974.6.28, Mamaev

571 *Mycetobia bicolor*

- B1-254117 Holotype and Paratype*, Prityolskij? Cynyminct?,
 1969.5.14, Mamaev
 B1-254118 Kunashir Mendeleevo, 1977.5.11, Mamaev
 B1-254119 Kunashir Mendeleevo, 1977.5.11, Mamaev
 B1-254120 Kunashir Mendeleevo, 1977.5.11, Mamaev
 B1-254121 Kunashir Mendeleevo, 1977.5.4, Mamaev
 B1-254122 Kunashir Mendeleevo, 1977.5.11, Mamaev
 B1-254133 Kunashir Mendeleevo, 1977.5.4, Mamaev
 B1-254134 Kunashir Mendeleevo, 1977.5.4, Mamaev
 B1-254135 Kunashir Mendeleevo, 1977.5.4, Mamaev
 B1-254136 Kunashir Tretyakovo, 1977.6.1, Mamaev
 B1-254137 Kunashir Tretyakovo, 1977.6.1, Mamaev
 B1-254138 Kunashir Tretyakovo, 1977.6.1, Mamaev

572 *Mycetobia pallipes*

- B1-254139 Ukraina Carpathians Khust, 1963.7.14, Mamaev
 B1-254140 Ukraina Carpathians Khust, 1963.7.14, Mamaev
 B1-254141 Ukraina Carpathians Khust, 1963.7.14
 B1-254142 Ukraina Carpathians Khust, 1963.7.14
 B1-254143 Krasnodar region?, 1970.7.21, Mamaev
 B1-254144 Krasnodar region?, 1966.8.30, Mamaev
 B1-254145 Krasnodar region?, 1966.8.30, Mamaev
 B1-254146 Krasnodar region?, 1971.6., Mamaev
 B1-254147 Rossia Burjatia Babushkin, 1976.6.5, Mamaev
 B1-254148 Rossia Burjatia Babushkin, 1976.6.5, Mamaev

573 *Mycetobia kunashirensis*

- B1-254149 Holotype and Paratype, Rossia Far East Kunashir, 1972.10.3, Mamaev
 B1-254150 Paratype, Rossia Far East Kunashir, 1972.10.3, Mamaev
 B1-254151 Paratype, Kunashir Mendeleevo, 1977.5.20, Zaitzev
 B1-254152 Paratype, Kunashir Mendeleevo, 1977.5.20, Zaitzev
 B1-254153 Paratype, Kunashir Mendeleevo, 1977.5.20, Zaitzev
 B1-254154 Paratype, Kunashir Mendeleevo, 1977.5.20, Zaitzev

574 *Mycetobia gemella*

- B1-254155 Holotype, Krasnodar region? , 1966.8.10, Mamaev
 B1-254156 Paratype, Krasnodar region? , 1966.8.10, Mamaev
 B1-254157 (no data), 1958.5.17, Mamaev

575 *Mycetobia turkmenica*

- B1-254158 Holotype* and Paratypes*, Turkmenistan Imam-Baba, 1971.6.5, Mamaev
 B1-254159 Turkmenistan Babarab, 1982.4.20, Zaitzev

576 *Mycetobia morula*

- B1-254160 Holotype and Paratype*, Kunashir Mendeleevo, 1977.4.23, Zaitzev
 B1-254161 Paratype, Kunashir Mendeleevo, 1977.4.23, Zaitzev

577 *Mycetobia xylogena*

- B1-254162 Holotype, Kunashir Mendeleevo, 1977.4.23, Zaitzev
 B1-254163 Paratype, Kunashir Mendeleevo, 1977.4.23, Zaitzev

578 *Mycetobia tibialis*

- B1-254164 Holotype, Kunashir Tretyakovo, 1977.6.29, Zaitzev
 B1-254165 Paratype, Kunashir Tretyakovo, 1977.6.29, Zaitzev

579 *Mycetobia pacifica*

- B1-254166 Holotype and Paratype*, Kunashir Tretyakovo, 1977.5.6, Zaitzev
 B1-254167 Paratype, Kunashir Tretyakovo, 1977.5.6, Zaitzev

580 *Mycetobia pilosa*

- B1-254168 Holotype, Krasnodar region? , 1967.6.24, Mamaev

581 *Mycetobia obscura*

- B1-254169 Paratypes, (no data), 1958.5.11, Mamaev

582 *Xeromycetobia asiatica*

- B1-254170 Holotype and Paratype*, Alma-ata, 1977.5.10, Mamaev
 B1-254171 Paratype, Alma-ata, 1977.5.10, Mamaev
 B1-254172 Paratype, Alma-ata, 1977.5.10, Mamaev
 B1-254173 Paratype, Alma-ata, 1977.5.10, Mamaev
 B1-254174 Paratype, Alma-ata, 1977.5.10, Mamaev
 B1-254175 Paratype, Alma-ata, 1977.5.10, Mamaev

583 *Trichomycetobia ulmicola*

- B1-254176 Holotype and Paratype*, Prityolskij?? Cynyminc??, 1964.4.30, Mamaev
 B1-254177 Paratypes, Prityolskij?? Cynyminc??, 1969.4.30, Mamaev

584 *Trichomycetobia notabilis*

- B1-254178 Paratype, Krasnodar region? , 1967.6.21, Mamaev

HYPEROSCELIDIDAE**585 *Hyperoscelis veteriosa***

- B1-254179 Paratype, Ukraina Rakhov, 1966.6.17
 B1-254180 Paratype, Ukraina Rakhov, 1966.6.17
 B1-255056 Paratype, Ukraina Carpathians Rakhov, 1966.6.17, B. M.
 B1-255057 Paratype, Ukraina Carpathians Rakhov, 1966.6.17, B. M.
 B1-255058 Paratype, Ukraina Carpathians Rakhov, 1966.6.19, B. M.

586 *Hyperoscelis eximia*

- B1-255059 Rossia Far East Ussury res., 1969.5.9, B. M.
 B1-255060 Rossia Far East Ussury res., 1969.5.23, B. M.
 B1-255061 Rossia Far East Ussury res., 1969.5.23, B. M.

587 *Synneuron silvestre*

- B1-254181 Paratypes, Turkmenistan? , 1958.5.5

588 *Synneuron annulipes*

- B1-254182 Rossia Moscow region Peshki, 1966.10.10
 B1-254183 Prityolskij? Cynyminc?, 1968.5.13

HESPERINIDAE ヒゲナガケバ工科**589 *Hesperinus umbecillus***

- B1-254184 Krasnodar region? Boroga, 1967.6.15
 B1-254185 Krasnodar region? Boroga, 1967.6.15
 B1-254186 Krasnodar region? Boroga, 1967.6.15
 B1-255062 Rossia Krasnodar terr. Caucasus reserve, 1967.6.14, B. M.
 B1-255063 Rossia Krasnodar terr. Caucasus reserve, 1967.6.14, B. M.

590 *Hesperinus rohdendorfi*

- B1-255064 Paratype, Rossia Far East Kedrovaja Pad res., 1964.10.9, B. M.
 B1-255065 Paratype, Rossia Far East Kedrovaja Pad res., 1964.10.9, B. M.

- B1-255066 Paratype, Russia Far East Kedrovaja Pad res.,
1964.10.9, B. M.
 B1-255067 Paratype, Russia Far East Kedrovaja Pad res.,
1964.10.9, B. M.
 B1-255068 Paratype, Russia Far East Kedrovaja Pad res.,
1964.10.9, B. M.
 B1-255069 Paratype, Russia Far East Kedrovaja Pad res.,
1964.10.9, B. M.
 B1-255070 Paratype, Russia Far East Kedrovaja Pad res.,
1964.10.9, B. M.
 B1-255071 Paratype, Russia Far East Kedrovaja Pad res.,
1964.10.9, B. M.
 B1-255072 Paratype, Russia Far East Ussury res.,
1969.5.18, B. Mamaev
 B1-255073 Paratype, Russia Far East Ussury res.,
1969.5.18, B. Mamaev

PACHYNEURIDAE

591 *Pachyneura oculata*

- B1-254187 Paratype, Prityolskij? Cynyminc?, 1969.5., B. Mamaev
 B1-255038 Paratype, Russia Far East Ussury res.,
1967.4.30, B. Mamaev
 B1-255039 Paratype, Russia Far East Ussury res.,
1967.4.12, B. Mamaev
 B1-255040 Paratype, Russia Far East Ussurijsk res.,
1963.5.4, B. Mamaev
 B1-255041 Paratype, Russia Far East Ussury res.,
1969.5.4, B. Mamaev

592 *Pachyneura fasciata*

- B1-254188 Prityolskij? Cynyminc?, 1967.5.19
 B1-255032 Russia Far East Kunashir, 1977.5.13, B. Mamaev
 B1-255033 Russia Far East Kunashir, 1977.4.27, B. Mamaev
 B1-255034 Kamtshatka Kosyrevsk, 1984.6.15, B. Mamaev
 B1-255035 Khabarovsk terr. Khingan res., 1975.5.14, B. Mamaev
 B1-255036 Khabarovsk terr. Khingan res., 1975.9.4, B. Mamaev
 B1-255037 Russia Far East Ussurijski res., 1967.5.5, B. Mamaev

CRAMPTONOMYIIDAE ハルカ科

593 *Cramptonomyia spenceri*

- B1-255027 Canada B.C. Vancouver Point Grey,
1973.3.20, J. R. Vockeroth
 B1-255028 Canada B.C. Vancouver Point Grey,
1973.2.23, J. R. Vockeroth

594 *Pergratospes holoptica*

- B1-255029 Paratype, Russia Far East Ussurijski res.,
1969.4.22, B. Mamaev
 B1-255030 Paratype, Russia Far East Ussurijski res.,
1969.4.22, B. Mamaev

- B1-255031 Paratype, Russia Far East Ussurijski res.,
1969.4.22, B. Mamaev

AXYMYIIDAE クチキカ科

595 *Mesaxymyia stackelbergi*

- B1-255042 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255043 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255044 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255045 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255046 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255047 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255048 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255049 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255050 Paratype, Russia Far East Ussury res., 1969.5.15, B. M.

596 *Protaxymyia melanoptera*

- B1-255051 Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255052 Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255053 Russia Far East Ussury res., 1969.5.15, B. M.
 B1-255054 Russia Far East Ussury res., 1967.4.13, B. M.
 B1-255055 Russia Far East Ussury res., 1967.4.13, B. M.

XYLOPHAGIDAE キアブ科

597 *Xylophagus ater*

- B1-255001 Ukraina Carpathians Khust, 1963.7.7, B. Mamaev
 B1-255002 Ukraina Carpathians Khust, 1963.6.8, B. Mamaev

598 *Xylophagus bungei*

- B1-255003 (no data)

599 *Xylophagus junki*

- B1-255004 Sankt-Peterburg region, 1948.5.24, B. Mamaev

600 *Xylophagus sachalinensis*

- B1-255005 Russia Far East Ussuri-reserve, 1967.4.20, B. Mamaev
 B1-255006 Russia Far East Ussuri-reserve, 1967.4.20, B. Mamaev
 B1-255007 Russia Far East Kunashir, 1977.6.15, B. Mamaev
 B1-255008 Russia Far East Kunashir, 1977.4.23, B. Mamaev

601 *Xylophagus matsumurae*

- B1-255009 Russia Tuva Ishtii-Khem, 1974.6.16, B. Mamaev
 B1-255010 Russia Far East Kunashir, 1977.6.7, B. Mamaev
 B1-255011 Russia Far East Kunashir, 1977.9.13, B. Mamaev

602 *Xylophagus compeditus*

- B1-255012 Russia Moscow region Malinki, 1974.5.18, B. Mamaev
 B1-255013 Russia Burjatia Babushkin, 1976.6.8, B. Mamaev

603 *Xylophagus admirandus*

- B1-255014 Paratype, Russia Far East Ussurijsk-reserve,
1969.5.20, B. Mamaev
B1-255015 Khabarovsk tezz. Khingan reserve, 1975.5.23, B. Mamaev
B1-255016 Khabarovsk tezz. Khingan reserve, 1975.5.3, B. Mamaev

604 *Xylophagus signifer*

- B1-255017 Paratype, Russia Far East Ussuri-reserve,
1975.5.14, B. Mamaev

605 *Xylophagus caucasicus*

- B1-255018 Holotype, Russia Krasnodar terr.
Caucasus reserve, 1971.7.11, B. Mamaev
B1-255019 Paratype, Krasnodar terr. Krasnaja Poljana,
1967.7.1, N. Krivosheina

606 *Xylophagus alobopilosus*

- B1-255020 Russia Far East Ussurijski res., 1969.4.17, B. Mamaev
B1-255021 Russia Far East Ussurijski res., 1969.4.28, B. Mamaev

607 *Xylophagus cinctus*

- B1-255022 Finland Viiki, 1971.11.5, B. Mamaev
B1-255023 Russia Far East Kunashir, 1972.9.23, B. Mamaev
B1-255024 Russia Far East Kunashir, 1972.9.23, B. Mamaev
B1-255025 Russia Tuva Ishtii-Khem, 1974.6.12, B. Mamaev
B1-255026 Russia Tuva Ishtii-Khem, 1974.7.6, B. Mamaev

CLUSIIDAE クチキバ工科**608 *Heteromeriingia nigrimana***

- B1-255074 Russia Moscow region Malinki, 1973.6.11, V. Kovalev
B1-255075 Russia Burjatia Babushkin, 1976.6.6, B. Mamaev
B1-255076 Russia Burjatia Babushkin, 1976.6.6, B. Mamaev
B1-255077 Russia Burjatia Babushkin, 1976.6.6, B. Mamaev

609 *Clusia flava*

- B1-255078 Krasnodar terr. Krasnaja Poljana, 1966.8.30, B. M.
B1-255079 Krasnodar terr. Krasnaja Poljana, 1967.7.8, B. Mamaev
B1-255080 Krasnodar terr. Krasnaja Poljana, 1967.7.8, B. M.
B1-255081 Krasnodar terr. Krasnaja Poljana, 1967.6.24, B. M.
B1-255082 Krasnodar terr. Krasnaja Poljana, 1967.6.24, B. M.
B1-255083 Krasnodar terr. Novo-Prokhladnoje, 1959.5.13, B. M.
B1-255084 Ukraina Carpathians Kvasy, 1963.6.9, B. Mamaev
B1-255085 Ukraina Carpathians Rakhov, 1963.6.19, B. Mamaev

610 *Clusia unita*

- B1-255086 Paratype, Russia Khabarovsk terr. Khekhzir res.,
1976.5.23, B. M.
B1-255087 Paratype, Russia Khabarovsk terr. Khekhzir res.,
1976.5.23, B. M.
B1-255088 Paratype, Russia Khabarovsk terr. Khekhzir res.,
1976.5.23, B. M.

- B1-255089 Paratype, Russia Khabarovsk terr. Khekhzir res.,
1976.5.23, B. M.
B1-255090 Paratype, Russia Khabarovsk terr. Khekhzir res.,
1976.5.23, B. M.
B1-255091 Paratype, Russia Khabarovsk terr. Khekhzir res.,
1976.5.23, B. M.
B1-255092 Paratype, Amur region Khungeri, 1975.9.18, Gusak
B1-255093 Paratype, Russia Far East Laso reserve, 1979.5.13, A. J.
B1-255094 Holotype, Russia Far East Kedrovaja Pad res.,
1964.9.6, N. K.
B1-255095 Paratype, Russia Far East Kedrovaja Pad res.,
1964.9.6, N. K.
B1-255096 Paratype, Russia Far East Kedrovaja Pad res.,
1964.9.6, N. K.
B1-255097 Paratype, Russia Far East Kedrovaja Pad res.,
1964.9.6, N. K.
B1-255098 Paratype, Russia Far East Kedrovaja Pad res.,
1964.9.6, N. K.
B1-255099 Paratype, Russia Far East Kedrovaja Pad res.,
1964.9.6, N. K.
B1-255100 Russia Far East Ussury res., 1983.9.26, B. M.

611 *Paraclusia tigrina*

- B1-255101 Russia Tula-reg. Tulskie Zaseki, 1958.5.17, B. M.
B1-255102 Russia Tula-reg. Tulskie Zaseki, 1958.5.17, B. M.
B1-255103 Ukraina Carpathians Kvasy, 1963.6.23, B. Mamaev
B1-255104 Ukraina Carpathians Kvasy, 1963.6.23, B. Mamaev
B1-255105 Russia Moscow region Malinki, 1972.7.12, B. M.
B1-255106 Russia Moscow region Malinki, 1972.7.12, B. M.
B1-255107 Russia Moscow region Malinki, 1972.7.12, B. M.

612 *Hendellia beckeri*

- B1-255108 Russia Far East Kunashir, 1977.5.14, B. Mamaev
B1-255109 Russia Far East Kunashir, 1977.5.14, B. Mamaev
B1-255110 Russia Far East Kunashir, 1977.5.14, B. Mamaev
B1-255111 Finland Viiki, 1971., B. Mamaev
B1-255112 Caucasus Krasn Poljana, 1976.7.8, B. Mam
B1-255113 Russia Burjatia Babushkin, 1976.7.13, B. Mamaev
B1-255114 Ukraina Carpathians Rakhov, 1966.6.9, B. Mamaev
B1-255115 Russia Far East Ussury res., 1967., B. Mam

613 *Paraclusia intermedialis*

- B1-255116 Holotype, Russia Far East Ussury res., 1969.4.14, B. M.
B1-255117 Paratype, Russia Far East Ussury res., 1969.4.14, B. M.
B1-255118 Paratype, Russia Far East Ussury res., 1969.4.14, B. M.
B1-255119 Paratype, Russia Far East Ussury res., 1969.4.14, B. M.
B1-255120 Paratype, Russia Far East Ussury res., 1969.4.14, B. M.
B1-255121 Khabarovsk terr. Khungary, 1975.9.16, Gus

614 *Clusioides microcerca*

- B1-255122 Russia Far East Kunashir, 1977.6.30, B. Mamaev
B1-255123 Russia Far East Kunashir, 1977.6.30, B. Mamaev
B1-255124 Russia Far East Kunashir, 1977.6.30, B. Mamaev
B1-255125 Russia Far East Kunashir, 1977.6.30, B. Mamaev

- B1-255126 Russia Far East Kunashir, 1977.6.30, B. Mamaev
 B1-255127 Russia Far East Kunashir, 1977.6.30, B. Mamaev
 B1-255128 Russia Far East Kunashir, 1977.6.30, B. Mamaev
 B1-255129 Russia Far East Kunashir, 1977.6.30, B. Mamaev
 B1-255130 Russia Far East Kunashir, 1977.6.30, B. Mamaev
 B1-255131 Russia Far East Kunashir, 1977.6.30, B. Mamaev

615 *Clusioides albimana*

- B1-255132 Ukraina Carpathians Kvasy, 1963.6.9, B. Mamaev
 B1-255133 Ukraina Carpathians Kvasy, 1963.6.9, B. Mamaev
 B1-255134 Ukraina Carpathians Kvasy, 1963.6.9, B. Mamaev
 B1-255135 Ukraina Carpathians Kvasy, 1963.6.9, B. Mamaev
 B1-255136 Ukraina Carpathians Kvasy, 1963.6.9, B. Mamaev
 B1-255137 Russia Moscow region Peshki, 1966.6.15, B. Mamaev

616 *Clusioides gentilis*

- B1-255138 Russia Tula reg. Tulskie Zaseki, 1958.6.3, B. Mamaev

617 *Clusioides bisetosa*

- B1-255139 Holotype, Russia Far East Ussuri reserve,
 1969.5.11, B. Mamaev
 B1-255140 Paratype, Russia Far East Kedrovaja Pad res.,
 1964.9.10, N. P. Krivosheina

618 *Clusioides quatuorsetosa*

- B1-255141 Holotype, Russia Far East Ussury res.,
 1968.10.13, B. Mamaev
 B1-255142 Paratype, Russia Far East Ussury res., 1969.5.7, B. Mam.

619 *Clusioides ruficollis*

- B1-255143 Russia Tula reg. Tulskie Zaseki, 1958.5.22, B. Mam.
 B1-255144 Russia Tula reg. Tulskie Zaseki, 1958.5.22, B. Mam.
 B1-255145 Russia Tula reg. Tulskie Zaseki, 1958.5.22, B. Mam.
 B1-255146 Russia Tula reg. Tulskie Zaseki, 1958.5.22, B. Mam.
 B1-255147 Russia Tula reg. Tulskie Zaseki, 1958.5.22, B. Mam.
 B1-255148 Caucasus Krasnaja Poljana, 1971.7.18
 B1-255149 Caucasus Krasnaja Poljana, 1971.7.18
 B1-255150 Caucasus Krasnaja Poljana, 1971.7.18
 B1-255151 Caucasus Krasnaja Poljana, 1964.6.30
 B1-255152 Caucasus Krasnaja Poljana, 1964.6.30

620 *Clusioides apicalis*

- B1-255153 Russia Burjatia Babushkin, 1976.6.6, B. M.
 B1-255154 Russia Moscow region Peshki, 1970.9.16, B. Mamaev
 B1-255155 Russia Tula reg. Tulskie Zaseki, 1958.5.23, B. M.
 B1-255156 Russia Tula reg. Tulskie Zaseki, 1958.5.23, B. M.
 B1-255157 Russia Tula reg. Tulskie Zaseki, 1958.5.23, B. M.

621 *Clusioides ? freyi*

- B1-255158 Russia Tuva Ishtii Chem, 1973.8.11, B. Mamaev
 B1-255159 Russia Tuva Ishtii Chem, 1973.8.11, B. Mamaev
 B1-255160 Russia Tuva Ishtii Chem, 1973.8.11, B. Mamaev

622 *Clusioides geomyzina*

- B1-255161 Russia Tuva Ishtii Chem, 1973.8.8, B. Mamaev
 B1-255162 Russia Tuva Ishtii Chem, 1973.8.8, B. Mamaev
 B1-255163 Russia Tuva Ishtii Chem, 1973.8.8, B. Mamaev

623 *Clusioides tuomikoskii*

- B1-255164 Holotype, Russia Far East Kedrovaja Pad res.,
 1954.8.25, N. Krivosheina
 B1-255165 Paratype, Russia Far East Kedrovaja Pad res.,
 1964.8.25, N. Krivosheina
 B1-255166 Paratype, Russia Far East Kedrovaja Pad res.,
 1964.8.25, N. Krivosheina
 B1-255167 Paratype, Russia Far East Kedrovaja Pad res.,
 1964.8.25, N. Krivosheina
 B1-255168 Paratype, Russia Far East Kedrovaja Pad res.,
 1964.8.25, N. Krivosheina

624 *Clusioides flaveola*

- B1-255169 Holotype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255170 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255171 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255172 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255173 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255174 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255175 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.
 B1-255176 Paratype, Russia Far East Ussury res., 1969.5.19, B. M.

625 *Amuroclusia nigromaculata*

- B1-255177 Paratype, Russia Khabarovsk terr. Khekhzir res.,
 1979.4.26
 B1-255178 Paratype, Russia Khabarovsk terr. Khekhzir res.,
 1979.4.26
 B1-255177 Paratype, Russia Khabarovsk terr. Khekhzir res.,
 1979.4.26
 B1-255178 Paratype, Russia Khabarovsk terr. Khekhzir res.,
 1979.4.26

COLEOPTERA

鞘翅目

すべての標本にはママエフ博士または他の研究者の同定による種名ラベルとタイプラベルが付されている。以下のリストでは学名および採集データは基本的に標本ラベルに基づいて記述してある。

標本によっては複数個体が同一の針に刺されていることがある。そのような場合、これらを1つの資料として番号を付し（例：B1-258012）、末尾のカッコ内にその個体数を記述した（例：[2]）。

As for the pinned beetles, all specimens of Mamaev's collection are attached with identification labels or type labels by himself or other investigators. In the following list, scientific name and collection data of each specimen is, basically, based on the description of the label.

Two or more individuals are mounted on single pin in some specimens. In such a case, the material number (ex. B1-258012) is applied for the single specimen containing more than one individuals and quantity of individuals is added at the end of each column of the list (ex. [2]).

COLEOPTERA 鞘翅目

EUCNEMIDAE コメツキダマシ科

- 1** *Asiocnemis morawitzi*
 B1-258001 Uzbekistan Kizil-Kum Kuldzuk-tau, 1961.5.25, B. M.
 B1-258002 Uzbekistan Kizil-Kum Kuldzuk-tau, 1961.5.25, B. M.
 B1-258003 Uzbekistan Kizil-Kum Kuldzuk-tau, 1961.5.25, B. M.
 B1-258004 Uzbekistan Kizil-Kum Kuldzuk-tau, 1961.5.25, B. M.
 B1-258005 Uzbekistan Kizil-Kum Kuldzuk-tau, 1961.5.25, B. M.
 B1-258006 Uzbekistan Kizil-Kum Kuldzuk-tau, 1961.5.25, B. M.
- 2** *Bioxyllus personatus*
 B1-258007 Holotype, Far East Ussury res., 1969.5.6, B. M.
 B1-258008 paratype, Far East Ussury res., 1969.5.6, B. M.
 B1-258009 paratype, Far East Ussury res., 1969.05.06, B. M.
 B1-258010 paratype, Far East Ussury res., 1969.05.06, B. M.
 B1-258011 paratype, Far East Ussury res., 1969.05.06, B. M.
 B1-258012 paratype, Far East Ussury res., 1969.05.06, B. M., [2]
 B1-258013 paratype, Far East Ussury res., 1969.05.06, B. M.
- 3** *Dirrhagus pectinicornis*
 B1-258014 Kunashir, 1977.6.6, B. Mamaev
 B1-258015 Kunashir, 1977.6.6, B. Mamaev
 B1-258016 Kunashir, 1977.6.6, B. Mamaev
 B1-258017 Kunashir, 1977.6.6, B. Mamaev, [2]
- 4** *Dirrhagus lepidus*
 B1-258018 Russia Voronezh reg., 1960.19.15, B. M., [2]
 B1-258019 Far East Khingan res., 1975.6.4, B. M.
- 5** *Dirrhagus pygmaeus*
 B1-258020 Russia Tula reg., 1958.6.27
 B1-258021 Moscow reg. Malinki, 1973.6.20, B. M.
 B1-258022 Moscow reg. Malinki, 1973.6.20, B. M.
 B1-258023 Moscow reg. Malinki, 1973.6.20, B. M., [2]
- 6** *Dirrhagus marginatus*
 B1-258024 Far East Laso res., 1979.7.20, Gus. , [3]
 B1-258025 Far East Laso res., 1979.7.20, Gus. , [3]
 B1-258026 Far East Laso res., 1979.7.20, Gus. , [4]
- 7** *Dirrhagus foveolatus*
 B1-258027 Far East Khingan res., 1975.6.4, B. M.
 B1-258028 Far East Khingan res., 1975.6.4, B. M.
 B1-258029 Far East Khingan res., 1975.6.4, B. M.
 B1-258030 Far East Khingan res., 1975.6.4, B. M.
 B1-258031 Far East Khingan res., 1975.6.4, B. M.
 B1-258032 Far East Khingan res., 1975.6.4, B. M.
 B1-258033 Far East Khingan res., 1975.6.4, B. M.
 B1-258034 Far East Khingan res., 1975.6.4, B. M.
 B1-258035 Far East Khingan res., 1975.6.4, B. M.
- 8** *Dromaeolus barnabita*
 B1-258036 Krasnodar terr. Novo-Prokhladnoe, 1959.5.25, B. Mamaev
 B1-258037 Krasnodar terr. Novo-Prokhladnoe, 1959.5.25, B. Mamaev
- 9** *Dromaeolus moronita*
 B1-258038 Russia Rostov-Don, 1952.6.15, B. M.
 B1-258039 Russia Rostov-Don, 1952.6.15, B. M.
- 10** *Eucnemis zaitzevi*
 B1-258040 Holotype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
 B1-258041 paratype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
 B1-258042 paratype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
 B1-258043 paratype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
 B1-258044 paratype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
 B1-258045 paratype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
 B1-258046 paratype, Tura Ishtii Khem, 1974.6.17, A. Zaitzev
- 11** *Eucnemis capucina*
 B1-258047 Ukraina Kiev, 1960.10.1
 B1-258048 Ukraina Kiev, 1960.10.1
- 12** *Euryptychus lewisi*
 B1-258049 Far East Ussuri res., 1969.5.14, B. M., [2]
 B1-258050 Far East Ussuri res., 1969.5.14, B. M.
 B1-258051 Far East Ussuri res., 1969.5.14, B. M.
 B1-258052 Far East Ussuri res., 1969.5.14, B. M.
 B1-258053 Far East Ussuri res., 1969.5.14, B. M.
 B1-258054 Far East Ussuri res., 1969.5.14, B. M., [2]
 B1-258055 Far East Ussuri res., 1969.5.14, B. M., [2]
- 13** *Euryptychus vicinus*
 B1-258056 Far East Ussuri res., 1969.5.20, B. M.
 B1-258057 Far East Ussuri res., 1969.5.20, B. M.
 B1-258058 Far East Ussuri res., 1969.5.20, B. M.
 B1-258059 Far East Ussuri res., 1969.5.20, B. M.
- 14** *Fornax hisamatsui*
 B1-258060 Holotype, Far East Ussury res., 1968.4.20, B. M.
 B1-258061 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258062 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258063 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258064 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258065 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258066 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258067 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258068 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258069 paratype, Far East Ussury res., 1968.4.20, B. M.
 B1-258070 paratype, Far East Ussury res., 1968.4.20, B. M.
- 15** *Hylochaeres cruentatus*
 B1-258071 Tuva Tshtii-Chem, 1974.6.29, B. Mamaev
 B1-258072 Tuva Tshtii-Chem, 1974.6.29, B. Mamaev
 B1-258073 Tuva Tshtii-Chem, 1974.6.29, B. Mamaev

16 *Hylochaeres harmandi*

- B1-258074 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258075 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258076 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258077 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258078 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258079 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258080 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258081 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258082 Far East Kedrovaja Pad', 1964.10.15, B. M.
 B1-258083 Far East Kedrovaja Pad', 1964.10.15, B. M.

17 *Hypocoelus cariniceps*

- B1-258084 Sverige Upl Faeringsoe., T-E. Leiler
 B1-258085 Oeg. Simonstorp, 1969.7.17, B. Ehnstroem
 B1-258086 Oeg. Simonstorp, 196908.1, B. Ehnstroem

18 *Isorhipis foveata*

- B1-258093 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258094 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258095 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258096 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258097 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258098 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258099 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258100 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258101 Far East Khekhzir res., 1976.5.22, B. M.
 B1-258102 Far East Khekhzir res., 1976.5.22, B. M.

19 *Isorhipis melasoides*

- B1-258103 Caucasus Krasnaja Poljana, 1966.8.25, B. M.
 B1-258104 Caucasus Krasnaja Poljana, 1966.8.25, B. M.
 B1-258105 Caucasus Krasnaja Poljana, 1966.8.25, B. M.
 B1-258106 Caucasus Krasnaja Poljana, 1966.8.25, B. M.
 B1-258107 Caucasus Krasnaja Poljana, 1966.8.25, B. M.
 B1-258108 Caucasus Krasnaja Poljana, 1966.8.25, B. M.
 B1-258109 Caucasus Krasnaja Poljana, 1966.8.25, B. M.

20 *Isorhipis minuta*

- B1-258110 Holotype, Far East Spassk, 1953.8.1, Sinchilina
 B1-258111 paratype, Far East Spassk, 1953.8.1, Sinchilina
 B1-258112 paratype, Far East Spassk, 1953.8.1, Sinchilina
 B1-258113 paratype, Far East Spassk, 1953.8.1, Sinchilina
 B1-258114 paratype, Far East Spassk, 1953.8.1, Sinchilina
 B1-258115 paratype, Far East Spassk, 1953.8.1, Sinchilina
 B1-258116 paratype, Far East Spassk, 1953.8.1, Sinchilina

21 *Isorhipis nigriceps*

- B1-258087 Caucasus Torysh, 1979.4.20, B. Mamaev
 B1-258088 Caucasus Torysh, 1979.4.20, B. Mamaev
 B1-258089 Caucasus Torysh, 1979.4.20, B. Mamaev
 B1-258090 Caucasus Torysh, 1979.4.20, B. Mamaev
 B1-258091 Caucasus Torysh, 1979.4.20, B. Mamaev
 B1-258092 Caucasus Torysh, 1979.4.20, B. Mamaev

- B1-258117 Caucasus Talysh, 1979.4.20, B. Mamaev
 B1-258118 Caucasus Talysh, 1979.4.20, B. Mamaev
 B1-258119 Caucasus Talysh, 1979.4.20, B. Mamaev
 B1-258120 Caucasus Talysh, 1979.4.20, B. Mamaev

22 *Melasis buprestoides*

- B1-258121 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258122 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258123 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258124 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258125 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258126 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258127 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258128 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev
 B1-258129 Caucasus Novo-Prokhladnoe, 1959.5.30, B. Mamaev, [2]

23 *Nematodes filum*

- B1-258130 Caucasus Guseripl', 1971.7.8
 B1-258131 Caucasus Guseripl', 1971.07.08
 B1-258132 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258133 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258134 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258135 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258136 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258137 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258138 Caucasus Ubinskaja, 1970.7.13, B. M.
 B1-258139 Caucasus Ubinskaja, 1970.7.13, B. M.

24 *Otho spondyloides*

- B1-258140 Burjatia Babshkin, 1976.7.4, B. M.
 B1-258141 Burjatia Babshkin, 1976.7.4, B. M.
 B1-258142 Burjatia Babshkin, 1976.7.4, B. M.
 B1-258143 Burjatia Babshkin, 1976.7.4, B. M.
 B1-258144 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258145 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258146 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258147 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258148 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258149 Burjatia Babshkin, 1976.6.28, B. M.

25 *Thambus friwaldszkyi*

- B1-258150 Carpatians Khust., 1963.7.6, B. Mamaev

26 *Xylobius ussuriensis*

- B1-258151 Holotype, Far East Ussury res., 1969.5.23, B. M.
 B1-258152 paratype, Far East Ussury res., 1969.5.23, B. M.
 B1-258153 paratype, Far East Ussury res., 1969.5.23, B. M.
 B1-258154 paratype, Far East Ussury res., 1969.5.23, B. M.
 B1-258155 paratype, Far East Ussury res., 1969.5.23, B. M.
 B1-258156 paratype, Far East Ussury res., 1969.5.23, B. M.
 B1-258157 paratype, Far East Ussury res., 1969.5.23, B. M., [2]
 B1-258158 paratype, Far East Ussury res., 1969.5.23, B. M.

27 *Xylophilus talyschensis*

B1-258159 Caucasus Talysh, 1936.7.27, L. A.

CUCUJIDAE ヒラタムシ科

28 *Cucujus cinnaberinus*

B1-258160 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258161 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258162 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258163 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258164 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258165 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258166 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258167 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258168 Russia Voronezh reg., 1959.9.11, B. M.
 B1-258169 Russia Voronezh reg., 1959.9.11, B. M.

29 *Cucujus clavipes*

B1-258170 E.Lansing, MICH. Ingham Co., 1970.4.6, Daniel K. Young
 B1-258171 E.Lansing, MICH. Ingham Co.,
 1971.1.23, Daniel K. Young
 B1-258172 E.Lansing, MICH. Ingham Co.,
 1972.4.22, Daniel K. Young
 B1-258173 E.Lansing, MICH. Ingham Co., 1974.4.6, Daniel K. Young

30 *Cucujus caucasicus*

B1-258174 Caucasus Krasnoja Poljana, 1969.8.10, B. M.

31 *Cucujus haematodes*

B1-258175 Khabarovsk terr. Khingau res., 1975.5.5, B. M.
 B1-258176 Khabarovsk terr. Khingau res., 1975.5.5, B. M.
 B1-258177 Khabarovsk terr. Khingau res., 1975.5.26, B. M.
 B1-258178 Khabarovsk terr. Khingau res., 1976.5.22, B. M.
 B1-258179 Khabarovsk terr. Khingau res., 1976.4.19, B. M.
 B1-258180 Khabarovsk terr. Khingau res., 1976.4.19, B. M.
 B1-258181 Burjatia Babushkin, 1976.6.12, B. M.
 B1-258182 Burjatia Babushkin, 1976.6.12, B. M.
 B1-258183 Burjatia Babushkin, 1976.6.12, B. M.
 B1-258184 Burjatia Babushkin, 1976.6.12, B. M.

32 *Dendrophagus crenatus*

B1-258185 Moscow reg. Malinki, 1973.6.6, B. M.
 B1-258186 Moscow reg. Malinki, 1973.6.6, B. M.
 B1-258187 Moscow reg. Malinki, 1973.6.6, B. M.

33 *Laemophloeus testaceus*

B1-258188 Kirghizia Sary-Tshelek, 1965.5.8, B. M.
 B1-258189 Kirghizia Sary-Tshelek, 1965.5.8, B. M., [2]
 B1-258190 Kirghizia Sary-Tshelek, 1965.5.8, B. M.
 B1-258191 Kirghizia Sary-Tshelek, 1965.5.8, B. M.
 B1-258192 Kirghizia Sary-Tshelek, 1965.5.8, B. M.

34 *Laemophloeus corticinus*

B1-258193 Sdml-Kjula, 1971.5.15, Ehnstroem
 B1-258194 Stockholm Exp. Faeltcl., Ehnstroem

35 *Laemophloeus muticus*

B1-258195 Burjatia Babushkin, 1976.6.17, B. M., [3]

36 *Laemophloeus monilis*

B1-258196 Russia Voronezh reg., 1960.9.20, B. M., [4]
 B1-258197 Russia Voronezh reg., 1960.9.20, B. M., [2]

37 *Pediacus fuscus*

B1-258198 Russia Vologda res., 1982.7.18, B. Mamaev

38 *Pediacus dermestoides*

B1-258199 Krasnodar terr. Novo-Prokhladnoe, 1959.5.30, B. M.
 B1-258200 Krasnodar terr. Krasnaja Poljana, 1971.6.16, B. Mam.
 B1-258201 Krasnodar terr. Krasnaja Poljana, 1971.6.16, B. Mam.

39 *Brontes planatus*

B1-258202 Krasnodar terr. Krasnaja Poljana, 1966.8.4, B. Mam.
 B1-258203 Krasnodar terr. Krasnaja Poljana, 1966.8.4, B. Mam.
 B1-258204 Krasnodar terr. Guseripl', 1971.7.23, B. M.
 B1-258205 Krasnodar terr. Guseripl', 1971.7.23, B. M.
 B1-258206 Krasnodar terr. Novo-Prokhladnoe, 1959.5.27, B. Mam.
 B1-258207 Krasnodar terr. Ubinskaja, 1968.7.13, B. Mam.
 B1-258208 Far East Ussury res., 1968.9.15, B. Mam., [2]
 B1-258209 Moscow reg. Malinki, 1973.5.22, B. M.
 B1-258210 Russia Tula reg. Tulskie Zaseki, 1958.7.3, B. Mam.

40 *Brontes dubius*

B1-258211 E.Lansing, MICH. Ingham Co.,
 1970.11.16, Daniel K. Young
 B1-258212 E.Lansing, MICH. Ingham Co.,
 1970.11.16, Daniel K. Young

SILVANIDAE ホソヒラタムシ科

41 *Silvanus unidentatus*

B1-258213 Russia Yaroslavl reg. Rybinsk, 1961.7.1, B. M., [3]

42 *Silvanus bidentatus*

B1-258214 Russia Tula reg. Tulskie Zaseki, 1958.7.13, [2]
 B1-258215 Caucasus Krasnoja Poljana, 1966.8.4, B. Mamaev, [2]

COLYDIIDAE ホソカタムシ科

43 *Aulonium trisulcum*

B1-258216 Russia Voronezh reg., 1960.9.15, B. M.

44 *Bothrioderes contractus*

B1-258217 Far East Ussury res., 1967.4.11, B. M., [3]

45 *Colidium elongatus*

- B1-258218 Caucasus Krazneja Poljana, 1966.7.22, B. Mamaev
 B1-258219 Caucasus Krazneja Poljana, 1966.7.22, B. Mamaev

46 *Colidium filiforme*

- B1-258220 Caucasus Ubinskaja, 1976.05.26, B. M., [2]

47 *Dechomus subcollis*

- B1-258221 Caucasus Khosta, 1959.07.01, B. M.
 B1-258222 Caucasus Khosta, 1959.07.01, B. M.
 B1-258223 Caucasus Krazneja Poljana, 1966.07.21, B. Mamaev
 B1-258224 Caucasus Krazneja Poljana, 1966.07.21, B. Mamaev
 B1-258225 Caucasus Krazneja Poljana, 1966.07.21, B. Mamaev

48 *Endophloeus exsculptae*

- B1-258226 Caucasus Krazneja Poljana, 1966.07.27, B. Mamaev
 B1-258227 Caucasus Krazneja Poljana, 1966.07.27, B. Mamaev
 B1-258228 Caucasus Krazneja Poljana, 1966.07.27, B. Mamaev

49 *Synchita amurensis*

- B1-258229 paratype, Far East Khingan res., 1975.06.23, B. Mamaev

50 *Synchita humeralis*

- B1-258230 Tuva Ishtii Khem, 1974.07.09, B. Mamaev, [3]

PROSTOMIDAE デバヒラタムシ科**51 *Prostomis lewisi***

- B1-258231 Kunashir, 1972.9.13, B. Mamaev
 B1-258232 Kunashir, 1972.9.13, B. Mamaev
 B1-258233 Kunashir, 1972.9.13, B. Mamaev
 B1-258234 Kunashir, 1972.9.13, B. Mamaev
 B1-258235 Kunashir, 1972.9.13, B. Mamaev
 B1-258236 Kunashir, 1972.9.13, B. Mamaev

52 *Prostomis mordax*

- B1-258237 Far East Ussury res., 1964.9.26, B. M.
 B1-258238 Far East Ussury res., 1964.9.26, B. M., [2]

53 *Prostomus mandibularis*

- B1-258239 Krasnodar terr. Ubinskaja, 1970.6.6, B. M.
 B1-258240 Krasnodar terr. Ubinskaja, 1970.6.6, B. M.
 B1-258241 Krasnodar terr. Novo-Prokhladnoe, 1959.6.25, B. Mamaev
 B1-258242 Krasnodar terr. Novo-Prokhladnoe, 1959.6.25, B. Mamaev
 B1-258243 Krasnodar terr. Novo-Prokhladnoe, 1959.6.25, B. Mamaev
 B1-258244 Krasnodar terr. Novo-Prokhladnoe, 1959.6.25, B. Mamaev
 B1-258245 Caucasus Kudepsta, 1959.6.12, B. M., [2]

MELANDRYIDAE ナガクチキムシ科**54 *Dircaea australis***

- B1-258246 Sverige Sandbaeckshult, T-E. Leiler

55 *Dircaea quadriguttata*

- B1-258247 Khabarovsk terr. Khekhzir, 1976.5.24, B. Mamaev
 B1-258248 Khabarovsk terr. Khekhzir, 1976.5.24, B. Mamaev
 B1-258249 Khabarovsk terr. Khekhzir, 1976.5.24, B. Mamaev

56 *Enchodes orientalis*

- B1-258250 paratype, Far East Ussury res., 1967.4.12, B. M.
 B1-258251 paratype, Far East Ussury res., 1967.4.12, B. M.
 B1-258252 paratype, Far East Ussury res., 1967.4.12, B. M.

57 *Euryzilora ussurica*

- B1-258253 Holotype, Far East Ussury res., 1968.9.28, B. M.
 B1-258254 paratype, Far East Ussury res., 1968.9.28, B. M.
 B1-258255 paratype, Far East Ussury res., 1968.9.28, B. M.
 B1-258256 Far East Ussury res., 1967.4.28, B. M.

58 *Hypulus quercinus*

- B1-258257 Rossia Tul'skie Zaseki, 1959.7.15, B. Mamaev
 B1-258258 Rossia Tul'skie Zaseki, 1959.7.17, B. Mamaev, [2]

59 *Hypulus fasciatus*

- B1-258259 Carpathians Khust, 1963.7.6, B. Mamaev
 B1-258260 Carpathians Khust, 1963.7.6, B. Mamaev
 B1-258261 Carpathians Khust, 1963.7.6, B. Mamaev

60 *Melandrya ussuriensis*

- B1-258262 paratype, Far East Ussury res., 1969.5.30, B. M.
 B1-258263 paratype, Far East Ussury res., 1969.5.30, B. M.

61 *Melandrya parallera*

- B1-258264 Far East Ussury res., 1969.6.19, B. M.
 B1-258265 Far East Ussury res., 1969.6.19, B. M.
 B1-258266 Far East Ussury res., 1969.6.19, B. M.

62 *Melandrya fasciata*

- B1-258267 paratype, Khabarovsk terr. Ussury res.

63 *Melandrya flavonotata*

- B1-258268 Khabarovsk terr. Ussury res., 1976.5.20, B. Mam.
 B1-258269 Khabarovsk terr. Ussury res., 1976.5.20, B. Mam.
 B1-258270 Khabarovsk terr. Ussury res., 1976.5.20, B. Mam.
 B1-258271 Khabarovsk terr. Ussury res., 1976.5.20, B. Mam.

64 *Melandrya mongolica*

- B1-258272 Far East Ussury res., 1969.4.15, B. M.
 B1-258273 Far East Ussury res., 1969.4.15, B. M.
 B1-258274 Khabarovsk terr. Khingan res., 1975.6.4, B. Mam.
 B1-258275 Khabarovsk terr. Khingan res., 1975.6.4, B. Mam.
 B1-258276 Khabarovsk terr. Khingan res., 1975.6.4, B. Mam.
 B1-258277 Khabarovsk terr. Khingan res., 1975.6.3, B. Mamaev
 B1-258278 Khabarovsk terr. Khingan res., 1975.6.3, B. Mamaev
 B1-258279 Khabarovsk terr. Khingan res., 1975.6.3, B. Mamaev
 B1-258280 Khabarovsk terr. Khingan res., 1975.6.3, B. Mamaev
 B1-258281 Khabarovsk terr. Khingan res., 1975.5.24, B. Mam.

65 *Melandrya rufipes*

- B1-258282 Burjatia Babshkin, 1976.6.11, B. M.
 B1-258283 Burjatia Babshkin, 1976.6.11, B. M.
 B1-258284 Burjatia Babshkin, 1976.6.12, B. M.
 B1-258285 Burjatia Babshkin, 1976.6.12, B. M.
 B1-258286 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258287 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258288 Burjatia Babshkin, 1976.6.28, B. M.
 B1-258289 Burjatia Babshkin, 1976.6.20, B. M.
 B1-258290 Burjatia Babshkin, 1976.6.30, B. M.
 B1-258291 Burjatia Babshkin, 1976.7.02, B. M.

66 *Melandrya dubia*

- B1-258292 Burjatia Babshkin, 1971.6.11, B. M.
 B1-258293 Burjatia Babshkin, 1971.6.11, B. M.
 B1-258294 Burjatia Babshkin, 1971.6.11, B. M.
 B1-258295 Kunashir, 1977.5.24, B. Mamaev
 B1-258296 Kunashir, 1977.5.24, B. Mamaev
 B1-258297 Moscow reg. Malinki, 1974.5.17, B. M.
 B1-258298 Moscow reg. Malinki, 1974.5.17, B. M.
 B1-258299 Khabarovsk reg. Khingan res., 1975.5.28, B. M.
 B1-258300 Khabarovsk reg. Khingan res., 1975.5.28, B. M.
 B1-258301 Tuva Ishtii Khem, 1974.7.7, B. M.

67 *Melandrya caraboides*

- B1-258302 Krasnodar terr. Ubinskaja, 1970.7.5, B. M.
 B1-258303 Krasnodar terr. Ubinskaja, 1970.7.5, B. M.
 B1-258304 Krasnodar terr. Novo-Prokhladnoe, 1959.5.9, B. Mmamaev
 B1-258305 Georgia Kin-rish, 1981.5.10, M. D.
 B1-258306 Caucasus Krasnaja Poljana, 1966.8.28, B. Mamaev
 B1-258307 Caucasus Krasnaja Poljana, 1966.6.25, B. Mamaev
 B1-258308 Caucasus Krasnaja Poljana, 1966.6.25, B. Mamaev
 B1-258309 Caucasus Krasnaja Poljana, 1966.6.25, B. Mamaev
 B1-258310 Caucasus Krasnaja Poljana, 1966.6.25, B. Mamaev
 B1-258311 Caucasus Krasnaja Poljana, 1966.6.25, B. Mamaev

68 *Orchesia undulata*

- B1-258312 Caucasus Krasnoja Poljana, 1966.8.30, B. Mamaev
 B1-258313 Caucasus Krasnoja Poljana, 1966.8.30, B. Mamaev
 B1-258314 Caucasus Krasnoja Poljana, 1966.8.30, B. Mamaev
 B1-258315 Caucasus Krasnoja Poljana, 1966.8.30, B. Mamaev
 B1-258316 Caucasus Krasnoja Poljana, 1966.8.30, B. Mamaev

69 *Orchesia micans*

- B1-258317 Krasnodar terr. Ubinskaja, 1970.7.26, B. M.
 B1-258318 Moscow reg. Glubokoje Ozero, 1960.6, [3]

70 *Phloeotrya rufipes*

- B1-258319 Oeg. Simonstorp, 1972.4.25, B. Ehnstroem
 B1-258320 Oeg. Simonstorp, 1972.4.25, B. Ehnstroem

71 *Phloeotrya bellicosa*

- B1-258321 Khabarovsk terr. Khekhzir res., 1974.8.6, B. Mam.
 B1-258322 Kunashir, 1977.4.23, B. Mamaev

- B1-258323 Kunashir, 1977.4.26, B. Mamaev
 B1-258324 Kunashir, 1977.4.27, B. Mamaev
 B1-258325 Kunashir, 1977.4.21, B. Mamaev
 B1-258326 Kunashir, 1977.4.21, B. Mamaev
 B1-258327 Kunashir, 1977.4.21, B. Mamaev
 B1-258328 Kunashir, 1977.4.21, B. Mamaev
 B1-258329 Kunashir, 1977.4.21, B. Mamaev
 B1-258330 Kunashir, 1977.4.21, B. Mamaev

72 *Phryganophilus ruficollis*

- B1-258331 Burjatia Babushkin, 1976.6.4, B. M.

73 *Phryganophilus auritus*

- B1-258332 Burjatia Babushkin, 1976.6.12, B. M.

74 *Serropalpus barbatus*

- B1-258333 Caucasus Krasnaja Poljana, 1966.8.8, B. Mamaev
 B1-258334 Moscow reg. Malinki, 1973.6, B. M.
 B1-258335 Khabarovsk reg. Khekhzir res., 1976.5.17, B. M.
 B1-258336 Krasnodar reg. Novo-Prokhladnoe, 1959.5.19, B. M.
 B1-258337 Tuba Ishtii Khem, 1974.7.7, B. Mamaev
 B1-258338 Tuba Ishtii Khem, 1974.7.18, B. Mamaev
 B1-258339 Tuba Ishtii Khem, 1979.6.17, B. Mamaev
 B1-258340 Tuba Ishtii Khem, 1979.6.17, B. Mamaev
 B1-258341 Tuba Ishtii Khem, 1979.6.17, B. Mamaev

75 *Serropalpus nipponicus*

- B1-258342 Caucasus Krasnaja Poljana, 1966.8.8, B. Mamaev

CEPHALOIDAE クビナガムシ科**76 *Cephaloon variabilis***

- B1-258343 Far East Ussury res., 1967.5.17, B. M.
 B1-258344 Far East Ussury res., 1969.5.30, B. M.

77 *Nematoplus semenovi*

- B1-258345 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258346 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258347 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258348 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258349 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258350 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258351 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258352 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258353 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258354 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258355 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258356 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258357 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258358 paratype, Far East Ussury res., 1969.5.17, B. M.
 B1-258359 paratype, Far East Ussury res., 1969.5.17, B. M.

PYTHIDAE キカワムシ科

78 *Pytho depressus*

- B1-258360 Khabarovsk reg. Kundur, 1975.6.17, B. M.
 B1-258361 Khabarovsk reg. Kundur, 1975.6.17, B. M.
 B1-258362 Khabarovsk reg. Kundur, 1975.6.17, B. M.
 B1-258363 Khabarovsk reg. Kundur, 1975.6.17, B. M.
 B1-258364 Khabarovsk reg. Kundur, 1975.6.17, B. M.
 B1-258365 Krim. Jalta, 1968.9.16, E. Anthonova
 B1-258366 Tuva Ishtii Chem, 1973.8.9, B. Mamaev
 B1-258367 Tuva Ishtii Chem, 1973.8.9, B. Mamaev
 B1-258368 Burjatia Babushkin, 1976.6.4, B. M.
 B1-258369 Moscow reg. Malinki, 1973.5.18, B. M.

PYROCHROIDAE アカハネムシ科

79 *Dendroides ephemeroides*

- B1-258370 Cedak falls King Co. Wash., 1973.7.2, M. Deyrup

80 *Dendroides concolor*

- B1-258371 E.Lansing, MICH. Ingham Co., 1974.5.5, Daniel K. Young

81 *Dendroides canadaensis*

- B1-258372 Mahomet, Illinois Nettie Hart Woods,
1966.7.22-23, M. W. Sanderson
 B1-258373 Mahomet, Illinois Nettie Hart Woods,
1966.6.28-29, M. W. Sanderson
 B1-258374 Mahomet, Illinois Nettie Hart Woods,
1966.7.12-13, M. W. Sanderson

82 *Dendroides ussuriensis*

- B1-258375 Khabarovsk terr. Kundur, 1975.5.9, B. M.
 B1-258376 Khabarovsk terr. Kundur, 1975.5.9, B. M.

83 *Neopyrochroa femoralis*

- B1-258377 Mahomet, Illinois Nettie Hart Woods,
1966.6.5-6, M. W. Sanderson

84 *Neopyrochroa flabelata*

- B1-258378 Mahomet, Illinois Nettie Hart Woods,
1966.6.25-26, M. W. Sanderson
 B1-258379 Mahomet, Illinois Nettie Hart Woods,
1966.6.25-26, M. W. Sanderson
 B1-258380 Mahomet, Illinois Nettie Hart Woods,
1966.6.25-26, M. W. Sanderson
 B1-258381 Mahomet, Illinois Nettie Hart Woods,
1966.6.27-28, M. W. Sanderson
 B1-258382 Mahomet, Illinois Nettie Hart Woods,
1966.7.1-2, M. W. Sanderson

85 *Pedilus canaliculatus*

- B1-258383 Michigan Ros Lake Wldf., 1974.6.4, Daniel K. Young
 B1-258384 Michigan Ros Lake Wldf., 1974.6.4, Daniel K. Young

- B1-258385 Michigan Ros Lake Wldf., 1974.6.4, Daniel K. Young
 B1-258386 Michigan Ros Lake Wldf., 1974.6.4, Daniel K. Young

86 *Pedilus lugubris*

- B1-258387 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258388 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258389 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258390 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258391 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258392 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258393 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord
 B1-258394 Marquette Co., Mich. Huron Mountain Club,
1974.6.10-15, D. Young & R. Arnord

87 *Pogonocerus thoracicus*

- B1-258395 Caucasus Krasnaja Poljana, 1966.7.15, B. M.
 B1-258396 Krasnodar terr. Novo-Prokhladnoe, 1959.5.19, B. Mam.

88 *Pseudopyrochroa lateraris*

- B1-258397 Khabarovsk terr. Khekhzir res., 1976.4.19,
 B1-258398 Khabarovsk terr. Kundur, 1975.5.2, A. Zait.
 B1-258399 Khabarovsk terr. Kundur, 1975.6.16, B. M.
 B1-258400 Khabarovsk terr. Kundur, 1975.6.16, B. M.
 B1-258401 Khabarovsk terr. Kundur, 1975.6.16, B. M.
 B1-258402 Khabarovsk terr. Kundur, 1975.4.24, B. M.
 B1-258403 Khabarovsk terr. Kundur, 1975.4.24, B. M.
 B1-258404 Khabarovsk terr. Kundur, 1975.4.24, B. M.
 B1-258405 Khabarovsk terr. Kundur, 1975.4.24, B. M.
 B1-258406 Khabarovsk terr. Kundur, 1975.4.24, B. M.

89 *Pseudopyrochroa vestiflua*

- B1-258407 Kunashir, 1976.9.18, B. Mamaev
 B1-258408 Kunashir, 1976.9.18, B. Mamaev
 B1-258409 Kunashir, 1976.9.18, B. Mamaev

90 *Pseudopyrochroa serraticornis*

- B1-258410 Moldavia Dubosary, 1965.5.22
 B1-258411 Moldavia Dubosary, 1965.5.22
 B1-258412 Moldavia Dubosary, 1965.5.22

91 *Pyrochroa coccinea*

- B1-258413 Rossia Tula reg. Tulskie Zaseki, 1958.5.20
 B1-258414 Rossia Tula reg. Tulskie Zaseki, 1958.5.20
 B1-258415 Rossia Tula reg. Tulskie Zaseki, 1958.5.20
 B1-258416 Moscow reg. Malinki, 1973.6.11, B. M.
 B1-258417 Krasnodar terr. Novo-Prokhladnoe, 1959.5.16, B. Mam.
 B1-258418 Krasnodar terr. Novo-Prokhladnoe, 1959.5.16, B. Mam.

92 *Schizotus fuscicollis*

- B1-258419 Far East Ussury res., 1969.4.20, B. M.
 B1-258420 Far East Ussury res., 1969.4.20, B. M.
 B1-258421 Far East Ussury res., 1969.4.20, B. M.
 B1-258422 Far East Ussury res., 1969.4.20, B. M.

93 *Schizotus pectinicornis*

- B1-258423 Khabarovsk terr. Kundur, 1975.4.25, B. M.
 B1-258424 Khabarovsk terr. Kundur, 1975.4.25, B. M.
 B1-258425 Khabarovsk terr. Kundur, 1975.4.25, B. M.
 B1-258426 Khabarovsk terr. Kundur, 1975.4.25, B. M.
 B1-258427 Khabarovsk terr. Kundur, 1976.4.26, B. M.
 B1-258428 Khabarovsk terr. Kundur, 1976.4.26, B. M.
 B1-258429 Burjatia Babushkin, 1976.6.1, B. M.
 B1-258430 Carpathians Rakhov, 1966.7.16, B. Mamaev
 B1-258431 Moscow reg. Malinki, 1973.5.15, B. M.
 B1-258432 Moscow reg. Malinki, 1973.5.15, B. M.

SALPINGIDAE チビキカワムシ科

94 *Istrisia rufobrunnea*

- B1-258433 Khabarovsk reg. Khekhzir res., 1976.5.2, B. Mamaev, [4]
 B1-258434 Khabarovsk reg. Khekhzir res., 1976.5.2, B. Mamaev, [2]
 B1-258435 Khabarovsk reg. Khekhzir res., 1976.5.2, B. Mamaev, [4]

95 *Rhinosimus planirostris*

- B1-258436 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258437 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258438 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258439 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258440 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258441 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258442 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev
 B1-258443 Caucasus Krasnaja Poljana, 1966.7.27, B. Mamaev

96 *Rhinosimus ruficollis*

- B1-258444 Carpathians Rakhov, 1966.5.4, B. Mamaev, [3]
 B1-258445 Carpathians Rakhov, 1966.5.4, B. Mamaev
 B1-258446 Carpathians Rakhov, 1966.5.4, B. Mamaev
 B1-258447 Carpathians Rakhov, 1966.5.4, B. Mamaev
 B1-258448 Carpathians Rakhov, 1966.5.4, B. Mamaev
 B1-258449 Carpathians Rakhov, 1966.5.4, B. Mamaev

97 *Rhinosimus caucasicus*

- B1-258450 Azerbaidzan Talysh., 1976.5.18, N. K., [2]

98 *Vincenzellus fascipennis*

- B1-258451 Azerbaidzan Talysh., 1976.5.1, N. K., [2]

兵庫県立人と自然の博物館収蔵資料目録 第4集
ママエフコレクション目録

編集者 兵庫県立人と自然の博物館 系統分類研究部

八木 剛・沢田 佳久

発行者 兵庫県立人と自然の博物館

〒669-1546 兵庫県三田市弥生が丘6丁目

TEL.(0795)59-2001

発行日 2000年3月31日

印刷日 2000年3月31日

印刷所 アイシー印刷株式会社

〒663-8113 兵庫県西宮市甲子園口2丁目6番6号

TEL.(0798)66-0741